



GARDEN 2026



**EINHELL IS
OFFICIAL HOME & GARDEN EXPERT
OF FC BAYERN!**



Einhell

Official Home & Garden Expert

POWER X-CHANGE

Power X-Change Battery System	6
Batteries	9
Twin-Packs	10
Starter Kits	11
Chargers	11

POWER X-CHANGE DEVICES

Power X-Change Robot Lawn Mowers without Perimeter Wire	14	Cordless Pruning Saw	52
Power X-Change Robot Lawn Mowers with Perimeter Wire	17	Cordless Pruning Shears	52
Cordless Lawn Mowers	18	Cordless Universal Blower	53
Cordless Cylinder Lawn Mower	27	Cordless Leaf Blowers	54
Cordless Multipurpose Spreader	28	Cordless Leaf Vacuums	54
Cordless Universal Spreader	28	Cordless Leaf and Lawn Collector	56
Cordless Scarifiers/Aerators	29	Cordless Knife Shredder	56
Cordless Tillers	32	Cordless Grass and Shrub Shears	57
Cordless Snow Thrower	32	Cordless Grass Shears	58
Cordless Scythes	33	Cordless Pressure Sprayers	59
Cordless Lawn Trimmers	34	Cordless Car Air Compressors	61
Cordless Lawn Edge Trimmer	39	Cordless Air Pump	62
Cordless Grout Cleaner	39	Cordless Outdoor Light	62
Cordless Surface Brushes	40	Battery Belt	63
Cordless Hedge Trimmers	42	Cordless Fans	63
Cordless Olive and Fruit Harvester	45	Cordless Hose Reels (Water)	65
Cordless Multifunctional Tools	45	Cordless Pool Vacuum	66
Cordless Pole-Mounted Pruners	47	Cordless Automatic Garden Pumps	67
Cordless Telescopic Hedge Trimmers	48	Cordless Garden Pumps	68
Cordless Chainsaws	49	Cordless Rain Barrel Pumps	71
Cordless Pruning Chainsaw	51	Cordless Clear Water Pumps	72
Cordless Chain Sharpener	52	Cordless Dirty Water Pumps	73

EINHELL HAND-HELD AND CORDED DEVICES

Hand Lawn Mowers	76	Garden Shredders	90
Garden Roller	77	Electric Roller Shredders	91
Multi-Purpose Spreader	77	'Aqua Sensor' Clear Water Pump	92
Electric Lawn Mowers	78	'Aqua Sensor' Dirty Water Pumps	93
Electric Scarifiers/Aerators	79	Multi-Purpose Pumps	94
Electric Scarifier	80	Dirty Water Pumps	95
Electric Lawn Trimmers	81	Clear Water Pumps	98
Electric Tillers	82	Rain Barrel Pump	99
Electric Hedge Trimmers	83	Submersible Pressure Pumps	100
Cordless Grass and Shrub Shears	85	Deep Well Pumps	101
Electric Multifunctional Tool	85	Garden Pumps 'Plus'	102
Electric Pole-Mounted Pruner	86	Garden Pumps	105
Electric Telescopic Hedge Trimmers	86	Automatic Home and Garden Pumps 'Plus'	106
Electric Chainsaws	87	Automatic Home and Garden Pump	106
Electric Chain Sharpeners	88	Water Works 'Plus'	107
Electric Leaf Vacuums	89	Water Works	108

PETROL-POWERED DEVICES

Petrol Lawn Mower (Power X-Change Electric Start)	111	Petrol Scythes	114
Petrol Lawn Mowers	111	Petrol Chainsaws	116
Petrol Lawn Trimmer	113	Petrol Water Pumps	117
Petrol Multifunctional Tool	113		

THE EINHELL GUARANTEE PROMISE.

In addition to offering excellent value for money, we also ensure that our products are reliable, high-quality and safe.

This is reflected in our various warranties: take advantage of our warranty extension on Einhell tools and Power X-Change batteries to benefit from our top warranty service for even longer.

- » **3-Year Einhell Product Warranty**
Warranty extension for your Power X-Change device to 3 years.
- » **30 DAY Money Back Guarantee**
For 100% satisfaction with your Power X-Change device.
- » **Power X-Change Battery Warranty**
Warranty extension for Power X-Change batteries to 3 years.
- » **Brushless Warranty**
Warranty extension for all PurePOWER Brushless products to 10 years.*



* This warranty covers only defects in the engine that are due to a material or manufacturing defect.

THIS IS HOW

Find out more at einhell.de, **register** in your customer account and **apply** for the warranty. Further information is available at

www.einhell.de/en/services/warranties/

Do you have any questions?

The Einhell Service hotline will be happy to help you.

Einhell Service

Eschenstr. 6
94405 Landau/Isar
Germany

Tel. +49 9951 959 2000

Service-DE@einhell.com
www.einhell-service.de

Einhell Germany AG

Wiesenweg 22
94405 Landau/Isar
Germany

info@einhell.de
www.einhell.de



Einhell

CORDLESS EXCELLENCE.



***TWO PARTNERS. ONE MISSION.
MAXIMUM PERFORMANCE.***



Einhell

OFFICIAL
TOOL EXPERT



**AMG
PETRONAS
FORMULA 1 TEAM**



ONE BATTERY FOR OVER 350 TOOLS, ELIMINATING SYSTEM CHAOS.

POWER X-CHANGE is the only truly standardised battery platform for home, garden and workshop use. While other manufacturers use diverse battery systems, Einhell consistently relies on a **single, universal platform for all purposes**. The **PXC BATTERY** fits in any device, regardless of whether you are using a drill, lawn mower, wet and dry vacuum cleaner or high-pressure cleaner. **This eliminates system chaos, the need for different chargers and compatibility issues.**

Other brands offer separate battery platforms for each of their performance ranges. This leads to confusion and additional expense, because different batteries are needed for different devices. With **POWER X-CHANGE**, you won't have this problem! A single system covers the entire range of tools, from garden equipment and household tools to recreational products.

FLEXIBILITY AND PERFORMANCE ACCORDING TO YOUR NEEDS.

Each situation poses unique challenges in terms of performance. With **POWER X-CHANGE**, you are free to select the precise battery capacity that suits your project's needs. Thanks to battery options ranging from **2.0 Ah to 8.0 Ah**, you are free to choose whether you prefer lightweight tools with low energy needs or high-performance machines with maximum runtime.

For particularly demanding tasks, **two 18 V batteries can be combined to produce 36 V.**

Runtime is automatically doubled on certain tools

Selected tools intelligently run on two 18 V batteries, one after the other:

- One PXC battery runs while the other waits its turn.
- The tool automatically switches over to the second battery when needed.

This results in double the runtime, with no need for interruptions or manual action.

When combined with tools that use two batteries at once for 36 V, you can have up to four batteries in place, offering 2x 36 V and automatically switching over. Perfect for prolonged use and steady performance.





THE BATTERY PLATFORM THAT GROWS WITH YOU.

A single investment in the **POWER X-CHANGE** system offers long-term flexibility. From a cordless screwdriver today to hedge trimmers tomorrow, your PXC battery grows as your projects develop. The platform is designed for expansion, so that you can add new tools at any time without having to worry about battery compatibility.

Featuring over 350 tools, **POWER X-CHANGE** is one of the largest battery platforms on the market. The product range is constantly growing, ensuring not only that you have the right tool for your current project but also that you are well equipped for the challenges to come. **Einhell is focused on the future: once you join the system, you will benefit from new opportunities for years to come.**

COST-EFFICIENT, PRACTICAL AND SUSTAINABLE.

POWER X-CHANGE not only saves you money, but also space and resources. Why buy a different battery for each tool when you can have a single type of battery that fits every purpose? This results in a lower purchase price and also eliminates the need for additional chargers.

Our carefully designed battery technology ensures that PXC batteries afford exceptional durability and efficient energy management. Fewer batteries means fewer raw materials used and less electronic waste. Thus, Einhell makes an important contribution to sustainability and resource preservation while at the same time saving you, the consumer, money.

INNOVATIVE BATTERY TECHNOLOGIES.

For use under the toughest conditions, **SEALED Technology** (rated IP57) protects the PXC battery from water and dust.

With up to 1350 watts of power per PXC battery, PXC tools offer top-rate cordless performance. Thanks to **Twin Pack Technology**, two 18 V batteries can be combined to produce 36 V, providing up to 2700 watts of power.

Multi-Ah Technology allows you to choose between maximum runtime (+60 %) and a service life that is 3x longer by simply pushing a button.

The Active Battery Management System (ABS) reliably protects the battery from overload, deep discharge and overheating through constant cell monitoring and smart load management. At the same time, ABS optimizes each cell for maximum runtime, extended service life and safe performance. In sleep mode, the system saves energy, keeping the battery ready for use.

With **POWER X-CHANGE Plus**, batteries offer not only more capacity, but also more power, exactly when and where it is needed.




POWER X-CHANGE PLUS

By switching to the new "21700" cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.


Benefits? The new batteries are 13% more compact and 12% lighter than their predecessors – at 100% power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.



MULTI-AH

Thanks to MULTI-Ah Technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers them maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).



TWIN-PACK

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack Technology. Doubling the voltage automatically doubles the power.

Double Twin-Pack Technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.



SEALED



NO CHANCE FOR DUST AND WATER.

Officially tested according to IP57 protection class.*

WHAT DOES IP57 MEAN?


DUST 5

Protected from all types of foreign bodies and dust – be it wood, brick or metal.



7 WATER

Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.



In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

* Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery.

SEALED TECHNOLOGY

Our most advanced battery system SEALED

- >>> First IP57 rechargeable battery worldwide
- >>> High Power 4 Ah Battery Pack
- >>> Water proof
- >>> Dust proof



**DUST
PROOF**

**WATER
PROOF**

Accessories – Batteries

4.0 Ah SEALED Power X-Change Plus Battery



Items supplied	1 battery
PXC battery voltage / capacity	18 V / 4.0 Ah
Battery power	max. 900 W
Product weight	0.61 kg
Article number	4511627
EAN	4 006825 673227

3.0 Ah SEALED Power X-Change Plus Battery












Items supplied	1 battery
PXC battery voltage / capacity	18 V / 3.0 Ah
Battery power	max. 900 W
Product weight	0.60 kg
Article number	4511618
EAN	4 006825 672794

ACCESSORIES – BATTERIES











One battery for all devices

Our rechargeable batteries are not only available individually (solo item), but also in a Twin Pack. To get started in the Einhell world, we recommend choosing a Starter Kit (battery + charger)

◀◀ Less weight and size PXC Batteries More power and runtime ▶▶

					
	2.0 Ah	2.5 Ah	3.0 Ah PLUS	3.0 Ah SEALED	4.0 Ah
Article number (1 battery)	4511395	Only available in Starter Kits	4511501	4511618	4511396
EAN		-			
Power	max. 450 W	max. 720 W	max. 900 W	max. 900 W	max. 900 W
Weight	400 g	460 g	585 g	595 g	670 g
Features					
PLUS - Extra Power			✓	✓	
SEALED				✓	
Multi-Ah					

◀◀ Less weight and size PXC Batteries More power and runtime ▶▶

					
	4.0 Ah PLUS	4.0 Ah SEALED	5.2 Ah	4-6 Multi-Ah	5-8 Multi-Ah
Article number (1 battery)	4511553	4511627	4511437	4511502	4511600
EAN					
Power	max. 900 W	max. 900 W	max. 1260 W	max. 1350 W	max. 1350 W
Weight	595 g	605 g	890 g	1020 g	1050 g
Features					
PLUS - Extra Power	✓	✓		✓	✓
SEALED		✓			
Multi-Ah				✓	✓

				
	3.0 Ah PLUS	4.0 Ah	4.0 Ah PLUS	5.2 Ah
Article number Twin-Pack (2 batteries)	4511631	4511489	4511629	4511526
EAN				

ACCESSORIES – STARTER KITS

Getting started is easy – with the Einhell Power X-Change Starter Kit

Technical data and features at a glance:



	2.5 Ah	4.0 Ah	4.0 Ah PLUS	5.2 Ah	4-6 Multi-Ah
Article number (1 battery + 1 charger)	4512097	4512042	4512159	4512147	4512143
EAN					
Article number (2 batteries + 1 Twincharger)	-	4512112	-	-	-
EAN	-		-	-	-
Charger (More information in the charger table)	3 A Charger	3 A Charger / 3 A Twincharger	3 A Charger	3 A Charger	6 A Boostcharger
Ready to go	50 min	75 min	75 min	100 min	60 min

ACCESSORIES – CHARGERS

One charger for all batteries – 100 % compatibility



	3 A Charger	3 A Carcharger	4 A Fastcharger	6 A Boostcharger	8 A Boostcharger
Article number (1 charger)	Only available in Starter Kits	4512113	4512103	Only available in Starter Kits	4512155
EAN	-			-	
Charging current	3 A	3 A	4 A	6 A	8 A
Number of ports for PXC batteries	1	1	1	1	1




	3 A Twincharger	4 A Twincharger	4 A Quattrocharger
Article number (1 charger)	4512069	4512161	4512102
EAN			
Charging current	3 A (per Port)	4 A (per Port)	4 A (per Port) (parallel charging of 2x2 batteries)
Number of ports for PXC batteries	2	2	4



- > Endless extendable
- > Tongue and groove connection
- > Snap-in function for secure fastening

PXC ACCESSORIES

Battery Mounting Gadget


Items supplied	2 battery mounting gadgets, 4 screws, 4 dowels	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Special feature	The batteries latch in place and are secure in every position	
Article number	4514155	 4 006825 658774



- > Protects the battery against dust and moisture

PXC ACCESSORIES

Battery Protector

Items supplied	1 battery cover	
Suitable for (batteries)	all 18 V Power X-Change batteries	
Can be used for (devices)	HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li	
Special feature	Protects the battery against dust and moisture	
Article number	4140151	 4 006825 670844

BATTERY CHARGING TIME TABLE

	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	
Power X-Charger 3 A								
Power X-Twincharger 3 A (parallel charging of 2 batteries)	40 min	50 min	60 min	75 min	100 min	120 min	160 min	
Power X-Car Charger 3 A								
Power X-Fastcharger 4 A								
Power X-Twincharger 4 A (parallel charging of 2 batteries)	30 min	37 min	45 min	60 min	80 min	90 min	120 min	
2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries)								
Power X-Boostcharger 6 A *	30 min	27 min	32 min	40 min	50 min	60 min	80 min	
Power X-Boostcharger 8 A **	30 min	27 min	32 min	40 min	40 min	45 min	60 min	

* Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.

** Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.

POWER X CHANGE



Operating times

The product descriptions specify the operating times that the devices can achieve when using the various batteries.

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For optimum performance of the devices, we recommend the batteries with operating times highlighted in dark grey

TRUE WIRELESS FREEDOM



» A camera instead of a perimeter wire.


The Einhell FREELEXO CAM robot lawnmowers do not require the tedious and time-consuming installation of a perimeter wire*. Instead, they use their built-in camera to recognise lawn areas based on their colour and texture. The robot mowers detect obstacles taller than 10 cm thanks to their impact and obstacle sensors. They then mow all lawn areas at random.

Power X-Change – The FREELEXO CAM robot mowers are part of the Einhell Power X-Change family, in which batteries, chargers and system devices can be flexibly combined.

* All you need to do is lay a 5 m² loop around the charging station, which the robotic lawnmower uses to dock into the charging station.



POWER X-CHANGE ROBOT LAWN MOWER WITHOUT PERIMETER WIRE FREELEXO CAM PLUS 600


PXC battery voltage	18 V	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	600 m ²	
Mowing method	random	
Cutting width	18 cm	
Cutting height adjustment	stepless / 20 - 60 mm / central	
Suitable for slopes up to	25 %	
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 4.0 Ah Li-Ion) / 0 pcs	
Supplied with accessories	Magnetic band (5 m), 2 connection clamps, 3 spare blades	
Article number	3413975	 4 006825 678413

- PXC system battery
- Mowing without perimeter wire
- Integrated camera and ultrasonic sensors
- App (WiFi)
- LCD display
- Over-the-Air Update
- Magnetic band for virtual borders (5 m, included in delivery)
- Programmable operating time for each specific day
- Mowing program for secondary areas
- Impact, lift and tilt sensors
- Brushless motor
- Supplied with charging unit (12 m guide wire included)








POWER X-CHANGE ROBOT LAWN MOWER WITHOUT PERIMETER WIRE FREELEXO CAM 500

- > PXC system battery
- > Mowing without perimeter wire
- > Integrated camera and ultrasonic sensors
- > Magnetic band for virtual borders (5 m, included in delivery)
- > Programmable operating times
- > Mowing program for secondary areas
- > Impact, lift and tilt sensors
- > Brushless motor
- > Supplied with charging unit (12 m guide wire included)

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²
Mowing method	random
Cutting width	18 cm
Cutting height adjustment	stepless / 20 - 60 mm / central
Suitable for slopes up to	25 %
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 3.0 Ah Li-Ion) / 0 pcs
Supplied with accessories	Magnetic band (5 m), 2 connection clamps, 3 spare blades
Article number	3413991 

Robot Lawn Mowers without Perimeter Wire - Accessories



Type	Article number	EAN	Items supplied	Suitable for
Robot Lawn Mower Garage	3414024		1 pc (folding, l x w x h: 77.0 x 59.0 x 39.5 cm)	all Einhell FREELEXOs except the FREELEXO 500
Robot Lawn Mower Garage	3414050		1 pc (l x w x h: 59.4 x 50.8 x 37.3 cm)	FREELEXO 500
Spare Blades	3414020		12 pcs	all Einhell robot lawn mowers
Cleaning Set	3414025		Gloves, cleaning brushes, abrasive pads, microfibre cloth, spatula, screwdriver	all Einhell robot lawn mowers
Magnetic Band Set 20 m	3414028		Magnetic band (length: 20 m), 20 fastening hooks	FREELEXO CAM

CHECKLIST: IS MY GARDEN SUITABLE?



Lawn area of uniformly green colour



Clearly defined and recognisable lawn edges*



Simple design, uniform shape



Irregularities in colour (e.g. leaves, scorched areas)



No clearly recognisable lawn edges




Many separate areas, bottlenecks and recesses


* The lawn area needs to be checked for suitable lawn boundaries

Made possible by a virtual fence – thanks to magnetic band accessory


Lay the supplied magnetic band in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic band and turn away at its limits. In this way you can create off-limit areas at short notice.




A temporary off-limits area
When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.



Flower meadow in the garden
A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.



Newly planted tree
tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.




Lawn edges made better
Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic band for optimum demarcation of the mowing area in the garden.











POWER X-CHANGE ROBOT LAWN MOWERS WITH PERIMETER WIRE FREELEXO 500

- > PXC system battery
- > App (Wifi + Bluetooth)
- > OTA Update
- > LED display
- > Programmable operating time for each specific day
- > Multi area mowing
- > Spot Mowing
- > Mowing program for secondary areas
- > Impact, lift and tilt sensors
- > Brushless motor
- > Supplied with charging unit

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²
Mowing method	random
Cutting width	18 cm
Cutting height adjustment	stepless / 30 - 60 mm / central
Suitable for slopes up to	35 %
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 2.5 Ah Li-Ion) / 0 pcs
Supplied with perimeter wire	130 m
Supplied with fastening hooks	190 pcs
Supplied with accessories	3 connecting clamps, 3 blades
Article number	3413935 

Robot Lawn Mowers with Perimeter Wire - Accessories



Type	Article number	EAN	Items supplied	Suitable for
Robot Lawn Mower Garage	3414024		1 pc (folding, l x w x h: 77.0 x 59.0 x 39.5 cm)	all Einhell FREELEXOs except the FREELEXO 500
Robot Lawn Mower Garage	3414050		1 pc (l x w x h: 59.4 x 50.8 x 37.3 cm)	FREELEXO 500
Perimeter Wire	3414021		1 pc (50 m)	all Einhell robot lawn mowers
Spare Blades	3414020		12 pcs	all Einhell robot lawn mowers
Fastening Hooks	3414023		100 pcs	all Einhell robot lawn mowers
Connection Clamps	3414022		4 pcs	all Einhell robot lawn mowers
Repair Kit	3414026		5 m perimeter wire, 15 fastening hooks, 8 connecting clamps	all Einhell robot lawn mowers
Cleaning Set	3414025		Gloves, cleaning brushes, abrasive pads, microfibre cloth, spatula, screwdriver	all Einhell robot lawn mowers

- > Brushless motor
- > Mulching function
- > Integrated carry handle
- > Height-adjustable (telescopic) long handle
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn




BRUSHLESS

Matching accessories

Spare blade	3405454	
-------------	---------	---

PROFESSIONAL CORDLESS LAWN MOWER RASARRO 36/42

PXC battery voltage	2x 18 V
Battery charging time 18 V / 5.2 Ah	100 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	725 m ²
Cutting width	42 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	17.2 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 5.2 Ah Li-Ion) / 1 pc (Twincharger)
Article number	3413272 

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
300 m ²	350 m ²	450 m ²	550 m ²	725 m ²	875 m ²	1100 m ²

- > Brushless motor
- > Integrated carry handle
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn




BRUSHLESS

Matching accessories

Spare blade	3405454	
-------------	---------	---

PROFESSIONAL CORDLESS LAWN MOWER RASARRO 36/40

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²
Cutting width	40 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	50 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	17.4 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 4.0 Ah Li-Ion) / 1 pc (Twincharger)
Article number	3413278 

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²

- > Brushless motor
- > Mulching function
- > Integrated carry handle
- > Height-adjustable (telescopic) long handle
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



BRUSHLESS

Matching accessories

Spare blade	3405486	
-------------	---------	--

PROFESSIONAL CORDLESS LAWN MOWER RASARRO 36/38

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	450 m ²	
Cutting width	38 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	45 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
Product weight	15.5 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 4.0 Ah Li-Ion) / 1 pc (Twincharger)	
Article number	3413180	

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah 300 m ²	2.5 Ah 330 m ²	3.0 Ah 400 m ²	4.0 Ah 450 m ²	5.2 Ah 700 m ²	6.0 Ah 800 m ²	8.0 Ah 900 m ²
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

- > Integrated carry handle
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER RASARRO 36/36

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 3.0 Ah	60 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	400 m ²	
Cutting width	36 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	45 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
Product weight	13.0 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 3.0 Ah Li-Ion) / 2 pcs	
Article number	3413282	

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah 250 m ²	2.5 Ah 290 m ²	3.0 Ah 400 m ²	4.0 Ah 450 m ²	5.2 Ah 650 m ²	6.0 Ah 800 m ²	8.0 Ah 900 m ²
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------


Matching accessories

Spare blade	3405486	
-------------	---------	--

- > Integrated carry handle
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER RASARRO 36/34

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 3.0 Ah	60 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	300 m ²	
Cutting width	34 cm	
Cutting height adjustment	5 levels / 25 - 65 mm / central	
Grass box capacity	30 l	
Wheel diameter front / rear	150 mm / 180 mm	
Housing material	Plastic	
Product weight	13.9 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 3.0 Ah Li-Ion) / 2 pcs	
Article number	3413222	 4 006825 668605

Matching accessories

Spare blade	3405452	 4 006825 610611
-------------	---------	---

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)


2.0 Ah 200 m ²	2.5 Ah 250 m ²	3.0 Ah 300 m ²	4.0 Ah 400 m ²	5.2 Ah 500 m ²	6.0 Ah 600 m ²	8.0 Ah 800 m ²
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

- > Mulching function
- > Integrated carry handle
- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



BRUSHLESS

CORDLESS LAWN MOWER GE-CM 36/43 Li M Brushless

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	600 m ²	
Cutting width	43 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	63 l	
Wheel diameter front / rear	160 mm / 250 mm	
Housing material	Plastic	
Product weight	13.2 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 4.0 Ah Li-Ion) / 2 pcs	
Article number	3413240	 4 006825 645866

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)


2.0 Ah 300 m ²	2.5 Ah 350 m ²	3.0 Ah 450 m ²	4.0 Ah 600 m ²	5.2 Ah 750 m ²	6.0 Ah 900 m ²	8.0 Ah 1200 m ²
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------------------

Matching accessories

Spare blade	3405451	 4 006825 610604
-------------	---------	---

CORDLESS LAWN MOWER GE-CM 36/43 Li M Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3413246	 4 006825 648720

- Integrated carry handle
- Height-adjustable handlebar
- Folding handlebar
- Grass box with level indicator
- Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/37 Li

PXC battery voltage	2x 18 V
Cutting width	37 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	45 l
Wheel diameter front / rear	150 mm / 220 mm
Housing material	Plastic
Product weight	13.5 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3413172



2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
250 m ²	290 m ²	400 m ²	450 m ²	650 m ²	800 m ²	900 m ²

Matching accessories

Spare blade	3405486	
-------------	---------	--

- Integrated carry handle
- Brushless motor
- Height-adjustable handlebar
- Folding handlebar
- Grass box with level indicator
- Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/36 Li Brushless

PXC battery voltage	2x 18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	400 m ²
Cutting width	36 cm
Cutting height adjustment	6 levels / 25 - 75 mm / central
Grass box capacity	40 l
Wheel diameter front / rear	145 mm / 220 mm
Housing material	Plastic
Product weight	13.4 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 4.0 Ah Li-Ion) / 2 pcs
Article number	3413230



2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
250 m ²	270 m ²	350 m ²	400 m ²	600 m ²	700 m ²	960 m ²

BRUSHLESS

Matching accessories


Spare blade	3405485	
-------------	---------	--

- > Integrated carry handle
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/34-1 Li

PXC battery voltage	2x 18 V	
Cutting width	33.5 cm	
Cutting height adjustment	5 levels / 25 - 65 mm / central	
Grass box capacity	30 l	
Wheel diameter front / rear	150 mm / 180 mm	
Housing material	Plastic	
Product weight	11.9 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3413226	

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²

Matching accessories


Spare blade	3405452	
-------------	---------	---

- > Integrated carry handle
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



CORDLESS LAWN MOWER

GE-CM 36/33 Li

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 4.0 Ah	50 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	250 m ²	
Cutting width	33 cm	
Cutting height adjustment	5 levels / 25 - 65 mm / central	
Grass box capacity	30 l	
Wheel diameter front / rear	150 mm / 180 mm	
Housing material	Plastic	
Product weight	11.6 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 2.5 Ah Li-Ion) / 2 pcs	
Article number	3413210	

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²

Matching accessories

Spare blade	3405452	
-------------	---------	---

- > Integrated carry handle
- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



BRUSHLESS

Matching accessories

Spare blade	3405452	
-------------	---------	--

CORDLESS LAWN MOWER
GE-CM 18/33 Li Brushless

PXC battery voltage	18 V
Battery charging time 18 V / 4.0 Ah	75 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	250 m ²
Cutting width	33 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central
Grass box capacity	30 l
Wheel diameter front / rear	150 mm / 180 mm
Housing material	Plastic
Product weight	10.1 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 4.0 Ah Li-Ion) / 1 pc
Article number	3413260

1x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
100 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²

CORDLESS LAWN MOWER
GE-CM 18/33 Li Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3413266

NEW

- > Integrated carry handle
- > Brushless motor
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



BRUSHLESS

Matching accessories

Spare blade	3405453	
-------------	---------	--

CORDLESS LAWN MOWER
GE-CM 18/32 C Li Brushless

PXC battery voltage	18 V
Cutting width	32 cm
Cutting height adjustment	5 levels / 25 - 65 mm / central
Grass box capacity	27 l
Wheel diameter front / rear	140 mm / 140 mm
Housing material	Plastic
Product weight	9.6 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3413370

1x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
120 m ²	160 m ²	200 m ²	270 m ²	320 m ²	370 m ²	520 m ²


- > Integrated carry handle
- > Brushless motor
- > Folding handlebar
- > Wide wheels exert less stress on the lawn



BRUSHLESS

CORDLESS LAWN MOWER

GE-CM 18/32 Li Brushless

PXC battery voltage	18 V
Cutting width	32 cm
Cutting height adjustment	3 levels / 30 - 70 mm / axial
Grass box capacity	25 l
Wheel diameter front / rear	140 mm / 140 mm
Housing material	Plastic
Product weight	8.5 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3413256
	

Matching accessories

Spare blade	3405453	
-------------	---------	---

1x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
100 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²

NEW


- > Integrated carry handle
- > Brushless motor
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



BRUSHLESS

CORDLESS LAWN MOWER

GE-CM 18/30-1 Li Brushless

PXC battery voltage	18 V
Battery charging time 18 V / 3.0 Ah	60 min
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	175 m ²
Cutting width	30 cm
Cutting height adjustment	3 levels / 30 - 70 mm / axial
Grass box capacity	27 l
Wheel diameter front / rear	140 mm / 140 mm
Housing material	Plastic
Product weight	8.8 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 3.0 Ah Li-Ion) / 1 pc
Article number	3413361
	

Matching accessories

Spare blade	3404553	
-------------	---------	---

1x 18 V


Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
90 m ²	120 m ²	175 m ²	230 m ²	290 m ²	320 m ²	440 m ²

CORDLESS LAWN MOWER

GE-CM 18/30-1 Li Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3413360
	

- > Integrated carry handle
- > Brushless motor
- > Folding handlebar
- > Wide wheels exert less stress on the lawn



BRUSHLESS

Matching accessories

Spare blade	3404553	
-------------	---------	--

CORDLESS LAWN MOWER
GE-CM 18/30 Li Brushless

PXC battery voltage	18 V	
Battery charging time 18 V / 3.0 Ah	60 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	150 m ²	
Cutting width	30 cm	
Cutting height adjustment	3 levels / 30 - 70 mm / axial	
Grass box capacity	25 l	
Wheel diameter front / rear	140 mm / 140 mm	
Housing material	Plastic	
Product weight	8.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 3.0 Ah Li-Ion) / 1 pc	
Article number	3413155	

1x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah 70 m ²	2.5 Ah 100 m ²	3.0 Ah 150 m ²	4.0 Ah 210 m ²	5.2 Ah 270 m ²	6.0 Ah 300 m ²	8.0 Ah 420 m ²
------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

CORDLESS LAWN MOWER
GE-CM 18/30 Li Brushless

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3413157	

NEW

- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn
- > Variable wheel drive
- > Eco mode for prolonged operation



BRUSHLESS

Matching accessories

Spare blade	3405980	
-------------	---------	--

CORDLESS LAWN MOWER
GC-CM 36/51 S Li Brushless

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 5.2 Ah	100 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	750 m ²	
Cutting width	51 cm	
Cutting height adjustment	9 levels / 25 - 80 mm / central	
Grass box capacity	50 l	
Wheel diameter front / rear	178 mm / 204 mm	
Housing material	Steel	
Product weight	24.0 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 5.2 Ah Li-Ion) / 1 pc (Twincharger)	
Article number	3413390	

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah 290 m ²	2.5 Ah 360 m ²	3.0 Ah 430 m ²	4.0 Ah 575 m ²	5.2 Ah 750 m ²	6.0 Ah 865 m ²	8.0 Ah 1100 m ²
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--------------------------------------

NEW

- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn
- > Variable wheeldrive



BRUSHLESS

Matching accessories

Spare blade	3405970	
-------------	---------	--

CORDLESS LAWN MOWER

GC-CM 36/46 S Li Brushless

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²	
Cutting width	46 cm	
Cutting height adjustment	9 levels / 25 - 80 mm / central	
Grass box capacity	50 l	
Wheel diameter front / rear	178 mm / 204 mm	
Housing material	Steel	
Product weight	22.3 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 4.0 Ah Li-Ion) / 1 pc (Twincharger)	
Article number	3413380	

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
250 m ²	310 m ²	375 m ²	500 m ²	650 m ²	750 m ²	1000 m ²

NEW

- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



BRUSHLESS

Matching accessories

Spare blade	3405449	
-------------	---------	--

CORDLESS LAWN MOWER

GC-CM 36/42 Li Brushless

PXC battery voltage	2x 18 V	
Battery charging time 18 V / 4.0 Ah	75 min	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	400 m ²	
Cutting width	42 cm	
Cutting height adjustment	6 levels / 25 - 75 mm / central	
Grass box capacity	50 l	
Wheel diameter front / rear	180 mm / 180 mm	
Housing material	Steel	
Product weight	17.8 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	2 pcs (18 V 4.0 Ah Li-Ion) / 2 pcs	
Article number	3413352	

2x 18 V

Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
200 m ²	250 m ²	300 m ²	400 m ²	520 m ²	600 m ²	800 m ²

- > Mulching function
- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Wide wheels exert less stress on the lawn




**BRUSHLESS
DOUBLE TWINPACK**

Matching accessories

Spare blade	3405456	
-------------	---------	---

**CORDLESS LAWN MOWER
GE-CM 36/48 Li M Brushless**

PXC battery voltage	2x 18 V	
Cutting width	48 cm	
Cutting height adjustment	6 levels / 30 - 75 mm / axial	
Wheel diameter front / rear	180 mm / 180 mm	
Housing material	Steel	
Product weight	16.9 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3413054	

2x 18 V

Max. lawn area that can be mown per battery charge with 2 batteries (The stated area coverage is based on the assumption of ideal conditions)

2,0 Ah	2,5 Ah	3,0 Ah	4,0 Ah	5,2 Ah	6,0 Ah	8,0 Ah
250 m ²	260 m ²	300 m ²	500 m ²	600 m ²	700 m ²	1000 m ²


Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

500 m ²	520 m ²	600 m ²	1000 m ²	1200 m ²	1400 m ²	2000 m ²
--------------------	--------------------	--------------------	---------------------	---------------------	---------------------	---------------------

- > Mulching function
- > Height-adjustable handlebar
- > Folding handlebar
- > Wide wheels exert less stress on the lawn



**CORDLESS CYLINDER LAWN MOWER
GE-HM 18/38 Li**

PXC battery voltage	18 V	
Cutting width	38 cm	
Cutting height adjustment	4 levels / 14 - 38 mm	
Grass box capacity	45 l	
Number of mowing blades	5	
Mowing spindle diameter	125 mm	
Product weight	10.5 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3414200	

1x 18 V


Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2,0 Ah	2,5 Ah	3,0 Ah	4,0 Ah	5,2 Ah	6,0 Ah	8,0 Ah
150 m ²	190 m ²	250 m ²	300 m ²	400 m ²	450 m ²	600 m ²

- > Electronic speed control (6-stage)
- > Flow rate adjustment (6-stage)
- > Individually adjustable spread width
- > Soft grip
- > Suitable for gritting material



CORDLESS MULTIPURPOSE SPREADER GE-SR 18/22 Li

PXC battery voltage	18 V	
Capacity	22 l	
Spread width	max. 6 m	
Suitable for	fertiliser, lawn seeds, salt	
Product weight	6.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3415430	

1x 18 V


Max. operating time per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
4 h	5 h	7 h	8 h	10 h	11 h	15 h

- > Electronic speed control (6-stage)
- > Flow rate adjustment (8-stage)
- > Individually adjustable spread width
- > Soft grip
- > Suitable for gritting material



CORDLESS UNIVERSAL SPREADER GE-US 18 Li

PXC battery voltage	18 V	
Capacity	3.3 l	
Spread width	max. 5 m	
Suitable for	fertiliser, lawn seeds, salt	
Product weight	1.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3415410	

1x 18 V

Max. operating time per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
3 h	4 h	6 h	7 h	9 h	10 h	14 h



- Wide wheels exert less stress on the lawn
- Brushless motor
- Height-adjustable handlebar + parking position
- Folding handlebar
- Scarifier roller / aerator roller
- Integrated carry handle
- Quick fasteners
- Toolless roller change
- Catch bag



BRUSHLESS

Matching accessories

Catch bag	3405960	
Aerator Roller	3405961	
Scarifier Roller	3405962	

CORDLESS SCARIFIERS/AERATORS

GE-SA 36/35 Li Brushless

PXC battery voltage	2x 18 V	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	550 m ²	
Working width	35 cm	
Working depth adjustment	3 levels (central) + transport position	
Number of blades	16 pcs	
Wheel diameter front / rear	160 mm / 160 mm	
Housing material	Easy maintenance plastic housing	
Number of aerator claws	24 pcs	
Product weight	11.3 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3420685	

2x 18 V

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah 150 m ²	2.5 Ah 190 m ²	3.0 Ah 225 m ²	4.0 Ah 300 m ²	5.2 Ah 400 m ²	6.0 Ah 450 m ²	8.0 Ah 550 m ²
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------

- Wide wheels exert less stress on the lawn
- Brushless motor
- Height-adjustable handlebar + parking position
- Folding handlebar
- Scarifier roller / aerator roller (optionally expandable)
- Integrated carry handle
- Quick fasteners
- Toolless roller change
- Catch bag (optionally expandable)



BRUSHLESS

Matching accessories

Catch bag	3405960	
Aerator Roller	3405961	
Scarifier Roller	3405962	

CORDLESS SCARIFIERS/AERATORS

GE-SC 36/35 Li Brushless

PXC battery voltage	2x 18 V	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	550 m ²	
Working width	35 cm	
Working depth adjustment	3 levels (central) + transport position	
Number of blades	16 pcs	
Wheel diameter front / rear	160 mm / 160 mm	
Housing material	Easy maintenance plastic housing	
Product weight	9.9 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3420680	

2x 18 V

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah 150 m ²	2.5 Ah 190 m ²	3.0 Ah 225 m ²	4.0 Ah 300 m ²	5.2 Ah 400 m ²	6.0 Ah 450 m ²	8.0 Ah 550 m ²
-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------


NEW

- > Wide wheels exert less stress on the lawn
- > Height-adjustable handlebar
- > Folding handlebar
- > Scarifier roller / aerator roller
- > Integrated carry handle
- > Catch bag (optionally expandable)






CORDLESS SCARIFIERS/AERATORS

GC-SA 36/31 Li

PXC battery voltage	2x 18 V	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²	
Working width	31 cm	
Working depth adjustment	3 levels (central) + parking position	
Number of blades	8 double-knives	
Number of aerator claws	45 pcs	
Wheel diameter front / rear	180 mm / 100 mm	
Housing material	Plastic	
Product weight	8.5 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3420664	

Matching accessories

Catch bag	3405960	
Aerator Roller	3405961	
Scarifier Roller	3405962	

2x 18 V

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)


2,0 Ah	2,5 Ah	3,0 Ah	4,0 Ah	5,2 Ah	6,0 Ah	8,0 Ah
100 m ²	130 m ²	200 m ²	250 m ²	300 m ²	350 m ²	500 m ²

- > Wide wheels exert less stress on the lawn
- > Height-adjustable handlebar
- > Folding handlebar
- > Scarifier roller / aerator roller (optionally expandable)
- > Integrated carry handle
- > Catch bag (optionally expandable)



CORDLESS SCARIFIERS/AERATORS

GC-SC 36/31 Li




PXC battery voltage	2x 18 V	
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	500 m ²	
Working width	31 cm	
Working depth adjustment	3 levels (central) + parking position	
Number of blades	8 double-knives	
Wheel diameter front / rear	180 mm / 100 mm	
Housing material	Plastic	
Product weight	8.0 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3420660	

2x 18 V

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2,0 Ah	2,5 Ah	3,0 Ah	4,0 Ah	5,2 Ah	6,0 Ah	8,0 Ah
100 m ²	130 m ²	200 m ²	250 m ²	300 m ²	350 m ²	500 m ²

Matching accessories

Catch bag	3405577	
Aerator Roller	3405572	
Scarifier Roller	3405582	

- > Wide wheels exert less stress on the lawn
- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Scarifier roller / aerator roller (optionally expandable)
- > Integrated carry handle
- > Catch bag (optionally expandable)



BRUSHLESS

Matching accessories

Catch bag	3405940	
Aerator Roller	3405941	
Scarifier Roller	3405942	

CORDLESS SCARIFIERS/AERATORS
GC-SC 18/28 DS Li Brushless

PXC battery voltage	18 V (+ 18 V)
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	700 m ²
Working width	28 cm
Working depth adjustment	3 levels (central) + parking position
Number of blades	12 pcs
Wheel diameter front / rear	150 mm / 100 mm
Housing material	Plastic
Product weight	6.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3420625

1x 18 V

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
160 m ²	200 m ²	240 m ²	320 m ²	420 m ²	480 m ²	700 m ²

- > Wide wheels exert less stress on the lawn
- > Brushless motor
- > Height-adjustable handlebar
- > Folding handlebar
- > Scarifier roller / aerator roller (optionally expandable)
- > Integrated carry handle
- > Catch bag (optionally expandable)



BRUSHLESS

Matching accessories

Catch bag	3405940	
Aerator Roller	3405941	
Scarifier Roller	3405942	

CORDLESS SCARIFIERS/AERATORS
GC-SC 18/28 Li Brushless

PXC battery voltage	18 V
For lawn areas of up to approx. (The stated area coverage is based on the assumption of ideal conditions)	350 m ²
Working width	28 cm
Working depth adjustment	3 levels (central) + parking position
Number of blades	12 pcs
Wheel diameter front / rear	150 mm / 100 mm
Housing material	Plastic
Product weight	6.6 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3420604

1x 18 V

Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
80 m ²	100 m ²	120 m ²	160 m ²	210 m ²	240 m ²	350 m ²

- > Height-adjustable wheels for easy transportation
- > Folding handlebar
- > Brake shoe
- > Two-point safety switch
- > Soft grip



CORDLESS TILLER

GE-CR 30 Li

PXC battery voltage	2x 18 V
Working width	30 cm
Working depth	200 mm
Number of blades	4 pcs
Cultivator blade diameter	200 mm
Housing material	Plastic
Product weight	11.0 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3431200
	 4 006825 615203

2x 18 V

Max. operating time per battery charge


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
20 min	21 min	25 min	35 min	50 min	60 min	70 min

- > Plug-in long handle (split shaft)
- > Electronic speed control
- > Integrated carry handle
- > Two-point safety switch
- > Soft grip



CORDLESS TILLER

GE-CR 18/20 Li E

PXC battery voltage	18 V
Working width	20 cm
Working depth	200 mm
Number of blades	4 pcs
Cultivator blade diameter	155 mm
Housing material	Plastic
Product weight	3.9 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3431210
	 4 006825 654974

1x 18 V

Max. operating time per battery charge - depending on the selected speed


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
20-35 min	30-40 min	40-50 min	50-70 min	70-90 min	80-100 min	100-140 min

- > Brushless motor
- > Snow ejection direction adjustable
- > Electronic speed control
- > Battery cover
- > Additional handle
- > Integrated carry handle
- > Soft grip
- > Self-standing
- > Two-point safety switch



CORDLESS SNOW THROWER

GE-ST 36/40 Li E Brushless

PXC battery voltage	2x 18 V
Working width	40 cm
Max. snow height	20 cm
Throwing distance max.	6 m
Housing material	Plastic
Product weight	6.5 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3417011
	 4 006825 659979

2x 18 V

Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
20 min	25 min	30 min	40 min	50 min	60 min	80 min

BRUSHLESS

- Brushless motor
- Spindle lock
- Adjustable handle
- Split shaft
- Bike handle
- Electronic speed control
- Automatic jog line feed
- Wall bracket



BRUSHLESS

- Spindle lock
- Adjustable handle
- Split shaft
- Bike handle
- Electronic speed control
- Automatic jog line feed
- Wall bracket



CORDLESS SCYTHE AGILLO 36/255

PXC battery voltage	2x 18 V
Cutting width (blade)	25.5 cm
Cutting width (thread)	30 cm
Thread diameter	2.0 mm
Thread length	8 m
Product weight	6.1 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Blades	•
Thread spool	•
Comfort harness	•
Article number	3411320



2x 18 V

Max. operating time per battery charge in idle mode (blade)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	35 min	45 min	65 min	80 min	90 min	130 min

Max. operating time per battery charge in idle mode (thread spool)

25 min	28 min	35 min	45 min	60 min	70 min	90 min
--------	--------	--------	--------	--------	--------	--------

CORDLESS SCYTHE AGILLO 18/200

PXC battery voltage	18 V
Cutting width (blade)	20 cm
Cutting width (thread)	30 cm
Thread diameter	2.0 mm
Thread length	8 m
Product weight	6.5 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Blades	•
Thread spool	•
Comfort harness	•
Article number	3411310



1x 18 V

Max. operating time per battery charge in idle mode (blade)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
20 min	25 min	35 min	50 min	65 min	75 min	100 min

Max. operating time per battery charge in idle mode (thread spool)

12 min	15 min	20 min	30 min	45 min	55 min	60 min
--------	--------	--------	--------	--------	--------	--------

Cordless Scythes Accessories


Type	Article number	EAN	Suitable for
Special Grass Blade 230	3436660	4 006825 637953	grass and light vegetation
Thicket Blade 255	3405082	4 006825 632774	wild growth, scrub and thicket
Thicket Blade 200	3405083	4 006825 651454	wild growth, scrub and thicket
Grass Blade 255	3404996	4 006825 607239	tough grass and strong vegetation
Grass Blade 230	3436661	4 006825 637960	tough grass and strong vegetation



- > Infinitely adjustable long handle
- > Flower guard
- > Automatic jog line feed
- > Split shaft
- > Electronic speed control
- > Soft grip
- > Wall bracket

CORDLESS LAWN TRIMMER

GE-CT 36/30 Li E

PXC battery voltage	2x 18 V	
Cutting width	30 cm	
Thread diameter	2.0 mm	
Thread length	8 m	
Product weight	3.1 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Thread spool	•	
Carrying strap	•	
Article number	3411300	

2x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	38 min	45 min	60 min	75 min	90 min	120 min

Matching accessories


Spare line spool	3405096	
------------------	---------	---



- > Long handle with ergonomic double bend
- > Infinitely adjustable long handle
- > Flower guard
- > Automatic jog line feed
- > Split shaft
- > 2-step electronic speed control
- > Battery protection bar
- > Soft grip

CORDLESS LAWN TRIMMER

GE-CT 18/33 Li E

PXC battery voltage	18 V	
Cutting width	33 cm	
Thread diameter	2.0 mm	
Thread length	8 m	
Product weight	2.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Thread spool	•	
Carrying strap	•	
Article number	3411270	

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
20 min	25 min	30 min	40 min	50 min	60 min	80 min

Matching accessories

Spare line spool	3405096	
------------------	---------	---




Tested and recommended by
 Forum: Gesunder Rücken – besser leben e.V. and
 Bundesverband deutscher Rückenschulen (BdR) e.V.
 More information available from: AGR e.V., Stader Str. 6,
 27432 Bremervörde, Tel. +49 4761/92 63 580, www.agr-ev.de



- > Motor head rotatable (90°) / tiltable (6 settings)
- > Flower guard
- > Automatic jog line feed
- > Soft grip
- > Telescopic long handle, infinitely adjustable

CORDLESS LAWN TRIMMER

GE-CT 18/30 Li

PXC battery voltage	18 V	
Cutting width	30 cm	
Thread diameter	1.6 mm	
Thread length	5 m	
Product weight	2.1 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Thread spool	•	
Article number	3411250	

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	38 min	45 min	60 min	75 min	90 min	120 min

Matching accessories


Spare line spool	3405117	
------------------	---------	---



- > Adjustable handle
- > Telescopic long handle
- > Motor head rotatable (180°) / tiltable (3 settings)
- > Flower guard
- > Soft grip
- > Incl. Trimmer Cart
- > Automatic feeding line spool

CORDLESS LAWN TRIMMER

GE-CT 18/28 Li TC

PXC battery voltage	18 V	
Cutting width	28 cm	
Thread diameter	1.6 mm	
Thread length	5 m	
Product weight	4.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3411212	

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
40 min	45 min	50 min	60 min	70 min	90 min	120 min

Matching accessories


Spare line spool	3405116	
------------------	---------	---



- > Adjustable handle
- > Telescopic long handle
- > Motor head rotatable (180°) / tiltable (3 settings)
- > Flower guard
- > Soft grip
- > Automatic feeding line spool

CORDLESS LAWN TRIMMER

GE-CT 18/28 Li

PXC battery voltage	18 V	
Cutting width	28 cm	
Thread diameter	1.6 mm	
Thread length	5 m	
Product weight	2.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3411242	

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
40 min	45 min	50 min	60 min	70 min	90 min	120 min

Matching accessories


Spare line spool	3405116	
------------------	---------	---



- > Infinitely adjustable long handle
- > Telescopic long handle, infinitely adjustable
- > Motor head rotatable (180°) / tiltable (3 settings)
- > Flower guard
- > Storage compartment for spare blades
- > Soft grip
- > Change of cutting mode possible (thread spool available as accessory)
- > Innovative blade technology

CORDLESS LAWN TRIMMER

GE-CT 18/25 Li

PXC battery voltage	18 V	
Cutting width	25 cm	
Product weight	2.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Plastic blades included	• (20 pcs)	
Article number	3411255	

1x 18 V





Max. operating time per battery charge in idle mode (blade)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
42 min	53 min	63 min	84 min	110 min	126 min	168 min

Max. operating time per battery charge in idle mode (thread spool)

40 min	50 min	60 min	80 min	104 min	120 min	160 min
--------	--------	--------	--------	---------	---------	---------

Matching accessories

Spare line spool	3405113	
20-piece spare blade set	3405738	
50-piece spare blade box	3405739	
Thread head set	3405175	

- > Infinitely adjustable long handle
- > Telescopic long handle, infinitely adjustable
- > Motor head rotatable (180°) / tiltable (3 settings)
- > Flower guard
- > Storage compartment for spare blades
- > Soft grip
- > Two cutting modes (blade and thread spool)
- > Innovative blade technology



- > Infinitely adjustable long handle
- > Telescopic long handle, infinitely adjustable
- > Motor head rotatable (+/- 90°) / tiltable (5 settings)
- > Flower guard
- > Storage compartment for spare blades
- > Soft grip

Matching accessories

20-piece spare blade set	3405730	
50-piece spare blade box	3405736	

CORDLESS LAWN TRIMMER

GE-CT 18/25-1

PXC battery voltage	18 V
Cutting width	25 cm
Product weight	2.0 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Plastic blades included	• (20 pcs)
Thread head set	•
Article number	3411256

1x 18 V

Max. operating time per battery charge in idle mode (blade)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
42 min	53 min	63 min	84 min	110 min	126 min	168 min

Max. operating time per battery charge in idle mode (thread spool)

40 min	50 min	60 min	80 min	104 min	120 min	160 min
--------	--------	--------	--------	---------	---------	---------

Matching accessories

Spare line spool	3405113	
20-piece spare blade set	3405738	
50-piece spare blade box	3405739	

CORDLESS LAWN TRIMMER

GE-CT 18 Li

PXC battery voltage	18 V
Battery charging time 18 V / 2.5 Ah	50 min
Max. operating time	65 min
Cutting width	24 cm
Product weight	1.8 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 2.5 Ah Li-Ion) / 1 pc
Plastic blades included	• (20 pcs)
Article number	3411219

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
55 min	65 min	80 min	125 min	160 min	180 min	250 min

CORDLESS LAWN TRIMMER

GE-CT 18 Li

Same as previous item, but without battery(ies) / charger(s)


Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Plastic blades included	• (20 pcs)
Article number	3411172

- > Infinitely adjustable long handle
- > Telescopic long handle, infinitely adjustable
- > Flower guard



CORDLESS LAWN TRIMMER

GC-CT 18/24 Li



PXC battery voltage	18 V	
Cutting width	24 cm	
Product weight	1.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Plastic blades included	• (20 pcs)	
Article number	3411123	

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
55 min	65 min	80 min	125 min	160 min	180 min	250 min

Matching accessories


20-piece spare blade set	3405730	
50-piece spare blade box	3405736	

- > Motor head rotatable 180°
- > Soft grip
- > Innovative blade technology



CORDLESS LAWN TRIMMER

GC-CT 18/2411 Li P



PXC battery voltage	18 V	
Cutting width	24 cm	
Product weight	1.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Plastic blades included	• (20 pcs)	
Article number	3411115	

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
46 min	58 min	69 min	92 min	120 min	138 min	184 min

Matching accessories


20-piece spare blade set	3405738	
50-piece spare blade box	3405739	



- > Infinitely adjustable long handle
- > Split shaft
- > Depth adjustment
- > Rollers
- > Soft grip

CORDLESS LAWN EDGE TRIMMER

GE-LE 18/190 Li

PXC battery voltage	18 V
Min. cutting depth	34 mm
Max. cutting depth	38 mm (excl. battery)
Blade length	178 mm
Product weight	3.0 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3424300 

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
25 min	33 min	45 min	55 min	65 min	75 min	110 min


Matching accessories

Spare blade	3405101 
-------------	---




- > Electronic speed control
- > Height-adjustable guide wheel
- > Infinitely adjustable long handle
- > Adjustable additional handle incl. brush storage compartment
- > Brush change without tools

Accessories incl.



CORDLESS GROUT CLEANER

GE-CC 18/110 Li E




PXC battery voltage	18 V
Diameter of brush	110 mm
Product weight	2.3 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Incl. steel brush (15 mm wide)	•
Incl. nylon brush (10 mm wide)	•
Article number	3424070 

1x 18 V

Max. operating time per battery charge in idle mode - depending on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
55-70 min	70-85 min	80-110 min	110-140 min	140-165 min	165-220 min	220-280 min


Matching accessories

Spare Brush Steel (15 mm)	3424140 
Spare Brush Nylon (10 mm)	3424145 
Spare Brush Set (steel 10 mm/ nylon 6 mm)	3424150 

CORDLESS SURFACE BRUSH PICOBELLA 18/215

- > Garden hose connection inclusive water control valve
- > Forward/reverse running
- > Electronic speed control
- > Brush change without tools
- > Telescopic long handle, infinitely adjustable
- > 2-in-1 function: wet and dry cleaning



PXC battery voltage	18 V	
Max. working width	215 mm	
Diameter of brush	115 mm	
Idle speed	800 - 1400 min ⁻¹	
Product weight	4.1 kg (excl. battery)	
Incl. surface brush	MEDIUM (smooth stone, e.g. tiles and concrete)	
Article number	3424200	 4 006825 645767

1x 18 V

Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
10-30 min	12-34 min	17-46 min	20-55 min	25-70 min	29-90 min	40-110 min

Accessories incl.



Surface Brush PICOBELLA 18/215 Accessories

Type	Article number	EAN	Material	Working width	Diameter of brush	Suitable for
 Surface Brush SOFT	3424121	 4 006825 646252	Nylon	195 mm	115 mm	Wood, artificial turf
 Surface Brush MEDIUM (incl. side brush)	3424120	 4 006825 646245	Nylon	215 mm	115 mm	stone
 Surface Brush ULTRA	3424122	 4 006825 646269	Steel	195 mm	115 mm	stone (robust)
 Surface Brush ULTRA (incl. side brush)	3424126	 4 006825 660845	Steel	215 mm	115 mm	stone (robust)



CORDLESS SURFACE BRUSH PICOBELLA 18/90

PXC battery voltage	18 V
Working width	90-170 mm
Bristle length	20-50 mm
Idle speed	190 - 350 min ⁻¹
Product weight	1.5 kg (excl. battery)
Brushes included	SOFT 120/50 + MEDIUM 90/20
Pad set included	• (1 each of a melamine pad, microfibre pad and kitchen pad)
Wall mount included	•
Article number	3424220



- Splash water protection IPX4
- Electronic speed control (2 settings)
- Toolless brush/pad change
- Battery cover
- Splash guard brush cover (removable)
- Multifunctional application for indoor/outdoor, for furniture, car, garden, kitchen/bathroom

1x 18 V






Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
150-210 min	190-260 min	225-315 min	300-420 min	390-550 min	450-630 min	600-840 min

Accessories incl.



Surface Brush PICOBELLA 18/90 Accessories


Type	Article number	EAN	Material	Working width	Bristle length	Suitable for
 Brush SOFT 170/40	3424130	4 006825 673081	Nylon	170 mm	40 mm	Sensitive surfaces
 Brush SOFT 120/50	3424131	4 006825 673098	Nylon	120 mm	50 mm	Sensitive surfaces
 Brush MEDIUM 90/20	3424132	4 006825 673104	Nylon	90 mm	20 mm	Robust surfaces
 Brush ULTRA 95/25 (brass)	3424133	4 006825 673111	Brass	95 mm	25 mm	Stubborn soiling
 Pad Set (6 pcs)	3424134	4 006825 673128	Melamine / microfibre / kitchen fibre pad (2 of each)	100 mm	-	Melamine pad for smooth surfaces (e.g. plastic/glass/walls/doors), microfibre pad for sensitive surfaces (e.g. glass/fittings/sinks/hobs), kitchen pad for resistant surfaces (e.g. tempered glass/cast iron)



- > Turnable rear handle
- > Ergonomic front handle thanks to micro switches
- > Cutting collector
- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GE-CH 36/65 Li

PXC battery voltage	2x 18 V	
Bar length	720 mm	
Cutting length	650 mm	
Spacing between teeth	30 mm	
Product weight	4.0 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover with wall mount	•	
Article number	3410960	 4 006825 639018

2x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
75 min	93 min	120 min	150 min	180 min	225 min	300 min



- > Ergonomic front handle thanks to micro switches
- > Cutting collector
- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GE-CH 36/61 Li

PXC battery voltage	2x 18 V	
Bar length	670 mm	
Cutting length	610 mm	
Spacing between teeth	26 mm	
Product weight	2.8 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover with wall mount	•	
Article number	3410965	 4 006825 662582

2x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
72 min	80 min	105 min	144 min	168 min	210 min	288 min



- > Turnable rear handle
- > Ergonomic front handle thanks to micro switches
- > Cutting collector
- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GE-CH 18/60 Li

PXC battery voltage	18 V	
Bar length	670 mm	
Cutting length	600 mm	
Spacing between teeth	22 mm	
Product weight	2.8 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover with wall mount	•	
Article number	3410930	 4 006825 635942

1x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
45 min	53 min	70 min	90 min	110 min	135 min	180 min



- > Ergonomic front handle thanks to micro switches
- > Cutting collector
- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

ARCURRA 18/55

PXC battery voltage	18 V
Bar length	620 mm
Cutting length	550 mm
Spacing between teeth	18 mm
Product weight	2.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover with wall mount	•
Article number	3410920 

1x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
45 min	53 min	70 min	90 min	110 min	135 min	180 min



- > Turnable rear handle
- > Cutting collector
- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 1855/1 Li

PXC battery voltage	18 V
Battery charging time 18 V / 2.5 Ah	50 min
Max. operating time	100 min
Bar length	620 mm
Cutting length	550 mm
Spacing between teeth	18 mm
Product weight	2.3 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 2.5 Ah Li-Ion) / 1 pc
Protective cover with wall mount	•
Article number	3410506 

1x 18 V


Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
80 min	100 min	120 min	160 min	210 min	240 min	320 min

CORDLESS HEDGE TRIMMER

GC-CH 1855/1 Li


Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover with wall mount	•
Article number	3410502 

Hedge Trimmers Accessories

Maintenance Spray




Suitable for	Hedge trimmers, grass and shrub shears
Article number	3403099
EAN	



- > Turnable rear handle
- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 18/50 Li

PXC battery voltage	18 V	
Bar length	550 mm	
Cutting length	500 mm	
Spacing between teeth	17 mm	
Product weight	2.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover with wall mount	•	
Article number	3410945	 4 006825 664522

1x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
53 min	67 min	80 min	106 min	139 min	160 min	212 min



- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 1846 Li

PXC battery voltage	18 V	
Bar length	520 mm	
Cutting length	460 mm	
Spacing between teeth	15 mm	
Product weight	2.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover with wall mount	•	
Article number	3410642	 4 006825 588293

1x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
80 min	100 min	120 min	160 min	210 min	240 min	320 min



- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters

CORDLESS HEDGE TRIMMER

GC-CH 18/40 Li

PXC battery voltage	18 V	
Bar length	475 mm	
Cutting length	400 mm	
Spacing between teeth	13 mm	
Product weight	2.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover with wall mount	•	
Article number	3410940	 4 006825 661125

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
53 min	67 min	80 min	106 min	139 min	160 min	212 min



- Continuously adjustable telescopic aluminium handle
- Additional handle
- Additional holding area
- Changeable carbon pins

CORDLESS OLIVE AND FRUIT HARVESTER GE-FS 18/53 Li

PXC battery voltage	18 V
Max. working width	53 cm
Min. working width	28 cm
Pin length	31 cm
Product weight	4.4 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3411400



1x 18 V

Max. operating time per battery charge in idle mode - depending on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
27-45 min	34-56 min	40-68 min	54-90 min	69-117 min	80-136 min	108-181 min

Matching accessories

Replacement Tines, 4 pcs	3405231
--------------------------	---------



- Brushless motor
- Telescopic aluminium handle with extension
- Laser-cut and diamond-ground blades
- Cutting unit (Hedge Trimmer) tiltable
- Automatic chain lubrication
- Automatic jog line feed
- Adjustable additional handle
- Carrying belt with quick release

BRUSHLESS

CORDLESS MULTIFUNCTIONAL TOOL GE-LM 36/4in1 Li Brushless

PXC battery voltage	2x 18 V
Bar length (chainsaw)	200 mm
Chain cutting speed	10 m/s
Blade length of hedge trimmer	450 mm
Spacing between teeth (hedge trimmer)	24 mm
Cutting width (blade)	255 mm
Cutting width (thread)	330 mm
Max. working height of elevated tools	3.5 m (pruner) / 3.5 m (hedge trimmer)
Product weight	9.0 kg (incl. all attachments, excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover with wall mount	•
Article number	3410901



2x 18 V

Max. operating time per battery charge in idle mode (scythe)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
34 min	41 min	54 min	68 min	86 min	108 min	136 min

Max. operating time per battery charge in idle mode (lawn trimmer)

27 min	33 min	44 min	54 min	66 min	88 min	108 min
--------	--------	--------	--------	--------	--------	---------

Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

28 min	33 min	40 min	56 min	66 min	80 min	112 min
--------	--------	--------	--------	--------	--------	---------

Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs
--------	---------	---------	---------	---------	---------	---------

Matching accessories


Spare chain 20cm 1,1 33T 3/8	4500186	
Spare bar 20cm 1.2	4500166	
Thicket blade 255 mm	3405082	
Spare spool	3405102	

FITTED WITH
OREGON
CHAIN AND BAR

- > Continuously adjustable telescopic aluminium handle
- > Main handle + motor head tiltable by several settings
- > OREGON quality bar and chain
- > Toolless chain tensioning and changing
- > Pivotal attachment for effortless horizontal cuts
- > Automatic chain lubrication
- > Laser-cut and diamond-ground blades
- > Adjustable additional handle



CORDLESS MULTIFUNCTIONAL TOOL GE-HC 18 Li T

PXC battery voltage	18 V
Battery charging time 18 V / 3.0 Ah	60 min
Max. operating time	40 min
Bar length (chainsaw)	200 mm
Chain cutting speed	3.76 m/s
Max. bar length (hedge trimmer)	450 mm
Spacing between teeth (hedge trimmer)	16 mm
Max. working height	4.0 m (pruner) / 3.5 m (hedge trimmer)
Product weight	6.2 kg (incl. all attachments, excl. battery)
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 3.0 Ah Li-Ion) / 1 pc
Article number	3410805 

1x 18 V



Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

Max. operating time per battery charge in idle mode (telescopic hedge trimmer)


30 min	35 min	40 min	60 min	75 min	80 min	120 min
--------	--------	--------	--------	--------	--------	---------

Matching accessories

Spare chain 20cm 1,3 33T 3/8	4500188	
Spare bar 20cm 1,3	4500168	

CORDLESS MULTIFUNCTIONAL TOOL GE-HC 18 Li T

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410800 

NEW

- Telescopic aluminium handle with extension
- Hedge trimmer head tiltable in multiple positions
- Chain tensioning and changing with tools
- Automatic chain lubrication
- Laser-cut and diamond-ground blades
- Additional holding area
- Adjustable additional handle



CORDLESS MULTIFUNCTIONAL TOOL GC-HC 18/4520 Li T

PXC battery voltage	18 V
Bar length (chainsaw)	200 mm
Chain cutting speed	5.5 m/s
Max. bar length (hedge trimmer)	450 mm
Spacing between teeth (hedge trimmer)	18 mm
Max. working height	4.0 m (pruner) / 3.5 m (hedge trimmer)
Product weight	2.8 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410587



Matching accessories

Spare chain 20cm 1,1 33T 3/8	4500186	
Spare bar 20cm 1.2	4500166	

1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

28 min	33 min	40 min	56 min	66 min	80 min	112 min
--------	--------	--------	--------	--------	--------	---------

FITTED WITH
OREGON
CHAIN AND BAR

- Continuously adjustable telescopic aluminium handle
- Main handle + motor head tiltable by several settings
- OREGON quality bar and chain
- Toolless chain tensioning and changing
- Pivotal attachment for effortless horizontal cuts
- Automatic chain lubrication
- Claw stop
- Metal gear box



CORDLESS POLE-MOUNTED PRUNER GE-LC 18 Li T

PXC battery voltage	18 V
Bar length	200 mm
Cutting length	170 mm
Cutting speed	3.76 m/s
Max. working height	4.0 m
Product weight	4.0 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410810



1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

Matching accessories

Spare chain 20cm 1,3 33T 3/8	4500188	
Spare bar 20cm 1,3	4500168	

Cordless Pole-Mounted Pruners Accessory Hedge Trimmer

Can be used for	GE-LC 18 Li T
Product weight	1.4 kg
Article number	3410818
EAN	



- > Telescopic aluminium handle with extension
- > Chain tensioning and changing with tools
- > Automatic chain lubrication
- > Claw stop
- > Metal gear box
- > Additional holding area



CORDLESS POLE-MOUNTED PRUNER GC-LC 18/20 Li T

PXC battery voltage	18 V
Bar length	200 mm
Cutting length	195 mm
Cutting speed	5.5 m/s
Max. working height	4.0 m
Product weight	3.4 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410581



1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

Matching accessories

Spare chain 20cm 1,1 33T 3/8	4500186
Spare bar 20cm 1.2	4500166



- > Continuously adjustable telescopic aluminium handle
- > Motor head tiltable by multiple settings
- > Main handle tiltable by multiple settings
- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Adjustable additional handle



CORDLESS TELESCOPIC HEDGE TRIMMER GE-HH 18/45 Li T

PXC battery voltage	18 V
Bar length	450 mm
Cutting length	400 mm
Spacing between teeth	16 mm
Max. working height	3.5 m
Product weight	4.3 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410866



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	35 min	40 min	60 min	75 min	80 min	120 min

Cordless Telescopic Hedge Trimmers Accessory Pole Pruner



Can be used for	GE-HH 18/45 Li T
Product weight	1.2 kg
Article number	3410835
EAN	4 006825 624656



- Telescopic aluminium handle with extension
- Motor head tiltable by multiple settings
- Laser-cut and diamond-ground blades
- Metal gear box
- Swivelling main handle
- Additional holding area



CORDLESS TELESCOPIC HEDGE TRIMMER GC-HH 18/45 Li T

PXC battery voltage	18 V
Bar length	450 mm
Cutting length	410 mm
Spacing between teeth	18 mm
Max. working height	3.5 m
Product weight	3.0 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410585



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
28 min	33 min	40 min	56 min	66 min	80 min	112 min



BRUSHLESS

- Brushless motor
- Toolless chain tensioning and changing
- Automatic chain lubrication
- Adjustable chain speed
- Sturdy stop claws made of metal
- Kickback protection with mechanical instant chain brake
- Chain catch bolt
- Soft grip
- Large oil filler opening

CORDLESS CHAINSAW FORTEXXA 18/30

PXC battery voltage	18 V
Petrol equivalence class	up to 2.0 hp
Bar length	300 mm
Cutting length	270 mm
Cutting speed	8.9 / 6 m/s
Oil tank capacity	160 ml
Product weight	4.0 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover	•
Article number	4600010



1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge in HIGH POWER mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs

Max. cuts through 70 x 70 mm square timber per battery charge in ECO mode (ECO mode for prolonged operation)

78 pcs	98 pcs	117 pcs	156 pcs	203 pcs	234 pcs	312 pcs
--------	--------	---------	---------	---------	---------	---------

Matching accessories

Spare chain 30cm 1,1 45T 3/8	4500192
Spare bar 30cm 1,1	4500191





BRUSHLESS

- > Brushless motor
- > Toolless chain tensioning and changing
- > Automatic chain lubrication
- > Sturdy stop claws made of metal
- > Kickback protection with mechanical instant chain brake
- > Chain catch bolt
- > Soft grip
- > Large oil filler opening

Matching accessories

Spare chain 25cm 1,1 40T 3/8	4501754	
Spare bar 25cm 1,1	4501753	

CORDLESS CHAINSAW

GE-LC 18/25 Li Brushless

PXC battery voltage	18 V	
Petrol equivalence class	up to 2.0 hp	
Bar length	250 mm	
Cutting length	225 mm	
Cutting speed	6.5 m/s	
Oil tank capacity	150 ml	
Product weight	3.7 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover	•	
Article number	4600070	

1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
44 pcs	67 pcs	71 pcs	100 pcs	145 pcs	181 pcs	242 pcs



- > Toolless chain tensioning and changing
- > Automatic chain lubrication
- > Sturdy stop claws made of metal
- > Kickback protection with mechanical instant chain brake
- > Chain catch bolt
- > Soft grip
- > Large oil filler opening

Matching accessories

Spare chain 25cm 1,1 40T 3/8	4501754	
Spare bar 25cm 1,1	4501753	

CORDLESS CHAINSAW

GE-LC 18/25-1 Li

PXC battery voltage	18 V	
Petrol equivalence class	up to 1.5 hp	
Battery charging time 18 V / 2.5 Ah	50 min	
Bar length	250 mm	
Cutting length	230 mm	
Cutting speed	4.5 m/s	
Oil tank capacity	200 ml	
Product weight	2.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 2.5 Ah Li-Ion) / 1 pc	
Protective cover	•	
Article number	4501789	

1x 18 V

Max. cuts through 70 x 70 mm square timber per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

CORDLESS CHAINSAW

GE-LC 18/25-1 Li

Same as previous item, but excl. battery/charger

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Protective cover	•	
Article number	4501761	




BRUSHLESS



- > Brushless motor
- > Metal gear box
- > Toolless guide bar and chain change
- > High-quality guide bar and chain set
- > Hand guard and folding chain cover
- > Storage surface for use with both hands
- > Soft grip

CORDLESS PRUNING CHAINSAW

GE-PS 18/15 Li Brushless

PXC battery voltage	18 V
Bar length	158 mm
Cutting length	125 mm
Cutting speed	4.8 m/s
Product weight	1.1 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Protective cover	•
Measuring help for oiling the chain	•
Hexagon key for retensioning the chain	•
Article number	4600040 

Matching accessories

Spare chain 15cm 1,0 28T 7,62	4500174	
Spare bar 15cm 1,0	4500163	

1x 18 V


Max. cuts per battery charge through soft roundwood (ø 50 mm)

2.0 Ah 127 pcs	2.5 Ah 158 pcs	3.0 Ah 190 pcs	4.0 Ah 254 pcs	5.2 Ah 329 pcs	6.0 Ah 380 pcs	8.0 Ah 506 pcs
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

Woodworking Accessories


Chainsaw Trestle



Profile thickness	1.9 mm
Maximum load capacity	150 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	7.1 kg
Article number	4500067
EAN	

Forest Safety Helmet




Head circumference	52-66 cm
Product weight	0.7 kg
Article number	4500480
EAN	

NEW




Holster

Suitable for	GE-PS 18/15 Li Brushless
Article number	4600049
EAN	

NEW



Chain Oil for Pruning Chainsaws

Quantity	200 ml
Article number	3403095
EAN	



- > Depth stop
- > Scale for precise setting of the grinding angle
- > LED light
- > Clamping device

Matching accessories

Spare grinding wheel 3.2 mm	4500076	
Spare grinding wheel 4.5 mm	4500071	

CORDLESS CHAIN SHARPENER

GE-CS 18 Li

PXC battery voltage	18 V
Grinding wheel diameter (inside)	23 mm
Grinding wheel diameter (outside)	108 mm
Grinding wheel thickness	3.2 mm
Product weight	1.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	4499940

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
240 min	300 min	390 min	480 min	660 min	780 min	960 min



- > Toolless blade change
- > Removable branch handle
- > Vibration-decoupled battery holder
- > Long-life metal gearing
- > Soft grip
- > Belt clip

Matching accessories

Saw blade set, 3-piece, wood/metal	49576105	
------------------------------------	----------	--

CORDLESS PRUNING SAW

GE-GS 18/150 Li

PXC battery voltage	18 V
Saw blade length	151 mm
Cutting capacity with branch handle	80 mm
Cutting capacity without branch handle	100 mm
Product weight	1.1 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3408290

1x 18 V

Max. cuts per battery charge through roundwood (ø 60 mm)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs



- > Bypass blades
- > Belt clip
- > ON/OFF sliding switch
- > Sturdy plastic cover
- > Ergonomic handle with soft grip

CORDLESS PRUNING SHEARS

GE-LS 18 Li

PXC battery voltage	18 V
Max. cutting capacity	28 mm
Product weight	0.8 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3408300

1x 18 V

Max. cuts per battery charge through round dry beech wood (ø 15 mm)


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs



- Multi-part pipe with bayonet mount
- Electronic speed control (LED)
- 3-in-1: leaf blower, workshop blower or barbecue lighting aid

CORDLESS UNIVERSAL BLOWER

GE-UB 18/250 Li E

PXC battery voltage	18 V
Battery charging time 18 V / 4.0 Ah	75 min
Max. operating time	20-130 min
Max. blow velocity	250 km/h
Max. blowing air flow	120 m³/h
Idle speed	4500 - 15000 min ⁻¹
Product weight	1.1 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 4.0 Ah Li-Ion) / 1 pc
Article number	3433560 

1x 18 V


Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
10-65 min	12-80 min	14-96 min	20-130 min	24-166 min	28-192 min	40-260 min

CORDLESS UNIVERSAL BLOWER

GE-UB 18/250 Li E

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3433542 




- > Electronic speed control
- > Soft grip
- > Lightweight and handy design



CORDLESS LEAF BLOWER

GC-CL 18 Li E

PXC battery voltage	18 V	
Max. blow velocity	210 km/h	
Max. blowing air flow	105 m³/h	
Idle speed	1400 - 12000 min ⁻¹	
Product weight	1.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 2.0 Ah Li-Ion) / 1 pc	
Article number	3433533	 4 006825 615449

1x 18 V


Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
14-240 min	16-300 min	20-390 min	26-480 min	40-660 min	42-720 min	52-960 min

CORDLESS LEAF BLOWER


GC-CL 18 Li E

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3433532	 4 006825 610246

CORDLESS LEAF VACUUM

GE-CL 36 Li E Brushless

PXC battery voltage	2x 18 V	
Max. blow velocity	210 km/h	
Max. suction power	720 m³/h	
Idle speed	8000 - 13000 min ⁻¹	
Shredding function	10:1	
Debris bag volume	45 l	
Product weight	3.4 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3433600	 4 006825 613391

2x 18 V

Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
10-30 min	13-35 min	17-45 min	22-65 min	27-90 min	30-100 min	44-130 min

Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

13-35 min	16-40 min	21-60 min	27-75 min	32-105 min	39-120 min	54-150 min
-----------	-----------	-----------	-----------	------------	------------	------------



- > Toolless change-over between suction and blowing function
- > Brushless motor
- > Electronic speed control
- > Additional handle (adjustable)
- > Guiding wheels
- > Debris bag with window
- > Carrying strap
- > Soft grip

BRUSHLESS



- Toolless change-over between suction and blowing function
- Turbo function
- Electronic speed control
- Additional handle (adjustable)
- Guiding wheels (height adjustable)
- Debris bag with window
- Carrying strap
- Soft grip



BRUSHLESS

- Toolless change-over between suction and blowing function
- Brushless motor
- Electronic speed control
- Shredder with metal blades
- Additional handle
- Guiding wheels
- Debris bag with window
- Carrying strap
- Soft grip

CORDLESS LEAF VACUUM

GE-CL 36/230 Li E

PXC battery voltage	2x 18 V
Max. blow velocity	230 km/h
Max. suction power	700 m³/h
Idle speed	8000 - 14000 min ⁻¹
Shredding function	10:1
Debris bag volume	45 l
Product weight	3.1 kg (blow) / 4.4 kg (vacuum) (each excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3433630



2x 18 V

Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min

Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

5 min	7 min	11 min	13 min	17 min	20 min	26 min
-------	-------	--------	--------	--------	--------	--------

Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
-----------	-----------	-----------	-----------	-----------	-----------	------------

Max. operating time per battery charge in idle mode (TURBO blowing mode)

7 min	8 min	13 min	15 min	20 min	23 min	30 min
-------	-------	--------	--------	--------	--------	--------

CORDLESS LEAF VACUUM

VENTURRO 18/210

PXC battery voltage	18 V
Max. blow velocity	210 km/h
Max. suction power	500 m³/h
Idle speed	8000 - 14000 min ⁻¹
Shredding function	10:1
Debris bag volume	45 l
Product weight	3.0 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3433625



1x 18 V

Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
0-14 min	5-18 min	7-20 min	9-30 min	11-42 min	15-45 min	18-60 min

Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

4-15 min	5-19 min	7-22 min	9-32 min	13-40 min	14-48 min	18-64 min
----------	----------	----------	----------	-----------	-----------	-----------


NEW

Autumn 2026



- > Electronic speed control of the collection brushes
- > Continuously adjustable working height
- > Foldable handlebar with quick-release fastener
- > Wide, rotating plastic brush
- > Extra-large catch box with carrying handle
- > Wide wheels exert less stress on the lawn
- > Soft grip

CORDLESS LEAF AND LAWN COLLECTOR GE-GC 18/55 Li E

PXC battery voltage	18 V	
Working width	55 cm	
Working height adjustment	multi-stage (continuously)	
Debris bag volume	100 l	
Product weight	9.0 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3414185	

1x 18 V


Max. operating time per battery charge in idle mode – dependent on the selected speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
43-97 min	53-118 min	65-146 min	86-194 min	114-250 min	132-294 min	172-388 min



- > Foldable cover to protect the batteries
- > Motor protection switch
- > 3 reversible blades made of special steel
- > Fold-down hopper with safety lock
- > Generous funnel opening
- > Transport wheels
- > Transport handle

CORDLESS KNIFE SHREDDER REDAXXO 36/25

PXC battery voltage	2x 18 V	
Idle speed	3000 min ⁻¹	
Max. branch diameter	25 mm	
Debris bag volume	55 l	
Product weight	10.5 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Prodder incl.	•	
Garden rubbish bag	•	
Article number	3430710	

2x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
20 min	25 min	30 min	40 min	52 min	60 min	80 min


Matching accessories

Spare blade	3405931	
-------------	---------	---

- > Toolless blade change
- > Laser-cut blades
- > Covered gearbox
- > Soft grip
- > Telescopic handle



CORDLESS GRASS AND SHRUB SHEARS GE-CG 18/100 Li T

PXC battery voltage	18 V
Cutting width with grass shear blade	100 mm
Cutting length with shrub cutting blade	200 mm
Spacing between teeth of shrub cutting blade	8 mm
Product weight	1.9 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	1 pc (18 V 2.5 Ah Li-Ion) / 1 pc
Article number	3410316 


1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
240 min	300 min	360 min	480 min	650 min	720 min	960 min

CORDLESS GRASS AND SHRUB SHEARS GE-CG 18/100 Li T

Same as previous item, but without battery(ies) / charger(s)

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410310 


- > Toolless blade change
- > Laser-cut blades
- > Covered gearbox
- > Soft grip
- > Incl. raking attachment



Accessories incl.



CORDLESS GRASS AND SHRUB SHEARS GE-CG 18/100 Li - 3 in 1

PXC battery voltage	18 V
Cutting width with grass shear blade	100 mm
Cutting length with shrub cutting blade	200 mm
Spacing between teeth of shrub cutting blade	8 mm
Product weight	0.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410305 

1x 18 V


Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
240 min	300 min	360 min	480 min	650 min	720 min	960 min

- > Toolless blade change
- > Laser-cut blades
- > Covered gearbox
- > Soft grip



CORDLESS GRASS AND SHRUB SHEARS GE-CG 18/100 Li

PXC battery voltage	18 V
Cutting width with grass shear blade	100 mm
Cutting length with shrub cutting blade	200 mm
Spacing between teeth of shrub cutting blade	8 mm
Product weight	0.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410313 

1x 18 V


Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
240 min	300 min	360 min	480 min	650 min	720 min	960 min

- > Toolless blade change
- > Laser-cut blades
- > Metal gear box
- > Soft grip



CORDLESS GRASS AND SHRUB SHEARS GC-CG 18 Li

PXC battery voltage	18 V
Cutting width with grass shear blade	100 mm
Cutting length with shrub cutting blade	200 mm
Spacing between teeth of shrub cutting blade	8 mm
Product weight	0.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410370 

1x 18 V


Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
240 min	300 min	360 min	480 min	650 min	720 min	960 min

- > Laser-cut blades
- > Metal gear box
- > Soft grip



CORDLESS GRASS SHEARS GC-CG 18/1 Li

PXC battery voltage	18 V
Cutting width with grass shear blade	100 mm
Product weight	0.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3410382 

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
240 min	300 min	360 min	480 min	650 min	720 min	960 min

- > Automatic pump, no manual pressure build-up required
- > Transparent tank with scale for checking the level
- > Individually adjustable brass nozzle
- > Battery cover – provides protection against water ingress
- > Spray lance with lockable operating button
- > Padded carrying strap
- > Large filler opening



CORDLESS PRESSURE SPRAYER

GE-WS 18/150 Li

PXC battery voltage	18 V
Filling capacity of the tank	15 l
Max. spraying pressure	4.5 bar
Pressure hose length	1400 mm
Max. liquid temperature	40°C
Product weight	4.7 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3425230



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h



- > Automatic pump, no manual pressure build-up required
- > Transparent tank with scale for checking the level
- > Individually adjustable brass nozzle
- > Telescopic lance made of stainless steel
- > Battery cover – provides protection against water ingress
- > Spray lance with lockable operating button
- > Large clips on the tank – easy opening and closing
- > Padded carrying strap

CORDLESS PRESSURE SPRAYER

GE-WS 18/75 Li

PXC battery voltage	18 V
Filling capacity of the tank	7.5 l
Max. spraying pressure	2.5 bar
Pressure hose length	1400 mm
Max. liquid temperature	40°C
Product weight	2.4 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3425220



1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
6 h	7.5 h	10 h	12 h	16 h	20 h	24 h



- > Automatic pump, no manual pressure build-up required
- > Transparent tank with scale for checking the level
- > Individually adjustable brass nozzle
- > Telescopic lance made of stainless steel
- > Battery cover – provides protection against water ingress
- > Spray lance with lockable operating button
- > Large clips on the tank – easy opening and closing
- > Padded carrying strap

CORDLESS PRESSURE SPRAYER

GE-WS 18/35 Li

PXC battery voltage	18 V
Filling capacity of the tank	3.5 l
Max. spraying pressure	2.5 bar
Pressure hose length	1400 mm
Max. liquid temperature	40°C
Product weight	2.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3425210

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
6 h	7.5 h	10 h	12 h	16 h	20 h	24 h



- > Automatic pump, no manual pressure build-up required
- > Transparent tank with scale for checking the level
- > Individually adjustable brass nozzle
- > Large clips on the tank – easy opening and closing

CORDLESS PRESSURE SPRAYER

GE-WS 18/10 Li

PXC battery voltage	18 V
Filling capacity of the tank	1.0 l
Max. spraying pressure	1.3 bar
Max. liquid temperature	40°C
Product weight	0.6 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3425240

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
16 h	20 h	24 h	32 h	42 h	48 h	64 h

Cordless Pressure Sprayers Accessories

Pressure Sprayer Accessory Kit



Suitable for	GE-WS 18/150, GE-WS 18/75 and GE-WS 18/35
Telescopic spray lance	1 - 2 m
Product weight	0.25 kg
Article number	3425205
EAN	



Tank 7.5 litres

Suitable for	GE-WS 18/75 and GE-WS 18/35
Filling capacity of the tank	7.5 l
Product weight	0.8 kg
Article number	3425206
EAN	

NEW



- > Digital pressure indicator
- > Setting of the required pressure
- > Automatic switch-off
- > Manual pumping
- > Memory function (4 positions)
- > Air release function
- > Integrated LED light
- > 3-piece adapter set
- > Accessory storage on the device
- > Suitable for inflating car tyres, cycle tyres and small-volume toys, sports and beach articles

CORDLESS CAR AIR COMPRESSOR CE-CC 18/23 D Li

PXC battery voltage	18 V	
Output rate 0 bar 4 bar 7 bar	23 l/min 12 l/min 9 l/min	
Max. operating pressure	11 bar	
Pressure hose length	700 mm	
Product weight	1.2 kg (excl. battery)	
Article number	2071025	

1x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
28 min	33 min	42 min	56 min	70 min	85 min	115 min

Accessories incl.



- > Digital pressure indicator
- > Setting of the required pressure
- > Automatic switch-off
- > Manual pumping
- > 3-piece adapter set
- > Accessory storage on the device
- > Ideal for inflating car tyres, cycle tyres, small-volume toys, sports and beach articles

CORDLESS CAR AIR COMPRESSOR CE-CC 18 Li

PXC battery voltage	18 V	
Output rate 0 bar 4 bar 7 bar	12 l/min 10 l/min 8 l/min	
Max. operating pressure	11 bar	
Pressure hose length	600 mm	
Product weight	0.8 kg (excl. battery)	
Article number	2071010	

1x 18 V

Max. operating time per battery charge in idle mode

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
42 min	53 min	63 min	84 min	109 min	126 min	168 min

Accessories incl.




- > Locking switch
- > Suitable for inflating and deflating by changing the attachment
- > Incl. 2 valve adapters
- > Integrated LED light
- > Suitable for inflating rubber dinghies, air mattresses and other leisure articles



CORDLESS AIR PUMP

CE-AP 18 Li

PXC battery voltage	18 V	
Air rate	670 l/min	
max. pressure	0.05 bar	
Product weight	0.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	2070110	

1x 18 V

Max. operating time per battery charge in idle mode


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
65 min	81 min	98 min	130 min	169 min	195 min	260 min

Accessories incl.



CORDLESS OUTDOOR LIGHT

GC-OL 18/1500 Li

PXC battery voltage	18 V	
Luminosity	309 / 825 / 1500 lm	
Colour temperature	7000 K	
Number of LEDs	36	
Product weight	0.5 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	2320120	

1x 18 V

Luminous period per battery charge at max. brightness setting

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
3.2 h	4 h	4.8 h	6.4 h	8.3 h	9.6 h	12.8 h

Luminous period per battery charge at min. brightness setting

9.6 h	12 h	14.4 h	19.2 h	25 h	28.8 h	38.4 h
-------	------	--------	--------	------	--------	--------

- > The light head can be rotated (290°) and tilted (300°)
- > Carry handle
- > Fastening clamp



- > Padded carrying strap
- > Large buckle for easy opening and closing
- > Cable hook
- > Second battery pocket removable

BATTERY BELT

GE-PB 36/18 Li

PXC battery voltage	Suitable for 18 V appliances and 36 V (2x 18 V) appliances
Number of battery pockets	2 pcs
Cable length	150 cm
Length of hip belt	150 cm
Product weight	1.7 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3408310



- > Fan head rotation angle: +/- 60°
- > Telescopic stand
- > Timer 1-8 h
- > Tiltable fan head

CORDLESS FAN

GE-CF 18/320 P Li

PXC battery voltage	18 V
Idle speed	330 / 460 / 760 / 910 min ⁻¹
Air flow	15000 m/h
Fan diameter	320 mm
Product weight	3.4 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	3408071



1x 18 V

Max. operating time per battery charge at min. speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15.8 h	22.4 h	27.2 h	36.6 h	43.6 h	54.3 h	73 h

Max. operating time per battery charge at max. speed


5.4 h	7 h	8.3 h	11 h	13.7 h	16.5 h	22 h
-------	-----	-------	------	--------	--------	------

- > Fan head rotation angle: 0°-360°
- > Carry handle
- > Several fastening options



CORDLESS FAN

GE-CF 18/2200 Li

PXC battery voltage	18 V	
Idle speed	1200 / 1700 / 2200 min ⁻¹	
Air flow	15000 m/h	
Fan diameter	180 mm	
Product weight	1.2 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3408035	 4 006825 665253

1x 18 V

Max. operating time per battery charge at min. speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
7 h	8.8 h	10.6 h	14 h	18.3 h	21.2 h	28 h

Max. operating time per battery charge at max. speed


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2.6 h	3.3 h	4 h	5.3 h	7 h	8 h	10.6 h

- > Fan head can be rotated (290°) and tilted (300°)
- > Carry handle
- > Fastening clamp



CORDLESS FAN

GC-CF 18/110 Li

PXC battery voltage	18 V	
Idle speed	1700 / 2500 / 3400 min ⁻¹	
Air flow	15000 m/h	
Fan diameter	110 mm	
Product weight	0.5 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Article number	3408061	 4 006825 677643

1x 18 V

Max. operating time per battery charge at min. speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
26 h	32 h	38.5 h	51 h	67 h	77 h	102 h

Max. operating time per battery charge at max. speed

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
5.3 h	6.6 h	8 h	11 h	14 h	16 h	21.2 h



- > Wall mount incl. dowels and screws
- > Garden hose (30 m)
- > Garden sprayer (cone and fan jet)
- > Carrying handle and recessed grips
- > Drip stop
- > Patented hose guide system
- > Stepless hose extraction
- > Cleaning brushes on the feeder
- > Maintenance flap
- > Residual water drain

CORDLESS HOSE REEL (WATER)

GE-HR 18/30-1 Li

PXC battery voltage	18 V
Garden hose length	30 m
Garden hose diameter	12.5 mm (1/2")
Connecting hose length	1.5 m
Connecting hose diameter	12.5 mm (1/2")
Swivelling range	180°
Product weight	9.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	4173773



1x 18 V

Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
33 x	42 x	50 x	66 x	86 x	100 x	132 x

Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")

22 x	28 x	34 x	44 x	57 x	68 x	88 x
------	------	------	------	------	------	------

CORDLESS HOSE REEL (WATER)

GE-HR 18/30-1 WH Li

Same as previous item, but without garden hose and sprayer

Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	4173774



Cordless Hose Reels (Water) Accessory

Hose and Transport Trolley



Max. load	50 kg
Support surface	28 x 34 cm
Wheel diameter	170 mm
Garden waste bag volume	75 l
Product weight	4.8 kg
Article number	4173772
EAN	4 006825 674231



NEW Summer 2026

- > IPX8-rated battery box
- > Telescopic guide rod
- > Extra low water outlet
- > LED status indicator
- > Removable filter box
- > Ergonomic handle
- > Impact protection on the suction plate
- > Transparent filter housing

Accessories incl.



CORDLESS POOL VACUUM

GE-PV 18/48 Li T

PXC battery voltage	18 V
Max. flow rate	4200 l/h
Protection class	IPX8
Suction plate width	0.32 m
Min. water depth	0.26 m
Product weight	2.9 kg (excl. battery)
Accessories	Incl. small brush (for corners and edges)
Article number	3424400



1x 18 V

Max. operating time per battery charge

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	35 min	47 min	60 min	73 min	92 min	118 min






- Water filler screw
- Water drain screw
- Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)
- Battery capacity indicator LED
- Pre-filter
- Non-return valve
- Water filling / dirt indicator
- Suction indicator
- Automatic mode
- Dry running protection

Accessories incl.



CORDLESS AUTOMATIC GARDEN PUMP AQUINNA 36/38 F LED AUTOMATIC

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3800 l/h / 37 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	4.8 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter	
Article number	4180420	 4 006825 668391

2x 18 V

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
16 min	20 min	24 min	32 min	42 min	48 min	64 min

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

32 min	40 min	48 min	64 min	84 min	96 min	128 min
--------	--------	--------	--------	--------	--------	---------




- Water filler screw
- Water drain screw
- Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)
- Battery capacity indicator LED
- Pre-filter
- Non-return valve
- Water filling / dirt indicator
- Suction indicator
- Automatic mode
- Dry running protection



Accessories incl.



CORDLESS AUTOMATIC GARDEN PUMP AQUINNA 18/30 F LED AUTOMATIC

PXC battery voltage	18 V (+ 18 V)	
Max. delivery capacity / height	3000 l/h / 28 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	4.3 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter	
Article number	4180460	 4 006825 681512

1x 18 V

Max. operating time per battery charge with 1 battery in BOOST mode (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	17 min	20 min	30 min	36 min	40 min	60 min

Max. operating time per battery charge with 1 battery in ECO mode (ECO mode for prolonged operation)

19 min	23 min	28 min	38 min	48 min	56 min	76 min
--------	--------	--------	--------	--------	--------	--------

Max. operating time per battery charge with 2 batteries in BOOST mode (BOOST mode for maximum power)


30 min	34 min	40 min	60 min	72 min	80 min	120 min
--------	--------	--------	--------	--------	--------	---------

Max. operating time per battery charge with 2 batteries in ECO mode (ECO mode for prolonged operation)

38 min	46 min	56 min	76 min	96 min	112 min	152 min
--------	--------	--------	--------	--------	---------	---------



CORDLESS GARDEN PUMP AQUINNA 36/38 F LED

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3800 l/h / 37 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	4.3 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter	
Article number	4180410	 4 006825 668384

- > Water filler screw
- > Water drain screw
- > Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)
- > Battery capacity indicator LED
- > Pre-filter
- > Non-return valve
- > Water filling / dirt indicator

Accessories incl.



2x 18 V

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)


2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
16 min	20 min	24 min	32 min	42 min	48 min	64 min

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

32 min	40 min	48 min	64 min	84 min	96 min	128 min
--------	--------	--------	--------	--------	--------	---------



CORDLESS GARDEN PUMP AQUINNA 36/34

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3400 l/h / 37 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.8 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter	
Article number	4180450	 4 006825 673975

- > Water filler screw
- > Water drain screw
- > Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)
- > Water filling indicator

Accessories incl.



2x 18 V

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
16 min	20 min	24 min	32 min	42 min	48 min	64 min

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)


32 min	40 min	48 min	64 min	84 min	96 min	128 min
--------	--------	--------	--------	--------	--------	---------



- > Water filler screw
- > Water drain screw
- > Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)



CORDLESS GARDEN PUMP AQUINNA 36/30

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3000 l/h / 26 m	
Max. suction height	8 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.3 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter	
Article number	4180400	

2x 18 V

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	23 min	30 min	35 min	45 min	50 min	70 min

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)


35 min	47 min	55 min	70 min	85 min	100 min	140 min
--------	--------	--------	--------	--------	---------	---------



- > Water filler screw
- > Water drain screw
- > Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)
- > Suction hose included



CORDLESS GARDEN PUMP AQUINNA 36/30 Set

PXC battery voltage	2x 18 V	
Max. delivery capacity / height	3000 l/h / 26 m	
Max. suction height	8 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.3 kg (excl. batteries)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter, suction hose (4 m)	
Article number	4180401	

2x 18 V

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	23 min	30 min	35 min	45 min	50 min	70 min

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

35 min	47 min	55 min	70 min	85 min	100 min	140 min
--------	--------	--------	--------	--------	---------	---------




- > Water filler screw
- > Water drain screw
- > Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)
- > Battery capacity indicator LED
- > Pre-filter
- > Non-return valve
- > Water filling / dirt indicator

Accessories incl.



CORDLESS GARDEN PUMP AQUINNA 18/30 F LED

PXC battery voltage	18 V (+ 18 V)	
Max. delivery capacity / height	3000 l/h / 28 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	3.9 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter	
Article number	4180430	 4 006825 668513

1x 18 V

Max. operating time per battery charge with 1x 18 V battery in BOOST mode (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	17 min	20 min	30 min	36 min	40 min	60 min

Max. operating time per battery charge with 1x 18 V battery in ECO mode (ECO mode for prolonged operation)

19 min	23 min	28 min	38 min	48 min	56 min	76 min
--------	--------	--------	--------	--------	--------	--------

Max. operating time per battery charge with 2x 18 V batteries in BOOST mode (BOOST mode for maximum power)

30 min	34 min	40 min	60 min	72 min	80 min	120 min
--------	--------	--------	--------	--------	--------	---------

Max. operating time per battery charge with 2x 18 V batteries in ECO mode (ECO mode for prolonged operation)

38 min	46 min	56 min	76 min	96 min	112 min	152 min
--------	--------	--------	--------	--------	---------	---------




- > Water filler screw
- > Water drain screw
- > Power level switch (ECO mode for prolonged operation / BOOST mode for maximum power)

Accessories incl.



CORDLESS GARDEN PUMP AQUINNA 18/28

PXC battery voltage	18 V	
Max. delivery capacity / height	2800 l/h / 25 m	
Max. suction height	6 m	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") IT	
Product weight	2.4 kg (excl. battery)	
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs	
Accessories	Garden hose adapter	
Article number	4180440	 4 006825 668711

1x 18 V

Max. operating time in BOOST mode per battery charge (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
14 min	17 min	20 min	28 min	36 min	40 min	56 min

Max. operating time in ECO mode per battery charge (ECO mode for prolonged operation)

18 min	22 min	27 min	36 min	47 min	54 min	72 min
--------	--------	--------	--------	--------	--------	--------

Surface Pumps Accessories

Type	Article number	EAN
Suction Hose (7 m) with Brass Connectors	4173640	4 006825 549171
Suction Hose (4 m) with Brass Connectors	4173630	4 006825 549133
Suction Hose (7 m) with Plastic Connectors	4173645	4 006825 549102
Suction Hose (4 m) with Plastic Connectors	4173635	4 006825 549058
Coarse Filter 25 cm	4173851	4 006825 549195
Coarse Filter 12 cm	4173801	4 006825 549188
Adapter 33.3 mm (1") ET	4173761	4 006825 662733

NEW



- Mobile battery box
- Automatic mode
- Integrated cable rewind
- Integrated wall mount
- Suspension device made from stainless steel
- Telescopic extension tube
- Flexible gooseneck



CORDLESS RAIN BARREL PUMP GE-PP 36 RB-A Li

PXC battery voltage	36 V
Max. delivery capacity / height	4500 l/h / 30 m
Max. immersion depth	4 m
Hose connection	33.3 mm (1") ET
Connection cable	5 m
Product weight excl. / incl. accessories	3.5 kg / 3.8 kg (each excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	4181620

2x 18 V

Max. operating time per battery charge when pumping water

2.0 Ah 15 min	2.5 Ah 19 min	3.0 Ah 23 min	4.0 Ah 30 min	5.2 Ah 39 min	6.0 Ah 45 min	8.0 Ah 60 min
-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------



- Mobile battery box
- Integrated cable rewind
- Integrated wall mount
- Suspension device made from stainless steel
- Telescopic extension tube
- Flexible gooseneck



CORDLESS RAIN BARREL PUMP GE-PP 18 RB Li

PXC battery voltage	18 V
Max. delivery capacity / height	3000 l/h / 20 m
Max. immersion depth	4 m
Hose connection	33.3 mm (1") ET
Connection cable	5 m
Product weight excl. / incl. accessories	2.5 kg / 2.8 kg (each excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	4170429

1x 18 V

Max. operating time per battery charge when pumping water

2.0 Ah 15 min	2.5 Ah 20 min	3.0 Ah 25 min	4.0 Ah 30 min	5.2 Ah 35 min	6.0 Ah 45 min	8.0 Ah 60 min
-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------



- > Mobile battery box
- > Dry running protection
- > Integrated cable rewind
- > Integrated wall mount
- > Suspension device made from stainless steel
- > Low level suction down to 1 mm

CORDLESS CLEAR WATER PUMP

GE-SP 18 LL Li

PXC battery voltage	18 V
Max. delivery capacity / height	4500 l/h / 8 m
Max. immersion depth	4 m
Suction down to	1 mm
Hose connection	33.3 mm (1") ET
Connection cable	5 m
Product weight	2.2 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	4181560



1x 18 V

Max. operating time per battery charge when pumping water

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	35 min	40 min	60 min	67 min	70 min	120 min

Matching accessories

Pool Cover Pump Plate	4181563
-----------------------	---------



- > Mobile battery box
- > Dry running protection
- > Integrated cable rewind
- > Integrated wall mount
- > Suspension device made from stainless steel

CORDLESS CLEAR WATER PUMP

GE-SP 18 Li

PXC battery voltage	18 V
Max. delivery capacity / height	5000 l/h / 8 m
Max. immersion depth	4 m
Suction down to	15 mm
Hose connection	33.3 mm (1") ET
Connection cable	5 m
Product weight	2.6 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Article number	4181500



1x 18 V

Max. operating time per battery charge when pumping water

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
30 min	35 min	40 min	60 min	70 min	80 min	120 min

NEW



- > Mobile battery box
- > Dry running protection
- > Integrated cable rewind
- > Integrated wall mount
- > Suspension device made from stainless steel
- > Low level suction down to 1 mm
- > Power level switch ECO / BOOST (ECO mode for prolonged operation / BOOST mode for maximum power)
- > Suction level control

Accessories incl.



CORDLESS DIRTY WATER PUMP

GE-DP 36/35 LL Li

PXC battery voltage	36 V
Max. delivery capacity / height	14.000 l/h / 9 m
Max. immersion depth	6 m
Suction down to	1 mm
Max. size of foreign particle	35 mm
Hose connection	47.8 mm (1½") ET
Connection cable	7 m
Product weight	4.7 kg (excl. batteries)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Universal hose adapter	•
Article number	4181610



2x 18 V

Max. operating time per battery charge when pumping water in BOOST mode (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	19 min	23 min	30 min	39 min	45 min	60 min

Max. operating time per battery charge when pumping water in ECO mode (ECO mode for prolonged operation)

28 min	35 min	42 min	56 min	73 min	84 min	112 min
--------	--------	--------	--------	--------	--------	---------

Matching accessories

Quick connector	4173764
-----------------	---------



- > Mobile battery box
- > Dry running protection
- > Integrated cable rewind
- > Integrated wall mount
- > Suspension device made from stainless steel
- > Power level switch ECO / BOOST (ECO mode for prolonged operation / BOOST mode for maximum power)

Accessories incl.



CORDLESS DIRTY WATER PUMP

GE-DP 18/25 Li

PXC battery voltage	18 V
Max. delivery capacity / height	7500 l/h / 5 m
Max. immersion depth	4 m
Suction down to	35 mm
Max. size of foreign particle	25 mm
Hose connection	42 mm (1¼") ET
Connection cable	5 m
Product weight	3.3 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Universal hose adapter	•
Article number	4181580



1x 18 V

Max. operating time per battery charge when pumping water in BOOST mode (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	19 min	23 min	30 min	40 min	46 min	60 min

Max. operating time per battery charge when pumping water in ECO mode (ECO mode for prolonged operation)

21 min	26 min	32 min	42 min	55 min	64 min	84 min
--------	--------	--------	--------	--------	--------	--------



CORDLESS DIRTY WATER PUMP

GE-DP 18/25 LL Li

PXC battery voltage	18 V
Max. delivery capacity / height	7000 l/h / 5 m
Max. immersion depth	4 m
Suction down to	1 mm
Max. size of foreign particle	25 mm
Hose connection	42 mm (1 1/4") ET
Connection cable	5 m
Product weight	3.4 kg (excl. battery)
Number of batteries / chargers included in the scope of delivery	0 pcs / 0 pcs
Universal hose adapter	•
Article number	4181590



- > Mobile battery box
- > Dry running protection
- > Integrated cable rewind
- > Integrated wall mount
- > Suspension device made from stainless steel
- > Low level suction down to 1 mm
- > Power level switch ECO / BOOST (ECO mode for prolonged operation / BOOST mode for maximum power)
- > Suction level control

1x 18 V

Max. operating time per battery charge when pumping water in BOOST mode (BOOST mode for maximum power)

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
15 min	19 min	23 min	30 min	40 min	46 min	60 min

Max. operating time per battery charge when pumping water in ECO mode (ECO mode for prolonged operation)

21 min	26 min	32 min	42 min	55 min	64 min	84 min
--------	--------	--------	--------	--------	--------	--------

Accessories incl.



 **Einhell**

***HAND-HELD AND
CORDED DEVICES***



- > Wide wheels exert less stress on the lawn
- > Parking position
- > Height-adjustable handlebar
- > Contactless cutting technology
- > Incl. grass catch box



HAND LAWN MOWER

GE-HM 38 S-F

Cutting width	38 cm
Cutting height adjustment	4 levels / 13 - 38 mm
Grass box capacity	26 l
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	220 mm
For lawn areas of up to approx.	250 m ²
Product weight	8.4 kg
Article number	3414161



Matching accessories

Grass catch box	3421112
-----------------	---------



- > Wide wheels exert less stress on the lawn
- > Parking position
- > Height-adjustable handlebar
- > Contactless cutting technology



HAND LAWN MOWER

GE-HM 38 S

Cutting width	38 cm
Cutting height adjustment	4 levels / 13 - 38 mm
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	220 mm
For lawn areas of up to approx.	250 m ²
Product weight	7.8 kg
Article number	3414165



Matching accessories

Grass catch box	3421112
-----------------	---------



- > Wide wheels exert less stress on the lawn
- > Parking position
- > Incl. grass catch box



HAND LAWN MOWER

GC-HM 400

Cutting width	40 cm
Cutting height adjustment	4 levels / 13 - 37 mm
Grass box capacity	27 l
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	215 mm
For lawn areas of up to approx.	250 m ²
Product weight	7.5 kg
Article number	3414129



- Wide wheels exert less stress on the lawn
- Parking position
- Incl. grass catch box



HAND LAWN MOWER

GC-HM 300

Cutting width	30 cm
Cutting height adjustment	4 levels / 13 - 37 mm
Grass box capacity	16 l
Number of mowing blades	5
Mowing spindle diameter	125 mm
Wheel diameter	215 mm
For lawn areas of up to approx.	150 m ²
Product weight	6.5 kg
Article number	3414114



- Can be filled with sand and water




GARDEN ROLLER

GC-GR 57

Working width	57 cm
Roller diameter	32 cm
Filling quantity	46 l
Housing material	Coated metal
Product weight	10.5 kg
Article number	3415302



- Double push-bar
- Spreading volume adjuster
- Corrosion-resistant roller
- Spring lock - device dismountable without tools



MULTI-PURPOSE SPREADER

GC-SR 12

Spread width	45 cm
Capacity of grit box	12 l
Wheel diameter	200 mm
Product weight	2.5 kg
Article number	3415238




ELECTRIC LAWN MOWER

GC-EM 1800/43

- > Highwheels
- > Integrated carry handle
- > Cable-relief clip
- > Height-adjustable handlebar
- > Folding handlebar
- > Quick clamping function
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



Mains connection / rated input	230 - 240 V ~ 50 Hz / 1800 W	
Cutting width	43 cm	
Cutting height adjustment	6 levels / 20 - 65 mm / central	
Grass box capacity	50 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
For lawn areas of up to approx.	800 m ²	
Product weight	12.1 kg	
Article number	3400090	 4 006825 670356

Matching accessories


Spare blade	3405445	 4 006825 670435
-------------	---------	---

ELECTRIC LAWN MOWER

GC-EM 1600/37

- > Highwheels
- > Integrated carry handle
- > Cable-relief clip
- > Height-adjustable handlebar
- > Folding handlebar
- > Quick clamping function
- > Grass box with level indicator
- > Wide wheels exert less stress on the lawn



Mains connection / rated input	230 - 240 V ~ 50 Hz / 1600 W	
Cutting width	37 cm	
Cutting height adjustment	5 levels / 20 - 60 mm / central	
Grass box capacity	38 l	
Wheel diameter front / rear	150 mm / 220 mm	
Housing material	Plastic	
For lawn areas of up to approx.	700 m ²	
Product weight	10.7 kg	
Article number	3400080	 4 006825 670363

Matching accessories


Spare blade	3405435	 4 006825 670448
-------------	---------	---

ELECTRIC LAWN MOWER

GC-EM 1000/32

- > Integrated carry handle
- > Cable-relief clip
- > Wide wheels exert less stress on the lawn



Mains connection / rated input	220 - 240 V ~ 50 Hz / 1000 W	
Cutting width	32 cm	
Cutting height adjustment	3 levels / 30 - 70 mm / axial	
Grass box capacity	30 l	
Wheel diameter front / rear	140 mm / 140 mm	
Housing material	Plastic	
For lawn areas of up to approx.	300 m ²	
Product weight	7.9 kg	
Article number	3400070	 4 006825 670332

Matching accessories


Spare blade	3405415	 4 006825 670431
-------------	---------	---

ELECTRIC SCARIFIERS/AERATORS



GE-SA 1640

- Integrated carry handle
- Height-adjustable handlebar + parking position
- Folding handlebar
- Quick fasteners
- Wide wheels exert less stress on the lawn



Mains connection / rated input	230 V ~ 50 Hz / 1600 W	
Working width	400 mm	
Working depth adjustment	4 levels (central) + transport position	
Number of blades (ball bearing)	20 pcs	
Number of aerating claws (ball bearing)	30 pcs	
Wheel diameter front / rear	220 mm / 175 mm	
Housing material	Plastic	
For lawn areas of up to approx.	800 m ²	
Product weight	13.7 kg	
Catch bag	•	
Aerator roller and scarifier roller	•	
Article number	3420590	

Matching accessories


Spare aerator roller	3421135	
Spare scarifier roller	3421130	

ELECTRIC SCARIFIERS/AERATORS




GE-SA 1435/1

- Integrated carry handle
- Height-adjustable handlebar + parking position
- Folding handlebar
- Quick fasteners
- Wide wheels exert less stress on the lawn
- Toolless roller change



Mains connection / rated input	230 V ~ 50 Hz / 1400 W	
Working width	350 mm	
Working depth adjustment	3 levels (central) + parking position	
Number of blades (ball bearing)	16 pcs	
Number of aerating claws (ball bearing)	24 pcs	
Wheel diameter front / rear	160 mm / 160 mm	
Housing material	Easy maintenance plastic housing	
For lawn areas of up to approx.	550 m ²	
Product weight	10.2 kg	
Catch bag	•	
Aerator roller and scarifier roller	•	
Article number	3420690	

Matching accessories

Catch bag	3405960	
Aerator Roller	3405961	
Scarifier Roller	3405962	

ELECTRIC SCARIFIERS/AERATORS

GC-SA 1231/1

- > Integrated carry handle
- > Height-adjustable handlebar
- > Folding handlebar
- > Wide wheels exert less stress on the lawn



Mains connection / rated input	230 V ~ 50 Hz / 1200 W	
Working width	310 mm	
Working depth adjustment	3 levels (central) + parking position	
Number of blades (ball bearing)	8 double-knives	
Number of aerating claws (ball bearing)	45 pcs	
Wheel diameter front / rear	180 mm / 100 mm	
Housing material	Plastic	
For lawn areas of up to approx.	300 m ²	
Product weight	8.5 kg	
Catch bag	•	
Aerator roller and scarifier roller	•	
Article number	3420640	

Matching accessories

Catch bag	3405577	
Aerator Roller	3405572	
Scarifier Roller	3405582	

ELECTRIC SCARIFIER

GC-ES 1231/1

- > Integrated carry handle
- > Height-adjustable handlebar
- > Folding handlebar
- > Wide wheels exert less stress on the lawn



Mains connection / rated input	230 V ~ 50 Hz / 1200 W	
Working width	310 mm	
Working depth adjustment	3 levels (central) + parking position	
Number of blades (ball bearing)	8 double-knives	
Wheel diameter front / rear	180 mm / 100 mm	
Housing material	Plastic	
For lawn areas of up to approx.	300 m ²	
Product weight	8.0 kg	
Scarifier Roller	•	
Article number	3420630	

Matching accessories

Catch bag	3405577	
Aerator Roller	3405572	
Scarifier Roller	3405582	




- Additional handle
- Telescopic long handle
- Cable-relief clip
- Motor head rotatable 180°
- Motor head can be tilted to 4 settings
- Flower guard
- Fully automatic line feed




ELECTRIC LAWN TRIMMER

GC-ET 4530 Set

Mains connection / rated input	230 V ~ 50 Hz / 450 W	
Cutting width (thread)	300 mm	
Thread diameter / length	1.4 mm / 1000 cm	
Single / twin line cutting	Twin line cutting	
Housing material	Plastic	
Product weight	2.6 kg	
Thread spool	• (3 pcs)	
Article number	3402022	

Matching accessories


Spare line spool	3405685	
------------------	---------	---

- Additional handle
- Cable-relief clip
- Automatic jog line feed



ELECTRIC LAWN TRIMMER

GC-ET 3023

Mains connection / rated input	230 V ~ 50 Hz / 300 W	
Cutting width (thread)	230 mm	
Thread diameter / length	1.5 mm / 600 cm	
Single / twin line cutting	Single line cutting	
Housing material	Plastic	
Product weight	1.5 kg	
Thread spool	•	
Article number	3402050	

Matching accessories


Spare line spool	3405695	
------------------	---------	---

- Additional handle
- Cable-relief clip
- Automatic jog line feed



ELECTRIC LAWN TRIMMER

GC-ET 2522

Mains connection / rated input	230 - 240 V ~ 50 Hz / 250 W	
Cutting width (thread)	220 mm	
Thread diameter / length	1.2 mm / 600 cm	
Single / twin line cutting	Twin line cutting	
Housing material	Plastic	
Product weight	1.1 kg	
Thread spool	•	
Article number	3402040	

Matching accessories


Spare line spool	3405075	
------------------	---------	---

- > Cable-relief clip
- > Overload protection
- > Height-adjustable wheels for easy transportation
- > Ergonomic handlebar
- > Folding handlebar



ELECTRIC TILLER

GC-RT 1545 M


Mains connection / rated input	230 - 240 V ~ 50 Hz / 1500 W	
Working width	450 mm	
Working depth	220 mm	
Number of blades	6	
Cultivator blade diameter	200 mm	
Product weight	10.4 kg	
Article number	3431060	

- > Cable-relief clip
- > Ergonomic handlebar
- > Folding handlebar



ELECTRIC TILLER

GC-RT 7530


Mains connection / rated input	230 V ~ 50 Hz / 750 W	
Working width	300 mm	
Working depth	200 mm	
Number of blades	4	
Cultivator blade diameter	220 mm	
Product weight	7.4 kg	
Article number	3431050	



- Turnable rear handle
- Cutting collector
- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip
- Aluminium cover over cutters
- Protection shield
- Cable-relief clip

ELECTRIC HEDGE TRIMMER

GE-EH 7067


Mains connection / rated input	220 - 240 V ~ 50 Hz / 700 W	
Bar length	710 mm	
Cutting length	670 mm	
Spacing between teeth	30 mm	
Cuts per minute	3000 min ⁻¹	
Product weight	3.7 kg	
Protective cover with wall mount	•	
Article number	3403340	



- Turnable rear handle
- Cutting collector
- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip
- Aluminium cover over cutters
- Protection shield
- Cable-relief clip

ELECTRIC HEDGE TRIMMER

GE-EH 6560


Mains connection / rated input	220 - 240 V ~ 50 Hz / 650 W	
Bar length	660 mm	
Cutting length	600 mm	
Spacing between teeth	30 mm	
Cuts per minute	3000 min ⁻¹	
Product weight	3.7 kg	
Protective cover with wall mount	•	
Article number	3403330	



- Cutting collector
- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip
- Aluminium cover over cutters
- Protection shield
- Cable-relief clip

ELECTRIC HEDGE TRIMMER

GC-EH 6055/1

Mains connection / rated input	220 - 240 V ~ 50 Hz / 600 W	
Bar length	610 mm	
Cutting length	550 mm	
Spacing between teeth	26 mm	
Cuts per minute	2800 min ⁻¹	
Product weight	3.5 kg	
Protective cover with wall mount	•	
Article number	3403320	




- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters
- > Protection shield
- > Cable-relief clip



- > Laser-cut and diamond-ground blades
- > Metal gear box
- > Soft grip
- > Aluminium cover over cutters
- > Protection shield
- > Cable-relief clip


ELECTRIC HEDGE TRIMMER

GC-EH 4550

Mains connection / rated input	230 V ~ 50 Hz / 450 W	
Bar length	560 mm	
Cutting length	500 mm	
Spacing between teeth	16 mm	
Cuts per minute	3200 min ⁻¹	
Product weight	2.5 kg	
Protective cover with wall mount	•	
Article number	3403370	

ELECTRIC HEDGE TRIMMER


GH-EH 4245

Mains connection / rated input	230 V ~ 50 Hz / 420 W	
Bar length	510 mm	
Cutting length	450 mm	
Spacing between teeth	16 mm	
Cuts per minute	3200 min ⁻¹	
Product weight	2.5 kg	
Protective cover with wall mount	•	
Article number	3403460	

Hedge Trimmers Accessories

Maintenance Spray



Suitable for	Hedge trimmers, grass and shrub shears	
Article number	3403099	
EAN		

- Toolless blade change
- Telescopic handle
- Large wheels
- Soft grip



CORDLESS GRASS AND SHRUB SHEARS GC-CG 3.6/70 Li

Li-Ion Battery Pack	3.6 V / 2.0 Ah
Charging time	3-5 h
Operating time per battery charge	60 min
Cutting width with grass shear blade	70 mm
Cutting length with shrub cutting blade	110 mm
Spacing between teeth of shrub cutting blade	8 mm
Product weight	1.0 kg
Article number	3410360



- Toolless blade change
- Soft grip



CORDLESS GRASS AND SHRUB SHEARS GC-CG 3.6/70 Li WT

Li-Ion Battery Pack	3.6 V / 2.0 Ah
Charging time	3-5 h
Operating time per battery charge	60 min
Cutting width with grass shear blade	70 mm
Cutting length with shrub cutting blade	110 mm
Spacing between teeth of shrub cutting blade	8 mm
Product weight	0.6 kg
Article number	3410365



- Cutting head tiltable
- Turnable rear handle
- Automatic chain lubrication
- Laser-cut and diamond-ground blades



ELECTRIC MULTIFUNCTIONAL TOOL GC-HC 90/2046 T

Mains connection	230 - 240 V ~ 50 Hz
Rated input	900 W
Bar length (chainsaw)	200 mm
Chain cutting speed	11 m/s
Blade length of hedge trimmer	412 mm
Spacing between teeth (hedge trimmer)	20 mm
Max. working height	3.0 m (pruner) / 3.0 m (hedge trimmer)
Product weight	6.9 kg (incl. all attachments)
Protective cover	•
Carrying belt with quick release	•
Article number	4501290



Matching accessories


Spare chain 20cm 1,1 33T 3/8	4500186
Spare bar 20cm 1.2	4500166





- > Extendable handle
- > Toolless chain tensioning
- > Automatic chain lubrication
- > Large oil filler opening



ELECTRIC POLE-MOUNTED PRUNER GC-EC 7520 T

Mains connection	230 - 240 V ~ 50 Hz
Rated input	750 W
Bar length	200 mm
Cutting length	180 mm
Cutting speed	11 m/s
Max. working height	3.0 m
Product weight	3.6 kg
Protective cover	•
Carrying belt with quick release	•
Article number	4501240 


Matching accessories

Spare chain 20cm 16Z	4500124 
Spare bar 20cm 1.2	4500154 

- > Cutting head tiltable
- > Turnable rear handle
- > Laser-cut and diamond-ground blades
- > Metal gear box




ELECTRIC TELESCOPIC HEDGE TRIMMER GC-HH 9046

Mains connection	230 - 240 V ~ 50 Hz
Rated input	900 W
Bar length	460 mm
Cutting length	412 mm
Spacing between teeth	20 mm
Max. working height	3.0 m
Product weight	4.9 kg
Protective cover	•
Carrying belt with quick release	•
Article number	3403880 

- > Extendable handle
- > Cutting head tiltable
- > Laser-cut and diamond-ground blades
- > Metal gear box



ELECTRIC TELESCOPIC HEDGE TRIMMER GC-HH 5056

Mains connection	230 - 240 V ~ 50 Hz
Rated input	500 W
Bar length	560 mm
Cutting length	470 mm
Spacing between teeth	20 mm
Max. working height	3.0 m
Product weight	4.2 kg
Protective cover	•
Carrying belt with quick release	•
Article number	3403870 




FITTED WITH
OREGON
CHAIN AND BAR



- Metal gearing
- OREGON quality bar and chain
- Toolless chain tensioning and changing
- Automatic chain lubrication
- Sturdy stop claws made of metal
- Kickback protection with mechanical instant chain brake
- Chain catch bolt
- Soft grip
- Soft start

ELECTRIC CHAINSAW

GE-EC 2240

Mains connection	220 - 240 V ~ 50/60 Hz	
Rated input	2200 W	
Bar length	406 mm	
Cutting length	375 mm	
Cutting speed	15 m/s	
Oil tank capacity	150 ml	
Product weight	5.6 kg	
Protective cover	•	
Article number	4501740	

Matching accessories


Spare chain 40cm (56T)	4500320	
Spare bar	4500332	





- Metal gearing
- Toolless chain tensioning and changing
- Automatic chain lubrication
- Sturdy stop claws made of metal
- Kickback protection with mechanical instant chain brake
- Chain catch bolt
- Soft grip

ELECTRIC CHAINSAW

GC-EC 2040

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	2000 W	
Bar length	400 mm	
Cutting length	375 mm	
Cutting speed	15.5 m/s	
Oil tank capacity	160 ml	
Product weight	5.0 kg	
Protective cover	•	
Article number	4501230	

Matching accessories


Spare chain 40cm 1.3 57T 3/8 (PJ)	4500313	
Spare bar	4500332	





- Metal gearing
- Toolless chain tensioning and changing
- Automatic chain lubrication
- Sturdy stop claws made of metal
- Kickback protection with mechanical instant chain brake
- Chain catch bolt
- Soft grip

ELECTRIC CHAINSAW

GC-EC 1935

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	1900 W	
Bar length	350 mm	
Cutting length	325 mm	
Cutting speed	15.5 m/s	
Oil tank capacity	160 ml	
Product weight	4.7 kg	
Protective cover	•	
Article number	4501220	

Matching accessories


Spare chain 35cm 1.3 52T 3/8 (PJ)	4500173	
Spare bar 35cm 1.3	4500158	





- > Metal gearing
- > Toolless chain tensioning and changing
- > Automatic chain lubrication
- > Sturdy stop claws made of metal
- > Kickback protection with mechanical instant chain brake
- > Chain catch bolt
- > Soft grip

ELECTRIC CHAINSAW

GH-EC 1835

Mains connection	230 - 240 V ~ 50 Hz	
Rated input	1800 W	
Bar length	350 mm	
Cutting length	325 mm	
Cutting speed	13.5 m/s	
Oil tank capacity	160 ml	
Product weight	5.4 kg	
Protective cover	•	
Article number	4501710	


Matching accessories

Spare chain 35cm 1.3 52T 3/8	4500171	
Spare bar	4500344	

Woodworking Accessories


Chainsaw Trestle



Profile thickness	1.9 mm
Maximum load capacity	150 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	7.1 kg
Article number	4500067
EAN	

Forest Safety Helmet




Head circumference	52-66 cm
Product weight	0.7 kg
Article number	4500480
EAN	





- > Depth stop
- > Scale for precise setting of the grinding angle
- > Clamping device
- > Pivoting grinding head for setting the roof angle
- > Light
- > Transparent window

ELECTRIC CHAIN SHARPENER

GC-CS 235 E

Mains connection	230 V ~ 50 Hz	
Rated input	235 W	
Grinding wheel diameter (inside)	22 mm	
Grinding wheel diameter (outside)	145 mm	
Grinding wheel thickness	3.2 mm	
Product weight	5.8 kg	
Article number	4499910	

Matching accessories


Spare grinding wheel 3.2 mm Pro	4599990	
Spare grinding wheel 4.5 mm Pro	4599980	





- Depth stop
- Scale for precise setting of the grinding angle
- Clamping device

ELECTRIC CHAIN SHARPENER

GC-CS 85 E

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	85 W	
Grinding wheel diameter (inside)	23 mm	
Grinding wheel diameter (outside)	108 mm	
Grinding wheel thickness	3.2 mm	
Product weight	1.9 kg	
Article number	4499920	

Matching accessories


Spare grinding wheel 3.2 mm	4500076	
Spare grinding wheel 4.5 mm	4500071	



- Toolless change-over between suction and blowing function
- Electronic speed control
- Additional handle (adjustable)
- Aluminum blower impeller
- Guiding wheels (height adjustable)
- Debris bag with window
- Carrying strap
- Soft grip


ELECTRIC LEAF VACUUM

GC-EL 3000 E

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	3000 W	
Max. blow velocity	300 km/h	
Max. suction power	840 m³/h	
Idle speed	8000 - 15000 min⁻¹	
Shredding function	15:1	
Debris bag volume	45 l	
Product weight	3.0 kg (blow) / 4.2 kg (vacuum)	
Article number	3433320	

NEW


Autumn 2026



- Toolless change-over between suction and blowing function
- Electronic speed control
- Additional handle (adjustable)
- Guiding wheels
- Debris bag with window
- Carrying strap

ELECTRIC LEAF VACUUM

GC-EL 3026 E


Mains connection	230 - 240 V ~ 50 Hz	
Rated input	3000 W	
Max. blow velocity	260 km/h	
Max. suction power	720 m³/h	
Idle speed	8000 - 15000 min⁻¹	
Shredding function	10:1	
Debris bag volume	40 l	
Product weight	3.05 kg	
Article number	3433375	

- > Transport wheels
- > Transport handle
- > Generous funnel opening
- > Motor protection switch



GARDEN SHREDDER

GC-KS 2540 CB

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	2500 W (P40) / 2000 W	
Idle speed	3800 min ⁻¹	
Max. branch diameter	40 mm	
Capacity of catch box	55 l	
Product weight	13.0 kg	
Prodder incl.	•	
Debris box	•	
Article number	3430400	 4 006825 652765

Matching accessories


Spare blade	3405930	 4 006825 595680
-------------	---------	---

- > Transport wheels
- > Transport handle
- > Generous funnel opening
- > Motor protection switch



GARDEN SHREDDER

GC-KS 2540

Mains connection	220 - 240 V ~ 50 Hz	
Rated input	2500 W (P40) / 2000 W	
Idle speed	3800 min ⁻¹	
Max. branch diameter	40 mm	
Product weight	10.2 kg	
Prodder incl.	•	
Garden rubbish bag	•	
Article number	3430330	 4 006825 638233

Matching accessories


Spare blade	3405930	 4 006825 595680
-------------	---------	---

- Transport wheels
- Transport handle
- Reverse running switch
- Generous funnel opening
- Safety switch



ELECTRIC ROLLER SHREDDER

GC-RS 60 CB


Mains connection	230 - 240 V ~ 50 Hz	
Rated input	2800 W (P40) / 2300 W	
Idle speed	40 min ⁻¹	
Max. branch diameter	45 mm	
Capacity of catch box	60 l	
Product weight	29.5 kg	
Debris box	•	
Article number	3430635	

- Transport wheels
- Transport handle
- Reverse running switch
- Generous funnel opening



ELECTRIC ROLLER SHREDDER

GC-RS 2540

Mains connection	230 V ~ 50 Hz	
Rated input	2500 W (P40) / 2000 W	
Idle speed	40 min ⁻¹	
Max. branch diameter	40 mm	
Product weight	24.9 kg	
Garden rubbish bag	•	
Article number	3430620	

- > Aqua Sensor Technology
- > Permanent mode without sensor start
- > Non-return valve
- > High-quality mechanical sealing
- > Carry handle
- > Suspension eye



'AQUA SENSOR' CLEAR WATER PUMP GE-SP 4390 N-A LL

Mains voltage	230 V ~ 50 Hz
Rated input	430 W
Max. delivery capacity / height	9000 l/h / 8 m
Max. immersion depth	7 m
Max. size of foreign particle	1 mm
Pump start during continuous operation	5 mm
Sensor start heights 1 / 2 / 3	5 / 56 / 103 mm
Works in shallow clean water as low as	1 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	4.9 kg
Universal hose adapter	•
Article number	4171440



Matching accessories


Quick connector	4173764
-----------------	---------



- Aqua Sensor Technology
- Permanent mode without sensor start
- Non-return valve
- High-quality mechanical sealing
- Integrated cable rewind
- Carry handle
- Suspension eye



'AQUA SENSOR' DIRTY WATER PUMP GE-DP 7935 N-A

Mains voltage	230 V ~ 50 Hz	
Rated input	790 W	
Max. delivery capacity / height	19000 l/h / 9 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Pump start during continuous operation	50 mm	
Sensor start heights 1 / 2 / 3	70 / 135 / 188 mm	
Suction down to	40 mm	
Hose connection	47.8 mm (1½") ET	
Power cord	10 m	
Product weight	6.2 kg	
Universal hose adapter	•	
Article number	4171460	 4 006825 622287


Matching accessories

Quick connector	4173764	 4 006825 673166
-----------------	---------	---

- Aqua Sensor Technology
- Permanent mode without sensor start
- Non-return valve
- High-quality mechanical sealing
- Integrated cable rewind
- Carry handle
- Suspension eye



'AQUA SENSOR' DIRTY WATER PUMP GE-DP 6935 A

Mains voltage	230 V ~ 50 Hz	
Rated input	690 W	
Max. delivery capacity / height	17500 l/h / 9 m	
Max. immersion depth	7 m	
Max. size of foreign particle	35 mm	
Pump start during continuous operation	50 mm	
Sensor start heights 1 / 2 / 3	70 / 135 / 188 mm	
Suction down to	40 mm	
Hose connection	47.8 mm (1½") ET	
Power cord	10 m	
Product weight	5.7 kg	
Universal hose adapter	•	
Article number	4171450	 4 006825 622270

Matching accessories


Quick connector	4173764	 4 006825 673166
-----------------	---------	---

- 3-in-1 function: Pumping of clear water, dirty water and Aquasensor
- Aqua Sensor Technology
- Permanent mode without sensor start
- Patented suction level control
- Non-return valve
- High-quality mechanical sealing
- Integrated cable rewind
- Carry handle
- Suspension eye



MULTI-PURPOSE PUMP

GE-DP 7935 N-A LL

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	790 W
Max. delivery capacity / height	19500 l/h / 9 m
Max. immersion depth	7 m
Max. size of foreign particle	35 mm
Sensor start heights 1 / 2 / 3 in clear water mode	15 / 100 / 150 mm
Sensor start heights 1 / 2 / 3 in dirt water mode	50 / 130 / 180 mm
Starting of pump from water level of	15 mm
Works in shallow clean water as low as	1 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	6.3 kg
Universal hose adapter	•
Quick Connector	•
Article number	4171465 

Matching accessories


Quick connector	4173764 
-----------------	---

- 2-in-1 function: Pumping of clear water and dirty water
- Float switch
- Patented suction level control
- Non-return valve
- High-quality mechanical sealing
- Integrated cable rewind
- Carry handle
- Suspension eye



MULTI-PURPOSE PUMP

GE-DP 7535 N LL

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	750 W
Max. delivery capacity / height	18500 l/h / 9 m
Max. immersion depth	7 m
Max. size of foreign particle	35 mm
Starting of pump from water level of	15 mm
Works in shallow clean water as low as	1 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	6.3 kg
Universal hose adapter	•
Quick Connector	•
Article number	4181600 

Matching accessories

Quick connector	4173764 
-----------------	---


Accessories incl.



MULTI-PURPOSE PUMP

Flood Set GE-DP 7535 N LL

Same as previous item, but incl. fabric hose and plastic case


Universal hose adapter	•
Quick Connector	•
Fabric hose (10 m)	•
Plastic box	•
Article number	4181515 

- Float switch
- Patented suction level control
- Non-return valve
- High-quality mechanical sealing
- Integrated cable rewind
- Carry handle



MULTI-PURPOSE PUMP

GC-DP 7035 LL

Mains voltage	230 V ~ 50 Hz
Rated input	700 W
Max. delivery capacity / height	16000 l/h / 8 m
Max. immersion depth	7 m
Max. size of foreign particle	35 mm
Starting of pump from water level of	10 mm
Works in shallow clean water as low as	1 mm
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Product weight	4.5 kg
Universal hose adapter	•
Article number	4181570 

Matching accessories


Quick connector	4173764 
-----------------	---

- Integrated suspension eye
- High-quality mechanical sealing
- Floating switch (automatic + manual mode)
- Integrated cable rewind
- Carry handle



DIRTY WATER PUMP

GE-DP 3925

Mains voltage	230 V ~ 50 Hz
Rated input	390 W
Max. delivery capacity / height	10000 l/h / 6 m
Max. immersion depth	7 m
Min. water level for pump start	50 mm
Max. size of foreign particle	25 mm
Hose connection	47.8 mm (1½") ET
Power cord	10 m
Product weight	4.5 kg
Universal hose adapter	•
Article number	4170710 

Matching accessories


Quick connector	4173764 
-----------------	---

- High-quality mechanical sealing
- Floating switch (automatic mode)
- Cast iron housing
- Carry handle



DIRTY WATER PUMP

GC-DP 1340 G

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1300 W
Max. delivery capacity / height	23000 l/h / 10 m
Max. immersion depth	5 m
Max. size of foreign particle	40 mm
Hose connection	59.6 mm (2") IT
Power cord	10 m
Product weight	19.3 kg
Universal hose adapter	•
Lowering rope (6 m)	•
Article number	4170742 

- > High-quality mechanical sealing
- > Floating switch (automatic mode)
- > Cast iron housing
- > Carry handle
- > Cutting unit system



DIRTY WATER PUMP

GE-DP 900 Cut

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	900 W
Max. delivery capacity / height	16000 l/h / 11.5 m
Max. immersion depth	7 m
Hose connection	59.6 mm (2") IT
Power cord	10 m
Product weight	12.8 kg
Universal hose adapter	•
Article number	4181550



- > High-quality mechanical sealing
- > Floating switch (automatic mode)
- > Carry handle



DIRTY WATER PUMP

GC-DP 5010 G

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	500 W
Max. delivery capacity / height	12000 l/h / 8 m
Max. immersion depth	5 m
Max. size of foreign particle	10 mm
Hose connection	42 mm (1½") IT
Power cord	10 m
Product weight	10.6 kg
Universal hose adapter	•
Article number	4171421



- > High-quality mechanical sealing
- > Floating switch (automatic + manual mode)
- > Integrated cable rewind
- > Carry handle



DIRTY WATER PUMP

GC-DP 9040 N

Mains voltage	230 V ~ 50 Hz
Rated input	900 W
Max. delivery capacity / height	22000 l/h / 9 m
Max. immersion depth	7 m
Max. size of foreign particle	40 mm
Hose connection	59.6 mm (2") IT
Power cord	10 m
Product weight	7.5 kg
Universal hose adapter	•
Article number	4181510



- > High-quality mechanical sealing
- > Floating switch (automatic + manual mode)
- > Integrated cable rewind
- > Carry handle
- > ECO-PLUS technology
- > Same delivery rate with lower power consumption



DIRTY WATER PUMP

GC-DP 7035 N ECO PLUS

Mains voltage	230 V ~ 50 Hz
Rated input	700 W
Max. delivery capacity / height	19000 l/h / 8 m
Max. immersion depth	7 m
Max. size of foreign particle	35 mm
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Product weight	5.0 kg
Universal hose adapter	•
Article number	4170765



Matching accessories

Quick connector	4173764
-----------------	---------




- High-quality mechanical sealing
- Floating switch (automatic + manual mode)
- Integrated cable rewind
- Carry handle



DIRTY WATER PUMP

GC-DP 7835

Mains voltage	230 V ~ 50 Hz
Rated input	780 W
Max. delivery capacity / height	15700 l/h / 8 m
Max. immersion depth	7 m
Max. size of foreign particle	35 mm
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Product weight	5.2 kg
Universal hose adapter	•
Quick Connector	•
Article number	4170682 

Matching accessories


Quick connector	4173764 
-----------------	---

- High-quality mechanical sealing
- Floating switch (automatic + manual mode)
- Integrated cable rewind
- Carry handle



DIRTY WATER PUMP

GC-DP 6315 N

Mains voltage	230 V ~ 50 Hz
Rated input	630 W
Max. delivery capacity / height	17000 l/h / 8 m
Max. immersion depth	5 m
Max. size of foreign particle	15 mm
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Product weight	4.7 kg
Universal hose adapter	•
Article number	4170491 

Matching accessories


Quick connector	4173764 
-----------------	---

- High-quality mechanical sealing
- Floating switch (automatic + manual mode)
- Carrying handle (foldable)



DIRTY WATER PUMP

GC-DP 3325

Mains voltage	230 V ~ 50 Hz
Rated input	330 W
Max. delivery capacity / height	9500 l/h / 6 m
Max. immersion depth	7 m
Max. size of foreign particle	25 mm
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Product weight	3.6 kg
Universal hose adapter	•
Article number	4181530 

Matching accessories


Quick connector	4173764 
-----------------	---

- Integrated float switch (automatic + manual mode)
- Carry handle



CLEAR WATER PUMP

GC-SP 5511 IF

Mains voltage	230 V ~ 50 Hz
Rated input	550 W
Max. delivery capacity / height	11000 l/h / 8.5 m
Max. immersion depth	7 m
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Min. water level for pump start	60 mm
Suction down to	5 mm
Product weight	4.4 kg
Universal hose adapter	•
Article number	4170463
	

Matching accessories


Quick connector	4173764
	

- High-quality mechanical sealing
- Floating switch (automatic + manual mode)
- Integrated cable rewind
- Carry handle



CLEAR WATER PUMP

GC-SP 3580 LL

Mains voltage	230 V ~ 50 Hz
Rated input	350 W
Max. delivery capacity / height	8000 l/h / 7.5 m
Max. immersion depth	7 m
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Min. water level for pump start	8 mm
Suction down to	1 mm
Product weight	3.1 kg
Universal hose adapter	•
Quick Connector	•
Article number	4170445
	

Matching accessories


Quick connector	4173764
	

- High-quality mechanical sealing
- Floating switch (automatic + manual mode)
- Carrying handle (foldable)



CLEAR WATER PUMP

GC-SP 2275

Mains voltage	230 V ~ 50 Hz
Rated input	220 W
Max. delivery capacity / height	7500 l/h / 6 m
Max. immersion depth	7 m
Hose connection	47.8 mm (1½") IT
Power cord	10 m
Suction down to	8 mm
Product weight	3.4 kg
Universal hose adapter	•
Article number	4181520
	

Matching accessories

Quick connector	4173764
	

- Infinitely variable floating switch
- Integrated cable rewind
- Carry handle
- Flexible gooseneck
- Storage compartment for extensions



RAIN BARREL PUMP

GE-SP 3546 RB

Mains voltage	230 V ~ 50 Hz
Rated input	350 W
Max. delivery capacity / height	4600 l/h / 11 m
Max. immersion depth	7 m
Max. size of foreign particle	2.5 mm
Hose connection	26.4 mm (3/4") ET
Power cord	10 m
Product weight	5.0 kg
Article number	4170438




- > Automatic mode
- > Dry running protection
- > 4-stage pump impeller
- > High-quality mechanical sealing
- > Overload protection
- > Integrated non-return valve
- > Stainless steel dirt screen
- > High-quality stainless steel pump housing
- > Carry handle



SUBMERSIBLE PRESSURE PUMP

GE-PP 1100 N-A


Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1100 W	
Max. delivery capacity / height	6000 l/h / 45 m	
Max. immersion depth	12 m	
Hose connection	33.3 mm (1") IT	
Power cord	15 m	
Product weight	8.7 kg	
Article number	4171430	

- > Float switch
- > 3-stage pump impeller
- > High-quality mechanical sealing
- > Overload protection
- > High-quality stainless steel pump housing



SUBMERSIBLE PRESSURE PUMP

GC-PP 900 N


Mains voltage	230 V ~ 50 Hz	
Rated input	900 W	
Max. delivery capacity / height	6000 l/h / 32 m	
Max. immersion depth	7 m	
Hose connection	33.3 mm (1") IT	
Power cord	10 m	
Product weight	8.9 kg	
Article number	4170964	

- > Automatic mode
- > Dry running protection
- > 2-stage pump impeller
- > High-quality mechanical sealing
- > Overload protection
- > Integrated non-return valve
- > Integrated cable rewind
- > Carry handle
- > Telescopic extension tube
- > Flexible gooseneck




SUBMERSIBLE PRESSURE PUMP

GE-PP 5555 RB-A

Mains voltage	230 - 240 V ~ 50 Hz	
Rated input	550 W	
Max. delivery capacity / height	5500 l/h / 20 m	
Max. immersion depth	7 m	
Hose connection	33.3 mm (1") ET	
Power cord	10 m	
Product weight	5.0 kg	
Article number	4170425	

Accessories incl.




- Automatic mode
- Dry running protection
- 8-stage pump impeller
- High-quality mechanical sealing
- Overload protection
- Integrated non-return valve
- Stainless steel dirt screen
- High-quality stainless steel pump housing



DEEP WELL PUMP

GE-DW 1155 N-A


Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1100 W	
Max. delivery capacity / height	6000 l/h / 55 m	
Max. immersion depth	19 m	
Hose connection	33.3 mm (1") IT	
Power cord	22 m	
Pump diameter	98 mm	
Product weight	9.8 kg	
Lowering rope (22 m)	•	
Article number	4170937	 4 006825 660876

- 10-stage pump impeller
- High-quality mechanical sealing
- Overload protection
- Integrated non-return valve
- Stainless steel dirt screen
- High-quality stainless steel pump housing



DEEP WELL PUMP

GC-DW 1300 N


Mains voltage	230 V ~ 50 Hz	
Rated input	1300 W	
Max. delivery capacity / height	5000 l/h / 65 m	
Max. immersion depth	20 m	
Hose connection	47.8 mm (1½") IT	
Power cord	2 m / 23 m	
Pump diameter	102 mm	
Product weight	15.5 kg	
External switchbox	•	
Lowering rope (22 m)	•	
Article number	4170944	 4 006825 597875

- 6-stage pump impeller
- High-quality mechanical sealing
- Overload protection
- Integrated non-return valve
- Stainless steel dirt screen
- High-quality stainless steel pump housing



DEEP WELL PUMP

GC-DW 1045 N

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1000 W	
Max. delivery capacity / height	6500 l/h / 45 m	
Max. immersion depth	19 m	
Hose connection	42 mm (1¼") IT	
Power cord	22 m	
Pump diameter	98 mm	
Product weight	8.6 kg	
Lowering rope (22 m)	•	
Article number	4170955	 4 006825 616446



- > Water filler screw
- > Water filling / dirt / suction indicators
- > Integrated pre-filter with non-return valve
- > Comfort carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection
- > Water flow recognition sensor / dry running protection / scalding protection

Accessories incl.



GARDEN PUMP 'PLUS'

GE-GP 1246 N FS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1200 W
Max. delivery capacity / height	4600 l/h / 50 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	10.9 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180360



- > Water filler screw
- > Water filling / dirt / suction indicators
- > Integrated pre-filter with non-return valve
- > Comfort carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection

Accessories incl.



GARDEN PUMP 'PLUS'

GE-GP 1145

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1100 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	11.0 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180370



- > Water filler screw
- > Water filling indicator
- > Comfort carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection
- > ECO-PLUS technology
- > High pumping capacity with low power consumption

Accessories incl.



GARDEN PUMP 'PLUS'

GC-GP 1170 ECO PLUS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1100 W
Max. delivery capacity / height	7000 l/h / 50 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	10.2 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180220





- > Water filler screw
- > Water filling indicator
- > Comfort carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection

Accessories incl.



GARDEN PUMP 'PLUS'

GC-GP 1250 N/1

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1200 W
Max. delivery capacity / height	5000 l/h / 50 m
Max. suction height	8 m
Suction connection	42 mm (1¼") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	9.7 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180350
	4 006825 637281



- > Water filler screw
- > Water filling indicator
- > Comfort carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection

Accessories incl.



GARDEN PUMP 'PLUS'

GC-GP 1045

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1050 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1¼") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	9.5 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180340
	4 006825 637274



GARDEN PUMP 'PLUS'

GC-GP 6050 ECO PLUS

Mains voltage	230 - 240 V ~ 50 Hz
Rated input	600 W
Max. delivery capacity / height	5000 l/h / 40 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	6.5 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180210



- > Water filler screw
- > Water filling indicator
- > Folding carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection
- > ECO-PLUS technology
- > High pumping capacity with low power consumption

Accessories incl.



GARDEN PUMP 'PLUS'

GC-GP 6040

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	600 W
Max. delivery capacity / height	4000 l/h / 36 m
Max. suction height	8 m
Suction connection	42 mm (1½") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	6.1 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4180320



- > Water filler screw
- > Water filling indicator
- > Folding carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection

Accessories incl.





- Water filler screw
- Water drain screw
- High-quality mechanical sealing
- Carry handle

GARDEN PUMP

GC-GP 6538

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	650 W
Max. delivery capacity / height	3800 l/h / 36 m
Max. suction height	8 m
Suction connection	33.3 mm (1") ET
Pressure connection	33.3 mm (1") ET
Power cord	1.4 m
Product weight	6.1 kg
Article number	4180280



Accessories incl.



GARDEN PUMP

GC-GP 6538 (Set)

Same as previous item, but incl. suction hose (7 m)

Article number	4180283
----------------	---------



Accessories incl.



GARDEN PUMP

GC-GP 6538 Set/I

Same as the item described at the very top, but incl. suction hose (4 m), garden hose (20 m) and sprayer

Article number	4180286
----------------	---------



- Water filler screw
- Water drain screw
- Carry handle

GARDEN PUMP

GC-GP 6036

Mains voltage	230 V ~ 50 Hz
Rated input	600 W
Max. delivery capacity / height	3600 l/h / 40 m
Max. suction height	8 m
Suction connection	33.3 mm (1") IT
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	7.4 kg
Article number	4180269





- > Automatic mode
- > Timer function
- > Water filler screw
- > Water filling / dirt / suction indicators
- > Integrated pre-filter with non-return valve
- > Comfort carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection
- > Water flow recognition sensor / dry running protection / scalding protection

Accessories incl.



AUTOMATIC HOME AND GARDEN PUMP 'PLUS'

GE-AW 1246 N FS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1200 W
Max. delivery capacity / height	4600 l/h / 50 m
Max. pressure	5.0 bar
Max. suction height	8 m
Suction connection	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	11.9 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4177020



- > Automatic mode
- > Water filler screw
- > Water filling / dirt / suction indicators
- > Integrated pre-filter with non-return valve
- > Comfort carrying handle
- > Frost protection due to a water drain screw
- > Thermo protection
- > Water flow recognition sensor / dry running protection / scalding protection

Accessories incl.



AUTOMATIC HOME AND GARDEN PUMP 'PLUS'

GE-AW 1042 FS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1050 W
Max. delivery capacity / height	4200 l/h / 48 m
Max. pressure	4.8 bar
Max. suction height	8 m
Suction connection	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	11.5 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4177010



- > Automatic mode
- > Dry running protection
- > LED indicator
- > Water filler screw
- > Water drain screw
- > Pre-filter with integrated non-return valve
- > Carry handle

AUTOMATIC HOME AND GARDEN PUMP

GC-AW 6333

Mains voltage	230 V ~ 50 Hz
Rated input	630 W
Max. delivery capacity / height	3300 l/h / 36 m
Max. pressure	3.6 bar
Max. suction height	8 m
Suction connection	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT
Power cord	1.5 m
Product weight	7.8 kg
Article number	4176730





- Water filler screw
- Water filling / dirt / suction indicators
- Integrated pre-filter with non-return valve
- Comfort carrying handle
- Frost protection due to a water drain screw
- Thermo protection
- Water flow recognition sensor / dry running protection / scalding protection

Accessories incl.



WATER WORK 'PLUS'

GE-WW 1246 N FS

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1200 W
Max. delivery capacity / height	4600 l/h / 50 m
Max. suction height	8 m
Suction connection	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Power cord	1.5 m
Product weight	17.6 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4173530



- Water filler screw
- Water filling / dirt / suction indicators
- Integrated pre-filter with non-return valve
- Comfort carrying handle
- Frost protection due to a water drain screw
- Thermo protection

Accessories incl.



WATER WORK 'PLUS'

GE-WW 1145

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1100 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT
Additional pressure side connection	33.3 mm (1") IT
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Power cord	1.5 m
Product weight	17.5 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4173540



- Water filler screw
- Water filling indicator
- Comfort carrying handle
- Frost protection due to a water drain screw
- Thermo protection

Accessories incl.



WATER WORK 'PLUS'

GC-WW 1045 N

Mains voltage	220 - 240 V ~ 50 Hz
Rated input	1050 W
Max. delivery capacity / height	4500 l/h / 48 m
Max. suction height	8 m
Suction connection	42 mm (1 1/4") ET
Pressure connection	33.3 mm (1") IT
Tank volume	20 l
Max. activation / cut off pressure	1.5 bar / 3 bar
Power cord	1.5 m
Product weight	15.1 kg
Incl. adapter 33.3 mm (1") ET	•
Article number	4173520






- > Overload protection
- > Water filler screw
- > Water drain screw
- > High-quality mechanical sealing
- > Stainless steel pressure tank
- > Pressure gauge

WATER WORK

GC-WW 1250 NN


Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	1200 W	
Max. delivery capacity / height	5000 l/h / 50 m	
Max. suction height	8 m	
Tank volume	20 l	
Max. activation / cut off pressure	1.5 bar / 3 bar	
Suction connection	42 mm (1½") ET	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	14.7 kg	
Article number	4173490	 4 006825 616316



- > Overload protection
- > Water filler screw
- > Water drain screw
- > High-quality mechanical sealing
- > Pressure gauge

WATER WORK

GC-WW 6538

Mains voltage	220 - 240 V ~ 50 Hz	
Rated input	650 W	
Max. delivery capacity / height	3800 l/h / 36 m	
Max. suction height	8 m	
Tank volume	20 l	
Max. activation / cut off pressure	1.5 bar / 3 bar	
Suction connection	33.3 mm (1") ET	
Pressure connection	33.3 mm (1") ET	
Power cord	1.4 m	
Product weight	10.5 kg	
Article number	4173190	 4 006825 603484

WATER WORK

GC-WW 6538 Set

Same as previous item, but incl. suction hose (7 m)


Article number	4173193	 4 006825 611175
----------------	---------	---



- > Overload protection
- > Water filler screw
- > Pressure gauge

WATER WORK

GC-WW 6036

Mains voltage	230 V ~ 50 Hz	
Rated input	600 W	
Max. delivery capacity / height	3600 l/h / 40 m	
Max. suction height	8 m	
Tank volume	20 l	
Max. activation / cut off pressure	1.5 bar / 3 bar	
Suction connection	33.3 mm (1") IT	
Pressure connection	33.3 mm (1") IT	
Power cord	1.5 m	
Product weight	12.2 kg	
Article number	4173118	 4 006825 623574

Surface Pumps Accessories

Type	Article number	EAN
Suction Hose (7 m) with Brass Connectors	4173640	4 006825 549171
Suction Hose (4 m) with Brass Connectors	4173630	4 006825 549133
Suction Hose (7 m) with Plastic Connectors	4173645	4 006825 549102
Suction Hose (4 m) with Plastic Connectors	4173635	4 006825 549058
Coarse Filter 25 cm	4173851	4 006825 549195
Coarse Filter 12 cm	4173801	4 006825 549188
Electronic Flow Switch	4174230	4 006825 667738





E Einhell

PETROL-POWERED DEVICES

PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)

GC-PM 51/3 S HW-E Li


- Highwheels
- Self-propelling
- Electric start function with PXC battery (18 V)
- Mulching function
- Height-adjustable long handle with soft grip
- Grass box with level indicator





1x 18 V

Number of starts per battery charge - the possible number of starts depends on various influences, e.g. temperature of the engine, ambient temperature, etc.

2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
174 starts	218 starts	261 starts	347 starts	452 starts	522 starts	695 starts

Engine / displacement	4-stroke engine / 170 cm ³	
Power / working speed	2.7 kW / 2900 min ⁻¹	
PXC battery voltage	1x 18 V / 2.0 Ah	
Battery charging time 18 V / 2.0 Ah	2.5 h	
Cutting width	51 cm	
Cutting height adjustment	6 levels / 30 - 80 mm / central	
Grass box capacity	70 l	
Wheel diameter front / rear	204 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx.	1800 m ²	
Product weight	29.6 kg	
Article number	3404870	

Matching accessories


Spare blade	3405660	
Combination Blade	3405650	

PETROL LAWN MOWER

GC-PM 46 S HW-E

- Highwheels
- Self-propelling
- Electric start
- Lawn comb
- Height-adjustable handlebar
- Folding handlebar
- Grass box with level indicator



Engine / displacement	4-stroke engine / 149 cm ³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	46 cm	
Cutting height adjustment	9 levels / 25 - 80 mm / central	
Grass box capacity	65 l	
Wheel diameter front / rear	204 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx.	1400 m ²	
Product weight	28.9 kg	
Article number	3407570	

Matching accessories


Combination Blade	3405670	
-------------------	---------	---

PETROL LAWN MOWER

GC-PM 56/2 S HW

- 5-in-1 function
- Highwheels
- Self-propelling
- Lawn comb and built-in lifting handle
- Cleaning and storage position
- Vortex Technology deck
- Height-adjustable handlebar
- Folding handlebar
- Grass box with level indicator



Engine / displacement	4-stroke engine / 173 cm ³	
Power / working speed	2.8 kW / 2850 min ⁻¹	
Cutting width	56 cm	
Cutting height adjustment	6 levels / 25 - 70 mm / central	
Grass box capacity	80 l	
Wheel diameter front / rear	200 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx.	2200 m ²	
Product weight	38.3 kg	
Cleaning tool	•	
Article number	3404860	

Matching accessories


Spare blade	3405830	
-------------	---------	---

- > Side ejector
- > Mulching function
- > Highwheels
- > Self-propelling
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator





PETROL LAWN MOWER

GC-PM 51/3 S HW

Engine / displacement	4-stroke engine / 171 cm ³	
Power / working speed	2.7 kW / 2900 min ⁻¹	
Cutting width	51 cm	
Cutting height adjustment	6 levels / 30 - 80 mm / central	
Grass box capacity	70 l	
Wheel diameter front / rear	204 mm / 280 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx.	1800 m ²	
Product weight	28.3 kg	
Article number	3404333	

Matching accessories


Spare blade	3405660	
Combination Blade	3405650	

- > Self-propelling
- > Height-adjustable handlebar
- > Folding handlebar
- > Grass box with level indicator



PETROL LAWN MOWER

GC-PM 46/5 S

Engine / displacement	4-stroke engine / 132 cm ³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	46 cm	
Cutting height adjustment	9 levels / 25 - 80 mm / central	
Grass box capacity	65 l	
Wheel diameter front / rear	178 mm / 204 mm	
Housing material	Powder-coated sheet steel	
For lawn areas of up to approx.	1400 m ²	
Product weight	26.0 kg	
Article number	3407550	

Matching accessories


Combination Blade	3405670	
-------------------	---------	---

- > Self-propelling
- > Folding handlebar
- > Grass box with level indicator




PETROL LAWN MOWER

GC-PM 40/2 S

Engine / displacement	4-stroke engine / 132 cm ³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	40 cm	
Cutting height adjustment	7 levels / 25 - 75 mm / central	
Grass box capacity	45 l	
Wheel diameter front / rear	178 mm / 203 mm	
Housing material	Plastic	
For lawn areas of up to approx.	1000 m ²	
Product weight	19.9 kg	
Article number	3404823	

Matching accessories

Spare blade	3405850	
-------------	---------	---

- Folding handlebar
- Grass box with level indicator



PETROL LAWN MOWER

GC-PM 40/2

Engine / displacement	4-stroke engine / 132 cm ³	
Power / working speed	2.0 kW / 2900 min ⁻¹	
Cutting width	40 cm	
Cutting height adjustment	3 levels / 25 - 60 mm / single	
Grass box capacity	45 l	
Wheel diameter front / rear	152 mm / 152 mm	
Housing material	Plastic	
For lawn areas of up to approx.	800 m ²	
Product weight	17.3 kg	
Article number	3404833	4 006825 665741

Matching accessories

Spare blade	3405850	4 006825 638806
-------------	---------	-----------------

- Shaped long handle made of aluminium
- Split shaft
- Quick Start
- Autochoke
- Centrifugal clutch for cutting tool
- Automatic jog line feed
- Digital ignition – stable engine run



PETROL LAWN TRIMMER

GC-PT 2538/1 I AS

Engine / displacement	2-stroke engine / 25.4 cm ³	
Power rating	0.6 kW	
Cutting width (thread)	380 mm	
Thread diameter / length	2 mm / 400 cm	
Single / twin line cutting	Twin line cutting	
Housing material	Plastic	
Product weight	5.5 kg	
Article number	3401938	4 006825 643800

Matching accessories

Spare line spool	3405220	4 006825 558975
------------------	---------	-----------------

- Extendable handle
- Long handle made of aluminium tube
- Split shaft
- Autochoke
- Digital ignition – stable engine run
- Automatic jog line feed
- Cutting unit (Hedge Trimmer) tiltable
- OREGON quality bar and chain
- Automatic chain lubrication
- Adjustable handle
- Protective cover
- Carrying belt with quick release



PETROL MULTIFUNCTIONAL TOOL

GC-MM 52 I AS

Engine / displacement	2-stroke engine / 51.7 cm ³	
Power rating	1.5 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.4 mm / 400 cm	
Cutting width (blade)	255 mm	
Cutting length chainsaw	255 mm	
Chain cutting speed	21.3 m/s	
Blade length of hedge trimmer	395 mm	
Spacing between teeth (hedge trimmer)	31 mm	
Max. working height of elevated tools	3.5 m (pruner) / 3.5 m (hedge trimmer)	
Article number	3436555	4 006825 641684

Matching accessories

Spare chain 25cm 1.3 39T 3/8	4500364	4 006825 644616
Spare bar 25cm 1.3	4500363	4 006825 644609
Spare line spool	3405086	4 006825 546019
Grass Blade 255	3404996	4 006825 607239
Thicket Blade 255	3405082	4 006825 632774

- > Handle with all control elements
- > Long handle made of aluminium tube
- > Split shaft
- > Quick Start System
- > Digital ignition – stable engine run
- > Automatic jog line feed
- > Comfort harness




Accessories incl.



PETROL SCYTHER

GC-BC 36-4 S

Engine / displacement	4-stroke engine / 37.7 cm ³	
Power rating	1.0 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.4 mm / 400 cm	
Cutting width (blade)	255 mm	
Housing material	Aluminium/plastics	
Product weight	7.9 kg	
Blade + thread spool	•	
Article number	3436560	

Matching accessories

Spare line spool	3405240	
------------------	---------	---

- > Handle with all control elements
- > Long handle made of aluminium tube
- > Split shaft
- > Quick Start System + Autochoke
- > Digital ignition – stable engine run
- > Automatic jog line feed
- > Comfort harness




Accessories incl.



PETROL SCYTHER

GC-BC 52 I AS

Engine / displacement	2-stroke engine / 51.7 cm ³	
Power rating	1.5 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.4 mm / 400 cm	
Cutting width (blade)	255 mm	
Housing material	Aluminium/plastics	
Product weight	8.5 kg	
Blade + thread spool	•	
Article number	3436540	


Matching accessories

Spare line spool	3405086	
------------------	---------	---

- > Handle with all control elements
- > Long handle made of aluminium tube
- > Split shaft
- > Quick Start System + Autochoke
- > Digital ignition – stable engine run
- > Automatic jog line feed
- > Comfort harness



PETROL SCYTHE GC-BC 25/1 I AS

Engine / displacement	2-stroke engine / 25.4 cm ³	
Power rating	0.75 kW	
Cutting width (double thread)	420 mm	
Thread diameter / length	2.0 mm / 400 cm	
Cutting width (blade)	230 mm	
Housing material	Aluminium/plastics	
Product weight	6.3 kg	
Blade + thread spool	•	
Article number	3401957	

Matching accessories

Spare line spool	3405086	
------------------	---------	---

Accessories (fits all Einhell scythes)

Type	Article number	EAN	Suitable for
Mowing Line Super Cut Line 2.0	3436653		-
Special Grass Blade 230	3436660		grass and light vegetation
Thicket Blade 255	3405082		wild growth, scrub and thicket
Thicket Blade 200	3405083		wild growth, scrub and thicket
Grass Blade 255	3404996		tough grass and strong vegetation
Grass Blade 230	3436661		tough grass and strong vegetation

Power Tools Accessories

Type	Article number	EAN	Suction hose length	Collecting container
Petrol and Oil Suction Pump	3407000		1.3 m	1.6 l


- > OREGON quality bar and chain
- > Digital ignition – stable engine run
- > Autochoke – Quick Start System + Primer
- > Automatic chain lubrication
- > Sturdy stop claws made of metal
- > Kickback protection with instant chain brake





FITTED WITH
OREGON
CHAIN AND BAR

PETROL CHAINSAW

GC-PC 2040 I

Power rating	2.0 kW / 2.7 PS	
Engine displacement	50.4 cm ³	
Bar length	400 mm	
Cutting length	390 mm	
Cutting speed	21 m/s	
Fuel tank capacity	540 ml	
Oil tank capacity	240 ml	
Product weight	6.5 kg	
Protective cover	•	
Petrol/oil mixing bottle	•	
Article number	4501851	

Matching accessories

Spare chain 40cm (57T) Petrol	4500176	
Spare bar 40cm 1.3	4500156	


- > OREGON quality bar and chain
- > Digital ignition – stable engine run
- > Autochoke – Quick Start System + Primer
- > Automatic chain lubrication
- > Sturdy stop claws made of metal
- > Kickback protection with instant chain brake





FITTED WITH
OREGON
CHAIN AND BAR

PETROL CHAINSAW

GC-PC 1335/1 I

Power rating	1.3 kW / 1.7 PS	
Engine displacement	37.2 cm ³	
Bar length	350 mm	
Cutting length	345 mm	
Cutting speed	21.9 m/s	
Fuel tank capacity	300 ml	
Oil tank capacity	170 ml	
Product weight	5.3 kg	
Protective cover	•	
Petrol/oil mixing bottle	•	
Article number	4501870	


Matching accessories

Spare chain 35cm 1.3 53T 3/8	4500172	
Spare bar 35cm 1.3	4500151	

Woodworking Accessories


Chainsaw Trestle



Profile thickness	1.9 mm
Maximum load capacity	150 kg
For tree trunks up to a diameter of	approx. 30 cm
Product weight	7.1 kg
Article number	4500067
EAN	


Forest Safety Helmet



Head circumference	52-66 cm
Product weight	0.7 kg
Article number	4500480
EAN	

Combination Canister




Product weight	0.9 kg
Petrol tank capacity	3 l
Oil tank capacity	1.25 l
Article number	4501325
EAN	

- Non-return valve
- Sturdy steel tube frame
- Water filler port
- Water drain screw
- Oil filling screw
- Low oil stop



PETROL WATER PUMP

GE-PW 46


Motor	Four-stroke engine
Power rating	4.6 / 6.3
Max. delivery capacity / height	23000 l/h / 26 m
Max. suction height	6.5 m
Max. speed	3600 min ⁻¹
Suction connection	59.6 mm (2") ET
Pressure connection	59.6 mm (2") ET
Fuel tank capacity	3.6 l
Product weight	21.8 kg
Incl. hose adapter	2x 50.8 mm (2")
Incl. intake cage	• (2")
Incl. reducer section	2x 47.8 mm (1.5") ET, 2x 33.3 mm (1") ET
Article number	4171372 

- Non-return valve
- Water filler port
- Water drain screw
- Oil filling screw
- Low oil stop



PETROL WATER PUMP

GC-PW 16

Motor	Four-stroke engine
Power rating	1.8 / 2.4
Max. delivery capacity / height	14000 l/h / 28 m
Max. suction height	7.0 m
Max. speed	3600 min ⁻¹
Suction connection	47.8 mm (1½") ET
Pressure connection	47.8 mm (1½") ET
Fuel tank capacity	1.3 l
Product weight	12.0 kg
Incl. hose adapter	2x 38.1 mm (1.5")
Incl. intake cage	• (1.5")
Article number	4190530 



GARDEN 2026

