



Einhell

CORDLESS EXCELLENCE.



POWER X-CHANGE

EINHELL.CORDLESS EXCELLENCE.
THE BATTERY SYSTEM FOR YOUR HOME AND GARDEN.

Power X-Change	4	PROFESSIONAL Garden Tools	40		
The Einhell Guarantee Promise	10	PROFESSIONAL Robot Lawn Mower	41	Cordless Belt File	79
PROFESSIONAL Power Tools	12	PROFESSIONAL Cordless Lawn Mowers	42	Cordless Grinding and Engraving Tool	79
PROFESSIONAL Cordless Drills with Impact Function	14	PROFESSIONAL Cordless Tiller	47	Cordless Car Polishing Machine	80
PROFESSIONAL Cordless Drills	17	PROFESSIONAL Cordless Earth Auger	48	Cordless Polishing/Sanding Machine	80
PROFESSIONAL Cordless Impact Drivers	19	PROFESSIONAL Cordless Lawn Trimmer	48	Cordless Blower	81
PROFESSIONAL Cordless Rotary Hammers	21	PROFESSIONAL Cordless Hedge Trimmer	49	Cordless Sealing Gun	81
PROFESSIONAL Cordless Paint/Mortar Mixer	24	PROFESSIONAL Cordless Chainsaws	50	Cordless Paint Spray Systems	82
PROFESSIONAL Cordless Angle Grinders	25	PROFESSIONAL Cordless Leaf Blowers	51	USB Battery Adapters	83
PROFESSIONAL Cordless Wall Liner	29	PROFESSIONAL Cordless Leaf Vacuum	53	Cordless Radio	84
PROFESSIONAL Cordless Router/Palm Router	30	Power Tools	54	Cordless Speaker	84
PROFESSIONAL Cordless Router	31	Cordless Drills with Impact Function	54	Cordless Lights	85
PROFESSIONAL Cordless Palm Router	31	Cordless Drills	56	Cordless Hot Glue Gun	88
PROFESSIONAL Cordless Planer	32	Cordless Angle Drill	58	Cordless Hot Air Gun	88
PROFESSIONAL Cordless Circular Saw	32	Cordless Drywall Screwdriver	59	Cordless Stapler/Nailer	89
PROFESSIONAL Cordless Jigsaws	33	Cordless Impact Driver	59	System Cases E-Case	90
PROFESSIONAL Cordless All Purpose Saw	34	Cordless Hammer Drill	60	Accessories – Cases // Bags	93
PROFESSIONAL Cordless Multi-functional Tool	34	Cordless Rotary Hammers	60	Cordless Wet and Dry Vacuum Cleaners	94
PROFESSIONAL Cordless Rotating Sander	35	Cordless Paint/Mortar Mixer	61	Cordless Handheld Vacuum Cleaners	97
PROFESSIONAL Cordless Band Sander	35	Cordless Angle Grinders	62	Cordless Stick Vac Cleaner	98
PROFESSIONAL Cordless Drywall Polishers	36	Cordless Biscuit Jointer	64	Cordless Ash Vacuum Cleaner	100
PROFESSIONAL Cordless Lights	37	Cordless Planer	64	Cordless Push Sweeper	100
PROFESSIONAL Cordless Nailer	38	Cordless Circular Saws	65	Cordless Drain Cleaner	101
PROFESSIONAL Cordless Stapler	38	Cordless Mini Circular Saw	66	Cordless Pressure Cleaner	101
PROFESSIONAL Cordless Wet and Dry Vacuum Cleaner	39	Cordless Jigsaws	67	Cordless Window Cleaner	102
		Cordless All Purpose Saws	68	Cordless Hard Floor Cleaner	103
		Cordless Bandsaws	69	Cordless Coffee Machine	104
		Cordless Sliding Mitre Saws	70	6-in-1 Cordless Hybrid Compressors	105
		Cordless Mitre Saws	72	3-in-1 Cordless Compressors	106
		Cordless Table Saw	73	Cordless Compressors	107
		Cordless Tile Cutting Machine	73	Cordless Portable Compressor	108
		Cordless Multifunctional Tools	74	Cordless Car Compressor	109
		Cordless Rotating Sander	76	Cordless Air Pump	109
		Cordless Orbital Sanders	76		

Garden Tools 110

Robot Lawn Mowers	110
Cordless Lawn Mowers	114
Cordless Cylinder Lawn Mower	122
Petrol Lawn Mower (Power X-Change Electric Start)	123
Cordless Scarifiers/Aerators	124
Cordless Tillers	126
Cordless Snow Thrower	127
Cordless Multipurpose Spreader	128
Cordless Universal Spreader	128
Cordless Scythes	129
Cordless Lawn Trimmers	130
Cordless Lawn Edge Trimmer	134
Cordless Grout Cleaner	135
Cordless Surface Brushes	136
Cordless Hedge Trimmers	138
Cordless Multifunctional Tools	142
Cordless Pole-Mounted Pruners	144
Cordless Telescopic Hedge Trimmers	145
Cordless Olive and Fruit Harvester	146
Cordless Pruning Chainsaw	147
Cordless Chainsaws	148
Cordless Chain Sharpener	149
Cordless Leaf Vacuums	150
Cordless Universal Blower	151
Cordless Leaf Blower	152
Cordless Knife Shredder	152
Cordless Grass and Shrub Shears	153
Cordless Grass Shears	154
Cordless Pruning Saw	154
Cordless Pruning Shears	154
Cordless Fans	155
Cordless Pressure Sprayers	156
Accessory – Battery Belt	158

Gas Hot Air Generator with Rechargeable Battery	158
Cordless Hose Reels (Water)	159
Cordless Automatic Garden Pump	160
Cordless Garden Pumps	160
Cordless Submersible Pressure / Rain Barrel Pump	163
Cordless Clear Water Pumps	164
Cordless Dirty Water Pumps	165

Accessories 166

Batteries	166
Twin-Packs	170
Starter Kits	171
Chargers	171
Power X-Change Battery Accessory	172

Battery Charging Time Table 173
The Power X-Change Partners 174




CORDLESS FREEDOM. FOR DIY ENTHUSIASTS AND HOBBY GARDENERS.

At last – no more too short or severed cables.

When you have no longer to worry about extension cables that are too short or sufficient sockets. When the device comes to the project instead of the other way round. When you simply insert the battery and are ready to go, whether it is a lawn mower, garden pump, rotary hammer or wet and dry vacuum cleaner. Than that is the feeling of cordless freedom.



1 BATTERY FITS ALL TOOLS. THE BATTERY SYSTEM FOR THE WORKSHOP, GARDEN AND YOUR ENTIRE HOME.

Just as versatile as you: Battery power for every situation.

With more than 300 battery operated DIY and garden tools, our battery platform Power X-Change is already the broadest for the ambitious DIYer and amateur gardener. And it's not stopping there! By the year 2027 the battery platform will feature more than 450 tools. What's so special about it is that all products from the Power X-Change platform can be operated with just one battery type (18 V).

POWERFUL MACHINES. LONG-LASTING BATTERIES.

Battery power for all your projects.

Less power? No way! Our cordless machines offer up to 2700 W of battery power and 8 Ah of capacity, making them easily a match for corded machines! Whether you just want to hang a shelf or drill through a solid concrete wall, with Power X-Change you are equipped to meet any challenge with power and endurance.

LATEST TECHNOLOGY. PROVEN QUALITY.


For the highest level of safety and performance.

Power X-Change batteries are the core component of our platform. That's why we use only the best components such as high-performance new-generation cells and our intelligent processor-controlled battery electronics. This makes our PXC battery one of the safest in the industry and ensures efficiency, reliability and durability.

EINHELL PROFESSIONAL. MORE POWER FOR PROS.

True Pros always give MORE.

Because every step demands perfection. Where precision is a must. And every second counts. Professionals also expect more from their tools. Now Einhell gives them more: More performance. More endurance. More warranty. More lifetime. More functionality.



ACTIVE BATTERY MANAGEMENT SYSTEM. INTELLIGENT ELECTRONIC CONTROL SYSTEM.

The computer-assisted Active Battery Management System permanently monitors and controls all the safety-related processes of the electrical components and associated hardware. This results in a whole range of advantages:

- MAXIMISED RUNNING TIMES
- OPTIMISED TOOL POWER
- LONGER BATTERY SERVICE LIFE
- INCREASED SAFETY



TWIN-PACK TECHNOLOGY. $18\text{ V} + 18\text{ V} = 36\text{ V}$.

If extra power is required for more power hungry tools, two 18 V battery packs can be simply combined in a single 36 V tool using Einhell's twin pack technology. Doubling the voltage (V) automatically doubles the power (W) as well. Double twin pack technology also lets you work longer without the hassle of having to recharge. In this case four batteries are used. When the power of the first two batteries finally runs out, the system automatically switches over to the two additional batteries.



SEALED TECHNOLOGY. THE NEXT GENERATION OF BATTERY TECHNOLOGY.

Waterproof and completely dust resistant? Yes, it is possible! Our Power X-Change batteries with SEALED technology are waterproof and dustproof according to protection class IP57. Whether it's water, or dust from wood or metal – the SEALED battery with the blue ring can withstand anything you throw at it and won't suffer damage even after 30 minutes in 1 m of water. Once it is dry, it can be used again as normal in all Einhell Power X-Change cordless tools.

With the SEALED batteries, Einhell is developing the next generation of rechargeable battery technology and once again demonstrating its concentrated expertise.







"We are incredibly proud to regularly get the best marks in competition with our strongest rivals, underlining our cordless expertise with rechargeable batteries. The market launch of our new SEALED rechargeable batteries adds another future-proof technology to our Power X-Change platform: another expression of our concentrated Cordless Excellence!"

Andreas Kroiss, CEO of Einhell Germany AG



CORDLESS EXCELLENCE THAT CONVINCES. **ONLY FROM EINHELL.**

It became clear to us early on that our customers wanted the freedom of cordless operation. We decided accordingly to concentrate fully on the sector of cordless technology and on the expansion of our Power X-Change system of rechargeable batteries. We always focus our development on the needs of our customers and are constantly expanding our expertise in the field of battery technology. With the new pat-

ented SEALED TECHNOLOGY, we are living up to our pioneering role and offering our customers additional added value through a genuine world first. Our Power X-Change SEALED batteries are protected against high pressure water spray and dust and enable customers to use Einhell battery power in even more versatile ways. This means real cordless freedom and confirms Einhell's concentrated Cordless Excellence.

THIS IS HOW:

Find out more at einhell.de, register in your customer account and **apply** for the warranty. Further information is available at www.einhell.de/en/services/warranties/

einhell.de
>>>

THE EINHELL GUARANTEE PROMISE.

We develop our products so that you can make everything possible. Our priority here is functionality, safety and quality. That is our promise and this is backed up by our guarantee too.

- **30 Day Money Back Guarantee**
For 100 % satisfaction with your Power X-Change device.
This guarantee is only valid for purchases in stationary shops!
Online purchases are excluded.
- **3-Year Einhell Product Warranty**
Warranty extension for your Power X-Change device to 3 years.
- **Power X-Change Battery Warranty**
Warranty extension for Power X-Change batteries to 3 years.
- **Einhell Brushless Warranty**
Warranty extension for all PurePOWER Brushless products to 10 years.*



* This warranty covers only defects in the engine that are due to a material or manufacturing defect!



Official Tool Expert

AMG
PETRONAS
FORMULA ONE TEAM



**TWO PARTNERS. ONE MISSION.
MAXIMUM PERFORMANCE.**

Official Tool Expert



AMG
PETRONAS
FORMULA ONE TEAM



Einhell PROFESSIONAL stands for the highest quality for real pros.
True Pros always give MORE.
Because every step demands perfection.
Where precision is a must.
And every second counts.
Professionals also expect more from their tools.
Now Einhell gives them more:

- **MORE PERFORMANCE.***
- **MORE ENDURANCE.***
- **MORE WARRANTY.****
- **MORE LIFETIME.***
- **MORE FUNCTIONALITY.***

* Approximate values compared to carbon brush motor

** On Brushless Motors after online registering

MORE POWER FOR PROS.



NO COMPROMISES. EXTENDED WARRANTY FOR PROFESSIONAL TOOLS.

Einhell delivers the quality expected of tools for commercial use. This is why we also offer an extended warranty for all PROFESSIONAL tools:

Regular warranty period	1 year
Extension upon registration	2 years
Total warranty period	3 years (1+2)



THIS IS HOW:

1. **Inform** yourself on einhell.de
2. **Register** in your customer account
3. **Apply** for the guarantee – within 30 days of the date of purchase


www.einhell.de/en/services/warranties/

WITH BRUSHLESS MOTOR

25% MORE power*
50% MORE endurance*
100% MORE lifetime*
» 10 years warranty**

* Approximate values compared to carbon brush motor

** On Brushless Motors after online registering



PROFESSIONAL CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

TP-CD 18/120 Li-i Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 2100 min⁻¹
- » Blow rate (gear 1 / 2): 0 - 6500 / 0 - 27300 min⁻¹
- » Torque (hard): 120 Nm

Article only available without battery / charger / case

Art. No. 45.143.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	145 pcs	190 pcs	240 pcs	335 pcs	445 pcs	580 pcs	670 pcs	895 pcs

TP-CD 18/80 Li-i Brushless


- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min⁻¹
- » Blow rate (gear 1 / 2): 0 - 8000 / 0 - 28800 min⁻¹
- » Torque (hard): 80 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.143.06

Without battery / charger / case

Art. No. 45.143.05

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



- » Brushless motor – more power, prolonged operation
- » Very high torque of 120 Nm
- » 13 mm metal drill chuck



- » Brushless motor – more power, prolonged operation
- » 13 mm metal drill chuck
- » Additional handle

PROFESSIONAL CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

TP-CD 18/70 Li-i Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 2000 min⁻¹
- » Blow rate (gear 1 / 2): 0 - 8000 / 0 - 32000 min⁻¹
- » Torque (hard): 70 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box
 Art. No. 45.143.16

Without battery / charger / case Art. No. 45.143.15

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	215 pcs	290 pcs	360 pcs	430 pcs	580 pcs	750 pcs	860 pcs	1160 pcs

TP-CD 18/60 Li-i Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 2000 min⁻¹
- » Blow rate (gear 1 / 2): 0 - 8000 / 0 - 32000 min⁻¹
- » Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box and 39-piece Accessory Set
 Art. No. 45.142.06

Without battery / charger / case Art. No. 45.142.05

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs



NEW

- » Brushless motor – more power, prolonged operation
- » 13 mm metal drill chuck
- » Additional handle



- » Brushless motor – more power, prolonged operation
- » 13 mm metal drill chuck
- » Additional handle

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

PROFESSIONAL CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

TP-CD 18 Li-i Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min⁻¹
- » Blow rate (gear 1 / 2): 0 - 8000 / 0 - 28800 min⁻¹
- » Torque (hard): 60 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.138.61

Without battery / charger / case

Art. No. 45.138.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs

TP-CD 18/50 Li-i Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min⁻¹
- » Blow rate (gear 1 / 2): 0 - 8000 / 0 - 28800 min⁻¹
- » Torque (hard): 50 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.139.40

Without battery / charger / case

Art. No. 45.139.42

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs



- » Brushless motor – more power, prolonged operation
- » 13 mm metal drill chuck
- » Additional handle

- » Brushless motor – more power, prolonged operation
- » 13 mm metal drill chuck
- » 2-speed metal gear box



¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

PROFESSIONAL CORDLESS DRILLS 18 V

- » Brushless motor – more power, prolonged operation
- » 13 mm metal drill chuck
- » Additional handle



TP-CD 18/80 Li Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min⁻¹
- » Torque (hard): 80 Nm
- » Number of torque settings: 19+1

Article only available without battery / charger / case

Art. No. 45.143.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	210 pcs	280 pcs	350 pcs	420 pcs	560 pcs	730 pcs	840 pcs	1120 pcs

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge



PROFESSIONAL CORDLESS DRILLS 18 V

TP-CD 18/60 Li Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 2000 min⁻¹
- » Torque (hard): 60 Nm
- » Number of torque settings: 21+1

Article only available without battery / charger / case

Art. No. 45.142.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	265 pcs	350 pcs	440 pcs	530 pcs	700 pcs	920 pcs	1060 pcs	1400 pcs

TP-CD 18/50 Li Brushless

- » Idle speed (gear 1 / 2): 0 - 500 / 0 - 1800 min⁻¹
- » Torque (hard): 50 Nm
- » Number of torque settings: 19+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box

Art. No. 45.138.96

Without battery / charger / case

Art. No. 45.138.87

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs

- » Brushless motor – more power, prolonged operation
- » 13 mm metal drill chuck
- » Additional handle



- » Brushless motor – more power, prolonged operation
- » 13 mm quick-change drill chuck
- » 2-speed metal gear box



¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

PROFESSIONAL CORDLESS IMPACT DRIVERS 18 V

IMPAXXO 18/400

- » Idle speed: 0 - 1000 / 0 - 1500 / 0 - 2100 min⁻¹
- » Torque (hard): 400 Nm
- » Mount: External square drive mount 12.5 mm (½") – incl. bit adapter and 3-piece nut-set

Article only available without battery / charger / case

Art. No. 45.100.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	40 pcs	55 pcs	68 pcs	80 pcs	110 pcs	140 pcs	160 pcs	220 pcs

For best performance select a battery with at least 2.5 Ah

- » Brushless motor – more power, prolonged operation
- » Very high torque – suitable for changing tyres
- » 3 torque settings



IMPAXXO 18/230

- » Idle speed: 0 - 2900 min⁻¹
- » Torque (hard): 230 Nm
- » Mount: External square drive mount 12.5 mm (½") – incl. bit adapter

Article only available without battery / charger / case

Art. No. 45.100.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	75 pcs	100 pcs	125 pcs	150 pcs	200 pcs	260 pcs	300 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah



- » Brushless motor – more power, prolonged operation
- » Very high torque – suitable for changing tyres
- » ½" external square drive mount

¹⁾ Battery capacity

²⁾ Max. number of wheel bolts (hexagon head, wrench size 22 mm) that can be screwed in and out per battery charge

PROFESSIONAL CORDLESS IMPACT DRIVERS 18 V

NEW

- » Brushless motor – more power, prolonged operation
- » Very high torque of 220 Nm
- » 1/4" hexagonal chuck



TP-CI 18/220 Li Brushless

- » Idle speed: 0 - 2900 min⁻¹
- » Torque (hard): 220 Nm
- » Mount: Internal hexagon 6.35 mm (1/4")

Article only available without battery / charger / case

Art. No. 45.100.85

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	160 pcs	215 pcs	260 pcs	320 pcs	430 pcs	555 pcs	640 pcs	860 pcs

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

PROFESSIONAL CORDLESS ROTARY HAMMER 36 V

NEW

TWIN-PACK
18 V + 18 V → 36 V
TECHNOLOGY

- » Brushless motor – more power, prolonged operation
- » 4 Functions: Drilling, impact drilling, chiselling with and without fixation
- » Twin-Pack Technology: 2x 18 V Power X-Change batteries – more power



TP-HD 36/30 Li Brushless +4

- » Idle speed: 0 - 1100 min⁻¹
- » Impact force: 3.5 J
- » Drilling capacity, concrete: 30 mm
- » Drill chuck: SDS-plus

Article includes case E-Box but no batteries / chargers

Art. No. 45.139.83



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	59 holes	79 holes	105 holes	126 holes	169 holes	222 holes	276 holes	338 holes

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Drilling in concrete (ø 8 mm / 50 mm) – max. quantity per battery charge



PROFESSIONAL CORDLESS ROTARY HAMMERS 18 V

TP-HD 18/26 Li Brushless

- » Idle speed: 0 - 1200 min⁻¹
- » Impact force: 2.6 J
- » Drilling capacity, concrete: 26 mm
- » Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.142.65

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	25 holes	32 holes	40 holes	50 holes	65 holes	80 holes	92 holes	125 holes

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity




²⁾ Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

HEROCCO 18/20

- » Idle speed: 0 - 1200 min⁻¹
- » Impact force: 2.2 J
- » Drilling capacity, concrete: 20 mm
- » Drill chuck: SDS-plus
- » Incl.: Magnetic bit adapter

Article includes case E-Box but no battery / charger

Art. No. 45.139.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	250 pcs	335 pcs	417 pcs	500 pcs	670 pcs	870 pcs	1000 pcs	1340 pcs
 ³⁾	65 holes	87 holes	108 holes	130 holes	174 holes	225 holes	260 holes	348 holes

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

³⁾ Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

- » Brushless motor – more power, prolonged operation
- » 4 Functions: Drilling, impact drilling, chiselling with and without fixation
- » Vibration-cushioned handle



- » Brushless motor – more power, prolonged operation
- » 4+1 Functions: Drilling, impact drilling, chiselling with and without fixation + screwing
- » Vibration-cushioned handle



PROFESSIONAL CORDLESS ROTARY HAMMERS 18 V

- » Brushless motor – more power, prolonged operation
- » 4 Functions: Drilling, impact drilling, chiselling with and without fixation
- » D-handle perfect for vertical drilling and chiselling




TP-HD 18/26 D Li Brushless

- » Idle speed: 0 - 1150 min⁻¹
- » Impact force: 2.6 J
- » Drilling capacity, concrete: 26 mm
- » Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.142.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	27 holes	36 holes	45 holes	54 holes	72 holes	94 holes	108 holes	144 holes

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge



PROFESSIONAL CORDLESS PAINT/MORTAR MIXER 18 V


- » Brushless motor – more power, prolonged operation
- » 2-speed gear box
- » Speed control electronics
- » Soft start

TP-MX 18-2 Li Brushless

- » Idle speed: 0 - 450 / 0 - 720 min⁻¹
- » Stirrer mount: M14
- » Incl.: 1 mortar stirrer (Ø 120 mm)

Article only available without battery / charger / case

Art. No. 42.587.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
»» ²⁾	13 min	16 min	22 min	26 min	34 min	46 min	52 min	68 min
»» ³⁾	10 min	14 min	18 min	21 min	28 min	37 min	42 min	56 min
»» ⁴⁾	6 min	11 min	14 min	16 min	22 min	28 min	32 min	44 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

³⁾ Mixing duration for wall paint per battery charge

⁴⁾ Mixing duration for mortar per battery charge



PROFESSIONAL CORDLESS ANGLE GRINDER 36 V



TWIN-PACK
 18V 18V 36V
 TECHNOLOGY


- » Brushless motor – more power, prolonged operation
- » Quick fix nut – toolless change
- » Twin-Pack Technology: 2x 18 V Power X-Change batteries – more power

AXXIO 36/230 Q

- » Cable equivalence class: 2200 W
- » Idle speed: 6600 min⁻¹
- » Wheel diameter: 230 mm
- » Incl.: Quick fix nut

Article only available without batteries / chargers / case ³⁾

Art. No. 44.311.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	24 pcs	32 pcs	41 pcs	48 pcs	62 pcs	81 pcs	93 pcs	124 pcs

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

³⁾ Cutting/grinding discs not included



PROFESSIONAL CORDLESS ANGLE GRINDERS 18 V

AXXIO 18/150



- » Cable equivalence class: 700 W
- » Idle speed: 8500 min⁻¹
- » Wheel diameter: 150 mm
- » Incl.: 1 cutting wheel and cutting wheel guard

Article only available without battery / charger / case

Art. No. 44.311.44

- » Brushless motor – more power, prolonged operation
- » Increased cutting depth thanks to larger disc diameter
- » Disc guard with quick adjust facility



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	22 pcs	33 pcs	37 pcs	46 pcs	61 pcs	85 pcs	92 pcs	122 pcs

For best performance select a battery with at least 2.5 Ah

TP-AG 18/125 CE Q Li

- » Cable equivalence class: 900 W
- » Idle speed: 3000 - 10500 min⁻¹
- » Wheel diameter: 125 mm
- » Incl.: Quick fix nut

Article only available without battery / charger / case ³⁾

Art. No. 44.311.55



- » Brushless motor – more power, prolonged operation
- » Speed regulation – with LED display
- » Constant electronics enables high load without speed loss

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	29 pcs	38 pcs	48 pcs	57 pcs	76 pcs	98 pcs	113 pcs	151 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

³⁾ Cutting/grinding discs not included

PROFESSIONAL CORDLESS ANGLE GRINDERS 18 V

AXXIO 18/125 Q



- » Cable equivalence class: 700 W
- » Idle speed: 8500 min⁻¹
- » Wheel diameter: 125 mm
- » Incl.: Quick fix nut and cutting wheel guard

Article only available without battery / charger / case ³⁾

Art. No. 44.311.51



- » Brushless motor – more power, prolonged operation
- » Quick fix nut – toolless change
- » Disc guard with quick adjust facility

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

For best performance select a battery with at least 2.5 Ah

AXXIO 18/125

- » Cable equivalence class: 700 W
- » Idle speed: 8500 min⁻¹
- » Wheel diameter: 125 mm
- » Incl.: Cutting wheel guard

Article only available without battery / charger / case ³⁾

Art. No. 44.311.40



- » Brushless motor – more power, prolonged operation
- » Soft start
- » Disc guard with quick adjust facility

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

³⁾ Cutting/grinding discs not included

PROFESSIONAL CORDLESS ANGLE GRINDERS 18 V

AXXIO 18/115 Q



- » Cable equivalence class: 700 W
- » Idle speed: 8500 min⁻¹
- » Wheel diameter: 115 mm
- » Incl.: Quick fix nut and cutting wheel guard

Article only available without battery / charger / case ³⁾

Art. No. 44.311.50



- » Brushless motor – more power, prolonged operation
- » Quick fix nut – toolless change
- » Disc guard with quick adjust facility

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

For best performance select a battery with at least 2.5 Ah

AXXIO 18/115

- » Cable equivalence class: 700 W
- » Idle speed: 8500 min⁻¹
- » Wheel diameter: 115 mm
- » Incl.: Cutting wheel guard

Article only available without battery / charger / case ³⁾

Art. No. 44.311.54



- » Brushless motor – more power, prolonged operation
- » Soft start
- » Disc guard with quick adjust facility

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	27 pcs	36 pcs	45 pcs	54 pcs	72 pcs	94 pcs	108 pcs	144 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

³⁾ Cutting/grinding discs not included

PROFESSIONAL CORDLESS WALL LINER 36 V

NEW



- » Brushless motor – more power, prolonged operation
- » Twin-Pack Technology: 2x 18 V Power X-Change batteries – more power
- » Maximum flexibility thanks to steplessly variable groove depth adjustment
- » Cutting width adjustment for narrow and wide channels

TP-MA 36/30 Li Brushless

- » Idle speed: 5400 min⁻¹
- » Wheel diameter: 125 mm
- » Max. cutting depth: 30 mm
- » Max. cutting width: 30 mm

Article only available without battery / charger

Art. No. 43.508.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 m	10 m	13 m	15 m	20 m	26 m	30 m	40 m

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity²⁾ Brick stone 15 mm - max. cutting capacity per battery charge

PROFESSIONAL CORDLESS ROUTER/ PALM ROUTER 18 V

- » Brushless motor – more power, prolonged operation
- » Electronic speed control
- » Two attachments for maximum flexibility
- » Depth adjustment with multi-step turret stop
- » LED



TP-RO 18 Set Li Brushless

- » Idle speed: 10000 - 30000 min⁻¹
- » Stroke height: 40 mm / 35 mm
- » Clamp: 6 + 8 mm
- » Max. form cutter: 30 mm

Article only available without battery / charger

Art. No. 43.504.10

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m

¹⁾ Battery capacity

²⁾ Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge

PROFESSIONAL CORDLESS ROUTER 18 V

TP-RO 18 Li Brushless

- » Idle speed: 10000 - 30000 min⁻¹
- » Stroke height: 35 mm
- » Clamp: 6 + 8 mm
- » Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.11

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m



- » Brushless motor – more power, prolonged operation
- » Electronic speed control
- » Two-hand attachment with infinitely adjustable routing depth
- » LED

PROFESSIONAL CORDLESS PALM ROUTER 18 V

TP-ET 18 Li Brushless

- » Idle speed: 10000 - 30000 min⁻¹
- » Stroke height: 40 mm
- » Clamp: 6 + 8 mm
- » Max. form cutter: 30 mm

Article only available without battery / charger Art. No. 43.504.12

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	22 m	29 m	37 m	44 m	58 m	77 m	88 m	118 m

- » Brushless motor – more power, prolonged operation
- » Electronic speed control
- » Edge router base enables the chamfering of edges
- » LED



¹⁾ Battery capacity

²⁾ Grooving in soft wood (depth: 3 mm, milling cutter Ø 6 mm), maximum length in meters per battery charge

PROFESSIONAL CORDLESS PLANER 18 V

TP-PL 18/3 Li Brushless

- » Idle speed: 12000 min⁻¹
- » Planing width: 82 mm
- » Chip depth max.: 3 mm
- » Max. rebate depth: 25 mm

Article only available without battery / charger

Art. No. 43.454.05

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	19 m	26 m	32 m	38 m	50 m	65 m	78 m	100 m

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge



- » Brushless motor – more power, prolonged operation
- » Powerful up to 3 mm chip depth
- » Two-sided selectable chip ejection for flexible working
- » Incl. parallel guide for precise planing results

PROFESSIONAL CORDLESS CIRCULAR SAW 18 V

TP-CS 18/190 Li Brushless

- » Idle speed: 3800 min⁻¹
- » Saw blade: ø 190 x ø 20/30 mm
- » Cutting depth at 45° / 90°: 45 mm / 65 mm

Article only available without battery / charger / case

Art. No. 43.312.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	18 m	24 m	30 m	37 m	49 m	63 m	73 m	98 m

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge

- » Brushless motor – more power, prolonged operation
- » Adjustment without tools (depth/angle)
- » LED light
- » Aluminium sawing table



PROFESSIONAL CORDLESS JIGSAWS 18 V

TP-JS 18/135 Li Brushless

- » Stroke speed: 0 - 3500 min⁻¹
- » Cutting depth (wood / plastic / steel): 135 / 20 / 10 mm
- » Product weight: 2.1 kg (excl. battery)

Article includes high quality saw blade but no battery / charger / case
 Art. No. 43.212.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 m	14 m	18 m	21 m	29 m	37 m	43 m	57 m



- » Brushless motor – more power, prolonged operation
- » Speed adjustment wheel
- » Pendulum action (4 settings)
- » Aluminium inner housing and base plate for reduced vibrations

TP-JST 18/135 Li Brushless

- » Stroke speed: 0 - 3500 min⁻¹
- » Cutting depth (wood / plastic / steel): 135 / 20 / 10 mm
- » Product weight: 2.0 kg (excl. battery)

Article includes 3 high quality saw blades for wood but no battery / charger / case
 Art. No. 43.212.65

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 m	14 m	18 m	21 m	29 m	37 m	43 m	57 m

- » Brushless motor – more power, prolonged operation
- » T-style handle for easy tool guidance
- » Speed adjustment wheel
- » Pendulum action (4 settings)
- » Aluminium inner housing and base plate for reduced vibrations



¹⁾ Battery capacity



²⁾ Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge

PROFESSIONAL CORDLESS ALL PURPOSE SAW 18 V

TP-AP 18/28 Li Brushless

- » Stroke speed / height: 0 - 2500 min⁻¹ / 28 mm
- » Cutting depth (wood / steel): 200 / 12 mm
- » Saw blade thickness: 0.8 - 1.6 mm

Article includes high quality saw blade for wood but no battery / charger / case
 Art. No. 43.263.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	170 pcs	226 pcs	332 pcs	417 pcs	556 pcs	723 pcs	834 pcs	1112 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Round timber 35 mm – max. number of cuts per battery charge







- » Brushless motor – more power, prolonged operation
- » Rotatable main handle
- » Anti-vibration function

PROFESSIONAL CORDLESS MULTIFUNCTIONAL TOOL 18 V

TP-MG 18 Li Brushless

- » Oscillating speed: 22000 - 40000 min⁻¹
- » Oscillation angle: 3.2°
- » Abrasive paper size: 93 x 93 x 93 mm
- » Incl.: 15-piece accessory set

Article only available without battery / charger / case
 Art. No. 44.651.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	26 min	34 min	43 min	51 min	68 min	89 min	102 min	136 min
 ³⁾	510 pcs	680 pcs	850 pcs	1020 pcs	1356 pcs	1770 pcs	2035 pcs	2715 pcs
 ⁴⁾	108 pcs	144 pcs	180 pcs	216 pcs	288 pcs	375 pcs	432 pcs	576 pcs

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

³⁾ Round plastics 10 mm – max. number of cuts per battery charge

⁴⁾ Round steel 6 mm – max. number of cuts per battery charge



- » Brushless motor – more power, prolonged operation
- » Vibration-decoupled tool head for vibration reduction
- » Quick-release lock
- » Speed control electronics

PROFESSIONAL CORDLESS ROTATING SANDER 18 V

TP-RS 18/32 Li Brushless



- » Oscillating speed: 6000 - 24000 min⁻¹
- » Oscillating circuit ø: 3.2 mm
- » Abrasive paper ø: 125 mm
- » Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.620.20



- » Removable additional handle
- » Dust collector box with pleated filter
- » Speed control electronics
- » Hook and loop fastening system
- » Dust extraction

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	22 min	29 min	36 min	44 min	58 min	75 min	87 min	115 min

PROFESSIONAL CORDLESS BAND SANDER 18 V

TP-BS 18/457 Li Brushless


- » Grinding/sanding belt speed: 120 - 250 m/min
- » Grinding/sanding area: 75 x 126 mm
- » Grinding/sanding belt size: 75 x 457 mm
- » Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.662.70



- » Brushless motor – more power, prolonged operation
- » Belt run adjustment
- » Belt change without tools
- » Dust extraction
- » Integrated storage surface for stationary use

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	22 min	18 min	22 min	30 min	38 min	44 min	59 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



PROFESSIONAL CORDLESS DRYWALL POLISHERS 18 V

TP-DWS 18/225 Li Brushless

- » Oscillating speed: 600 - 1200 min⁻¹
- » Abrasive paper ø: 225 mm
- » Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article only available without battery / charger / case

Art. No. 42.599.95

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	18 min	24 min	29 min	35 min	47 min	61 min	70 min	93 min

- » Brushless motor – more power, prolonged operation
- » Speed control electronics
- » Spring-loaded sanding plate
- » Fixable sanding plate, e.g. for sanding wood
- » Dust extraction





TP-DW 18/225 Li

- » Oscillating speed: 600 - 1200 min⁻¹
- » Abrasive paper ø: 225 mm
- » Incl.: 6x sheets of abrasive paper and 1x sheet of abrasive mesh

Article includes case but no battery / charger

Art. No. 42.599.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	21 min	26 min	33 min	44 min	55 min	68 min	78 min	110 min



- » Speed control electronics
- » Swivelling brush ring
- » Hook and loop fastening
- » Dust extraction

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

PROFESSIONAL CORDLESS LIGHTS 18 V

TP-CL 18/3000 Li Set

- » Luminosity: 200 - 3000 lm
- » Light range: 10 m
- » Product weight: 3.3 kg (excl. battery)
- » Light source: 60 LEDs

Article includes telescopic tripod 85 - 170 cm but no battery / charger / case
 Art. No. 45.141.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	54 min	73 min	91 min	109 min	145 min	189 min	218 min	291 min

TP-CL 18/3000 Li


- » Luminosity: 200 - 3000 lm
- » Light range: 10 m
- » Product weight: 1.7 kg (excl. battery)
- » Light source: 60 LEDs

Article only available without battery / charger / case
 Art. No. 45.141.72

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	54 min	73 min	91 min	109 min	145 min	189 min	218 min	291 min



- » Versatile mounting options: 1/4" and 5/8" thread for tripod (included), suspension hook and wall bracket
- » Infinitely dimmable
- » 270° adjustable light panels
- » Swivelling lamp head



- » Versatile mounting options: 1/4" and 5/8" thread for tripod, suspension hook and wall bracket
- » Infinitely dimmable
- » 270° adjustable light panels
- » Swivelling lamp head

¹⁾ Battery capacity




²⁾ Luminous period per battery charge – 3000 lm

PROFESSIONAL CORDLESS NAILER 18 V

FIXETTO 18/50 N

- » Max. working speed: 60 impacts per minute
- » Nail length: 15 - 50 mm

Incl. 500 nails; Article only available without battery / charger / case
 Art. No. 42.577.95

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	630 pcs	840 pcs	1050 pcs	1260 pcs	1679 pcs	2183 pcs	2519 pcs	3358 pcs
 ³⁾	514 pcs	685 pcs	857 pcs	1028 pcs	1370 pcs	1781 pcs	2055 pcs	2740 pcs

¹⁾ Battery capacity

²⁾ Number of nails (32 mm) in softwood – max. number per battery charge

³⁾ Number of nails (50 mm) in softwood – max. number per battery charge



- » PressAir means: Maintenance-free, without extra costs and equipment
- » Single or serial shots
- » Cutting depth adjustment
- » LED lighting on both sides
- » Magazine with level indicator




PRESSAIR
 TECHNOLOGY

PROFESSIONAL CORDLESS STAPLER 18 V

FIXETTO 18/38 S

- » Max. working speed: 60 impacts per minute
- » Staple length: 10 - 38 mm
- » Staple width: 5.7 mm

Incl. 500 staples; article only available without battery / charger / case
 Art. No. 42.577.85

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	585 pcs	780 pcs	975 pcs	1170 pcs	1560 pcs	2028 pcs	2340 pcs	3120 pcs
 ³⁾	638 pcs	850 pcs	1063 pcs	1275 pcs	1700 pcs	2210 pcs	2250 pcs	3400 pcs

¹⁾ Battery capacity

²⁾ Number of staples (38 mm) in soft wood – max. number per battery charge

³⁾ Number of staples (22 mm) in softwood – max. number per battery charge

- » PressAir means: Maintenance-free, without extra costs and equipment
- » Single or serial shots
- » Cutting depth adjustment
- » LED lighting on both sides
- » Magazine with level indicator

PRESSAIR
 TECHNOLOGY



PROFESSIONAL CORDLESS WET AND DRY VACUUM CLEANER 36 V

TWIN-PACK
 18 V + 18 V 36 V
 TECHNOLOGY




- » Auto Start Function – automatic dust extraction when the connected cordless tool is started
- » 2 speeds
- » Twin-Pack Technology



TP-VC 36/30 S Auto

- » Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- » Tank: Stainless steel, 30 l
- » Nozzles: Crevice, upholstery and combination nozzle (1x each)
- » Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.43

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
» ³⁾	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (ECO mode)

³⁾ Max. operating time per battery charge in idle mode (BOOST mode)





PROFESSIONAL ROBOT LAWN MOWER



- » Brushless motor – more power, prolonged operation
- » Intuitive keypad with LCD display
- » Sensors: Rain sensor and bump, tilt and lift sensors
- » Multi-zone mowing for complex gardens
- » Mowing program for secondary areas

FREELEXO SMART*

- » For lawn areas of up to approx.*: 750 m²
- » Cutting width: 18 cm
- » Cutting height adjustment: stepless / 20 - 60 mm / central
- » Suitable for slopes: up to 35 %
- » Special mowing programmes: Spot Mowing and Secondary Area Mode
- » Included in delivery: Charging station

Incl. installation equipment (750 m²) and 1 battery (18 V | 3.0 Ah | Li-Ion)
 Art. No. 34.138.11

* 5-year term of the web-based functions included. Details at 'www.einhell.de/iot-tarife'



CAN BE CONTROLLED FROM EVERYWHERE

Thanks to mobile internet connectability, a smartphone now lets you care for your lawn from wherever you might be.



SMART MODE

In Smart Mode the robot lawn mower automatically draws up a work schedule that is optimally coordinated with the weather, the size of the garden and the customer's preferences.



NETWORKABLE WITH EINHELL SMART TOOLS

Einhell Smart Tools work together automatically in Smart Mode.



YOU DON'T NEED WIFI OR BLUETOOTH

Unlimited range thanks to communication via the mobile phone network.*



WEATHER FORECASTS TAKEN INTO ACCOUNT

In Smart Mode the robot lawn mower takes weather forecasts into account when adjusting to local weather conditions in order to achieve the best possible results.

** Prerequisite: Available mobile network coverage; within the European Union.

PROFESSIONAL CORDLESS LAWN MOWERS 36 V

RASARRO

TWIN-PACK

18V + 18V = 36 V
TECHNOLOGY

- » Brushless motor – more power, prolonged operation
- » 3-in-1 function: mowing, mulching, catching
- » Telescopic handlebar



RASARRO 36/42

- » Cutting width: 42 cm
- » For lawn areas of up to approx.*: 725 m²
- » Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 5.2 Ah | Li-Ion) and 1 Twincharger
Art. No. 34.132.72

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	250 m ²	300 m ²	350 m ²	450 m ²	550 m ²	725 m ²	875 m ²	1100 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

TWIN-PACK

18V + 18V = 36 V

TECHNOLOGY

TWIN-PACK TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack Technology.




PROFESSIONAL CORDLESS LAWN MOWERS 36 V

RASARRO

RASARRO 36/40

- » Cutting width: 40 cm
- » For lawn areas of up to approx.*: 500 m²
- » Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger
Art. No. 34.132.78

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	220 m ²	280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²

For best performance select batteries with at least 2.5 Ah



- » Brushless motor – more power, prolonged operation
- » Individually adjustable handlebar
- » Grass box with level indicator

RASARRO 36/38

- » Cutting width: 38 cm
- » For lawn areas of up to approx.*: 450 m²
- » Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger
Art. No. 34.131.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	250 m ²	300 m ²	330 m ²	400 m ²	450 m ²	700 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah



- » Brushless motor – more power, prolonged operation
- » 3-in-1 function: mowing, mulching, catching
- » Telescopic handlebar



¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)



PROFESSIONAL CORDLESS LAWN MOWERS 36 V

TWIN-PACK

18V + 18V → 36V

TECHNOLOGY

- » Brushless motor – more power, prolonged operation
- » Individually adjustable handlebar
- » Grass box with level indicator



GP-CM 36/41 Li Brushless

- » Cutting width: 41 cm
- » For lawn areas of up to approx.*: 500 m²
- » Cutting height adjustment: 6 levels / 25 - 75 mm / central

Without batteries / chargers

Art. No. 34.132.75

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	220 m ²	280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

PROFESSIONAL CORDLESS LAWN MOWERS 36 V

- » Brushless motor – more power, prolonged operation
- » 4-in-1 function: mowing, mulching, catching, side discharge
- » LED front light to illuminate the mowing area
- » Vario-Speed – optimum adjustment of the speed
- » Steel deck – sturdy, robust, long-lasting






GP-CM 36/52 S Li Brushless

- » Cutting width / for lawn areas of up to approx.: 52 cm / 1200 m²
- » Cutting height adjustment: 9 levels / 25 - 80 mm / central
- » Debris bag volume: 65 l

Incl. 4 batteries (18 V | 5.0 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.133.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	225 m ²	275 m ²	315 m ²	350 m ²	450 m ²	600 m ²	700 m ²	800 m ²
 ³⁾	450 m ²	550 m ²	630 m ²	700 m ²	900 m ²	1200 m ²	1400 m ²	1600 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge with 2 batteries

³⁾ Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)






PROFESSIONAL CORDLESS LAWN MOWERS 36 V

GP-CM 36/47 S Li Brushless

- » Cutting width / for lawn areas of up to approx.: 47 cm / 700 m²
- » Cutting height adjustment: 9 levels / 25 - 80 mm / central
- » Debris bag volume: 65 l

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.133.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	125 m ²	175 m ²	215 m ²	250 m ²	350 m ²	500 m ²	600 m ²	700 m ²
 ³⁾	250 m ²	350 m ²	430 m ²	500 m ²	700 m ²	1000 m ²	1200 m ²	1400 m ²

For best performance select batteries with at least 2.5 Ah






- » Brushless motor – more power, prolonged operation
- » 4-in-1 function: mowing, mulching, catching, side discharge
- » LED front light to illuminate the mowing area
- » Vario-Speed – optimum adjustment of the speed
- » Steel deck – sturdy, robust, long-lasting

GP-CM 36/47 S HW Li Brushless

- » Cutting width / for lawn areas of up to approx.: 47 cm / 700 m²
- » Cutting height adjustment: 6 levels / 30 - 65 mm / central
- » Debris bag volume: 75 l

Incl. 4 batteries (18 V | 4.0 Ah | Li-Ion) and 2 Twinchargers

Art. No. 34.132.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	125 m ²	175 m ²	215 m ²	250 m ²	350 m ²	500 m ²	600 m ²	700 m ²
 ³⁾	250 m ²	350 m ²	430 m ²	500 m ²	700 m ²	1000 m ²	1200 m ²	1400 m ²

For best performance select batteries with at least 2.5 Ah

- » Brushless motor – more power, prolonged operation
- » Side ejector – perfect for high grass
- » No catch bag included – natural fertilisation
- » Vario-Speed – optimum adjustment of the speed
- » Steel deck – sturdy, robust, long-lasting

5-IN-1

- MOWING
- MULCHING
- SIDE DISCHARGE
- DEFLECTOR REAR
- DISCHARGE
- CATCHING

**DOUBLE
TWINPACK
TECHNOLOGY**



¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge with 2 batteries

³⁾ Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

PROFESSIONAL CORDLESS TILLER 36 V


- » Height-adjustable wheels for easy transportation
- » Electronic speed control
- » Variable working width with 4 or 6 tines
- » Tool-free blade mount



GP-CR 36/45 Li E Brushless

- » Working width: 30 -45 cm
- » Working depth: 23 cm
- » Number of blades: 4 - 6 pcs

Article only available without batteries / chargers Art. No. 34.312.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	6-8 min	8-10 min	10-13 min	13-16 min	16-20 min	22-28 min	24-32 min	32-40 min
 ³⁾	12-16 min	16-20 min	20-26 min	26-32 min	32-40 min	44-56 min	48-64 min	64-80 min

For best performance select batteries with at least 4.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge with 2 identical batteries (The stated area coverage is based on the assumption of ideal conditions)

³⁾ Max. operating time per battery charge with 4 identical batteries (The stated area coverage is based on the assumption of ideal conditions)




PROFESSIONAL CORDLESS EARTH AUGER 18 V

GP-EA 18/150 Li Brushless

- » Drilling diameter: 150 mm
- » Drill bit length: 800 mm
- » Speed: 125 min⁻¹

Article only available without battery / charger Art. No. 34.370.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 pcs	15 pcs	20 pcs	30 pcs	40 pcs	50 pcs	60 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. number of drill holes (depth 40 cm, mixed soil) per battery charge

- » Brushless motor – more power, prolonged operation
- » Clockwise and counter-clockwise operation
- » Robust steel frame






PROFESSIONAL CORDLESS LAWN TRIMMER 36 V

GP-CT 36/35 Li Brushless

- » Cutting width: 35 cm
- » Thread diameter: 2.0 mm
- » Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	25 min	30 min	35 min	45 min	60 min	70 min	95 min	120 min
 ³⁾	15 min	20 min	25 min	35 min	45 min	55 min	65 min	90 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. running time in ECO mode per battery charge

³⁾ Max. operating time per battery charge (BOOST mode)



- » Brushless motor – more power, prolonged operation
- » Double-curved, ergonomic guide bar
- » Bump feed system



Tested and recommended by Forum: Gesunder Rücken - besser leben e.V. and undesverband deutscher Rückenschulen (BdR) e.V.

More information available from: AGR e.V., Stader Str. 6, 27432 Bremervörde, Tel. +49 4761/92 63 580, www.agr-ev.de

PROFESSIONAL CORDLESS HEDGE TRIMMER 18 V






- » Anti-jam system
- » 2 speeds
- » Turnable rear handle
- » Laser-cut and diamond-ground blades
- » Metal gear box

GP-CH 18/61 Li Brushless

- » Bar length / cutting length: 670 mm / 610 mm
- » Spacing between teeth: 26 mm

Article only available without battery / charger Art. No. 34.109.35

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	29.5 min	39 min	49 min	59 min	78 min	102 min	118 min	156 min
 ³⁾	20 min	27 min	33 min	40 min	53 min	69 min	80 min	106 min

¹⁾ Battery capacity

²⁾ Max. running time in ECO mode per battery charge

³⁾ Max. operating time per battery charge (BOOST mode)



PROFESSIONAL TOP-HANDLED CORDLESS CHAINSAW 18 V

FORTEXXA 18/20 TH

- » Bar length / cutting length: 200 mm / 140 mm
- » Cutting speed: 7 m/s
- » Oil tank capacity: 75 ml

Article only available without battery / charger Art. No. 46.000.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	210 pcs	240 pcs	320 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

WARNING: This chainsaw may only be used by trained tree careworkers. Misactions in compliance with safety instructions may cause serious injuries.

FITTED WITH
OREGON
CHAIN AND BAR





- » Brushless motor – more power, prolonged operation
- » Tip guard and kickback protection with instant reaction mechanical chain brake
- » Perfectly suited for branch removal and tree maintenance

PROFESSIONAL CORDLESS CHAINSAW 36 V

GP-LC 36/35 Li Brushless

- » Bar length / cutting length: 350 mm / 330 mm
- » Cutting speed: 15 m/s
- » Oil tank capacity: 115 ml

Article only available without batteries / chargers Art. No. 45.017.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs	420 pcs	480 pcs	640 pcs

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

FITTED WITH
OREGON
CHAIN AND BAR



TWIN-PACK
18V + 18V → 36 V
TECHNOLOGY

- » Brushless motor – more power, prolonged operation
- » Toolless chain tensioning and changing
- » Automatic chain lubrication

PROFESSIONAL CORDLESS LEAF BLOWER 36 V

- » Brushless motor – more power, prolonged operation
- » Turbo function
- » Electronic speed control




TWIN-PACK
 18V • 18V • 36 V
 TECHNOLOGY



GP-LB 36/210 Li E Brushless

- » Max. blow velocity: 210 km/h
- » Max. blowing air flow: 816 m³/h
- » Product weight: 2.4 kg (excl. batteries)

Article only available without batteries / chargers Art. No. 34.336.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7-40 min	10-55 min	11-63 min	16-92 min	20-116 min	26-138 min	30-165 min	40-232 min
 ³⁾	3 min	4 min	5 min	8 min	10 min	12 min	14 min	20 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode in TURBO mode






PROFESSIONAL CORDLESS LEAF BLOWERS 18 V

GP-LB 18/200 Li GK Brushless


- » Max. blow velocity: 200 km/h
- » Max. blowing air flow: 670 m³/h
- » Product weight: 2.2 kg (excl. battery)

Article only available without battery / charger Art. No. 34.335.50

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
 3)	–	–	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah




- » Brushless motor – more power, prolonged operation
- » Turbo function
- » Electronic speed control
- » Incl. gutter cleaning set



GP-LB 18/200 Li E Brushless


- » Max. blow velocity: 200 km/h
- » Max. blowing air flow: 670 m³/h
- » Product weight: 2.2 kg (excl. battery)

Article only available without battery / charger Art. No. 34.335.55

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	1-11 min	5-13 min	8-15 min	10-21 min	15-27 min	18-33 min	20-37 min	30-54 min
 3)	–	–	3 min	5 min	6 min	10 min	12 min	15 min

For best performance select a battery with at least 3.0 Ah

- » Brushless motor – more power, prolonged operation
- » Turbo function
- » Electronic speed control



1) Battery capacity

2) Max. operating time per battery charge in idle mode – dependent on the selected speed

3) Max. operating time per battery charge in idle mode in TURBO mode

PROFESSIONAL CORDLESS LEAF VACUUM 36 V

TWIN-PACK

18V • 18V • 36 V

TECHNOLOGY

- » Brushless motor – more power, prolonged operation
- » Toolless change between suction and blowing function
- » Turbo function

VENTURRO 36/240

- » Max. blow velocity: 240 km/h
- » Max. suction power: 740 m³/h
- » Shredding function: 10:1
- » Product weight: 4.0 kg

Article only available without batteries / chargers Art. No. 34.336.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7-17 min	9-23 min	10-27 min	14-35 min	17-46 min	21-56 min	27-70 min	34-92 min
 ³⁾	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min
 ⁴⁾	7-19 min	9-25 min	10-28 min	14-37 min	18-49 min	21-58 min	28-74 min	36-98 min
 ⁵⁾	4 min	5 min	6 min	8 min	10 min	13 min	16 min	20 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

⁴⁾ Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

⁵⁾ Max. operating time per battery charge in idle mode (TURBO blowing mode)


CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

TE-CD 18/48 Li-i

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min⁻¹
- Blow rate (gear 1 / 2): 0 - 6400 / 0 - 24000 min⁻¹
- Torque (hard): 48 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box
Art. No. 45.139.35

Without battery / charger / case
Art. No. 45.139.26

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	230 pcs	310 pcs	380 pcs	460 pcs	620 pcs	780 pcs	910 pcs	1240 pcs

- 13 mm metal drill chuck
- Additional handle
- LED light



TE-CD 18/44 Li-i

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min⁻¹
- Blow rate (gear 1 / 2): 0 - 6400 / 0 - 24000 min⁻¹
- Torque (hard): 44 Nm

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion) and 1 charger
Art. No. 45.142.87

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs



- 13 mm metal drill chuck
- 2-speed metal gear box
- LED light

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

CORDLESS DRILLS WITH IMPACT FUNCTION 18 V

TE-CD 18/2 Li-i

- Idle speed (gear 1 / 2): 0 - 350 / 0 - 1250 min⁻¹
- Blow rate (gear 1 / 2): 0 - 5250 / 0 - 18750 min⁻¹
- Torque (hard): 44 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case and 64-piece accessory set
Art. No. 45.142.21

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, case E-Box and 22-piece accessory set
Art. No. 45.142.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs

- 13 mm metal drill chuck
- 2-speed metal gear box
- LED light



TE-CD 18/40 Li-i

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min⁻¹
- Blow rate (gear 1 / 2): 0 - 6400 / 0 - 24000 min⁻¹
- Torque (hard): 40 Nm

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger, case and 64-piece accessory set
Art. No. 45.139.92

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs

- 13 mm metal drill chuck
- 2-speed metal gear box
- LED light



¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

CORDLESS DRILLS 18 V

TE-CD 18/45 3X-Li

- Idle speed (gear 1 / 2): 0 - 450 / 0 - 1600 min⁻¹
- Torque (hard): 45 Nm
- Number of torque settings: 20+1

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion), 1 charger, case E-Box and 22-piece accessory set Art. No. 45.139.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	240 pcs	320 pcs	400 pcs	480 pcs	640 pcs	830 pcs	960 pcs	1280 pcs



- Removable drill chuck
- 90° angle extension
- Eccentric extension

TE-CD 18/2 Li

- Idle speed (gear 1 / 2): 0 - 350 / 0 - 1250 min⁻¹
- Torque (hard): 44 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box Art. No. 45.142.31

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	180 pcs	240 pcs	300 pcs	360 pcs	480 pcs	625 pcs	720 pcs	960 pcs

- 2-speed metal gear box
- LED light
- Belt clip



¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

CORDLESS DRILLS 18 V

TE-CD 18/40 Li Brushless

- Idle speed (gear 1 / 2): 0 - 350 / 0 - 1450 min⁻¹
- Torque (hard): 40 Nm
- Number of torque settings: 20+1

Incl. 2 batteries (18 V | 2.0 Ah | Li-Ion), 1 charger and case E-Box
Art. No. 45.139.95

Without battery / charger / case
Art. No. 45.139.97

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	230 pcs	300 pcs	380 pcs	450 pcs	600 pcs	780 pcs	900 pcs	1200 pcs

- Brushless motor – more power, prolonged operation
- 2-speed metal gear box
- Lightweight and handy design



TE-CD 18/40 Li

- Idle speed (gear 1 / 2): 0 - 400 / 0 - 1500 min⁻¹
- Torque (hard): 40 Nm
- Number of torque settings: 21+1

Incl. 2 batteries (18 V | 1.5 Ah | Li-Ion), 1 charger and case E-Box
Art. No. 45.139.39

Without battery / charger / case
Art. No. 45.139.25

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	230 pcs	305 pcs	380 pcs	460 pcs	610 pcs	770 pcs	920 pcs	1220 pcs

- 2-speed metal gear box
- LED light
- Quick stop



¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

CORDLESS DRILLS 18 V

TC-CD 18/35 Li

- Idle speed: 0 - 550 min⁻¹
- Torque (hard): 35 Nm
- Number of torque settings: 21+1

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger (0.8 A charger)
Art. No. 45.139.14

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger (3 A charger)
Art. No. 45.142.55

Without battery / charger / case Art. No. 45.139.27

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	220 pcs	295 pcs	366 pcs	440 pcs	590 pcs	760 pcs	880 pcs	1180 pcs

- 10 mm drill chuck
- Quick stop
- LED light



CORDLESS ANGLE DRILL 18 V

TE-AD 18 Li

- Idle speed: 0 - 1100 min⁻¹
- Torque (hard): 45 Nm
- Drill chuck: 10 mm

Article only available without battery / charger / case
Art. No. 45.142.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	155 pcs	205 pcs	260 pcs	310 pcs	415 pcs	535 pcs	620 pcs	830 pcs



- Angle drill for working in narrow places and niches
- Rotatable battery holder
- 10 mm quick-action drill chuck

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

CORDLESS DRYWALL SCREWDRIVER 18 V

TE-DY 18 Li

- Idle speed: 0 - 4000 min⁻¹
- Torque (soft): 6 Nm
- Bit mount: Internal hexagon 6.35 mm (¼")

Article includes case E-Box but no battery / charger

Art. No. 42.599.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	800 pcs	1100 pcs	1350 pcs	1600 pcs	2200 pcs	2800 pcs	3300 pcs	4400 pcs

¹⁾ Battery capacity

²⁾ Screwing 3.9 x 25 mm screws into drywall – max. quantity per battery charge

- Continuous operation setting
- Toolless depth adjustment
- Speed control electronics



CORDLESS IMPACT DRIVER 18 V

TE-CI 18/1 Li

- Idle speed: 0 - 2300 min⁻¹
- Torque (hard): 140 Nm
- Mount: Internal hexagon 6.35 mm (¼")

Article only available without battery / charger / case

Art. No. 45.100.34

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	140 pcs	185 pcs	230 pcs	280 pcs	370 pcs	520 pcs	560 pcs	740 pcs

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

- Short design
- 3 power LEDs
- Belt clip





CORDLESS HAMMER DRILL 18 V

TE-ID 18 Li

- Idle speed: 0 - 2600 min⁻¹
- Blow rate: 0 - 41600 min⁻¹
- Drilling capacity, concrete: 13 mm

Article only available without battery / charger / case

Art. No. 45.139.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	45 pcs	60 pcs	75 pcs	90 pcs	120 pcs	156 pcs	180 pcs	240 pcs

¹⁾ Battery capacity

²⁾ ø 6 mm / 45 mm into brick – max. quantity per battery charge



- 2 functions
- 13 mm metal drill chuck
- Speed electronics



CORDLESS ROTARY HAMMERS 18 V

TE-HD 18/20 Li

- Idle speed: 0 - 1300 min⁻¹
- Impact force: 1.8 J
- Drilling capacity, concrete: 20 mm
- Drill chuck: SDS-plus

Article includes case E-Box but no battery / charger

Art. No. 45.142.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 holes	39 holes	49 holes	60 holes	78 holes	103 holes	117 holes	156 holes

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

³⁾ Drilling in concrete (ø 6 mm / 50 mm) – max. quantity per battery charge

- 4 functions
- Speed control electronics
- LED light






CORDLESS ROTARY HAMMERS 18 V

TE-HD 18/12 Li

- Idle speed: 0 - 1300 min⁻¹
- Impact force: 1.3 J
- Drilling capacity, concrete: 12 mm
- Drill chuck: SDS-plus
- Incl.: Magnetic bit adapter

Article only available without battery / charger / case

Art. No. 45.139.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	136 pcs	185 pcs	226 pcs	270 pcs	360 pcs	474 pcs	540 pcs	720 pcs
 ³⁾	34 holes	45 holes	57 holes	82 holes	96 holes	140 holes	166 holes	182 holes

¹⁾ Battery capacity

²⁾ Screwing 6 x 60 mm screws into soft wood – max. quantity per battery charge

³⁾ Drilling in concrete (Ø 6 mm / 50 mm) – max. quantity per battery charge



CORDLESS PAINT/MORTAR MIXER 18 V

TE-MX 18 Li

- Idle speed: 0 - 620 min⁻¹
- Stirrer mount: M14
- Incl.: 1 mortar stirrer (Ø 100 mm)

Article only available without battery / charger / case

Art. No. 42.587.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	18 min	24 min	30 min	36 min	48 min	62 min	72 min	96 min
 ³⁾	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min
 ⁴⁾	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

³⁾ Mixing duration for wall paint per battery charge

⁴⁾ Mixing duration for mortar per battery charge

- 2+1 functions
- Speed control electronics
- LED light



- Ergonomic, handy design
- Speed control electronics
- Soft start

CORDLESS ANGLE GRINDERS 18 V

TE-AG 18/115 Q Li



- Idle speed: 8500 min⁻¹
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm
- Incl.: 1 quick fix nut and 1 cutting guard

Article only available without battery / charger / case ³⁾

Art. No. 44.311.65



- Quick fix nut – toolless change
- Disc guard with quick adjust facility
- Incl. cutting guard for a wide range of work assignments

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 pcs	29 pcs	35 pcs	46 pcs	58 pcs	70 pcs	90 pcs	115 pcs

For best performance select a battery with at least 2.5 Ah

TE-AG 18/115-2 Li

- Idle speed: 8500 min⁻¹
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm
- Incl.: 1 cutting guard

Article only available without battery / charger / case ³⁾

Art. No. 44.311.66

- Incl. cutting guard - equipped for a wide range of applications
- Disc guard with quick adjust facility
- Soft start – for user safety and motor protection

NEW



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 pcs	29 pcs	35 pcs	46 pcs	58 pcs	70 pcs	90 pcs	115 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

³⁾ Cutting/grinding discs not included

CORDLESS ANGLE GRINDERS 18 V

TE-AG 18/115 Li

- Idle speed: 8500 min⁻¹
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Incl. 1 battery (18 V | 4.0 Ah | Li-Ion), 1 charger, 1 cutting disc, 1 grinding disc, 1 cutting guard, Einhell Bag 45/22 Art. No. 44.311.34

Without battery / charger / case ³⁾ Art. No. 44.311.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah




- Soft start – for user safety and motor protection
- Disc guard with quick adjust facility
- Protection against accidental restart enhances user safety

TC-AG 18/115 Li

- Idle speed: 8500 min⁻¹
- Wheel diameter: 115 mm
- Max. cutting depth: 28 mm

Incl. 1 battery (18 V | 4.0 Ah | Li-Ion) and 1 charger Art. No. 44.311.33

Without battery / charger / case ³⁾ Art. No. 44.311.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 pcs	20 pcs	25 pcs	30 pcs	40 pcs	60 pcs	70 pcs	80 pcs

For best performance select a battery with at least 2.5 Ah

- Soft start – for user safety and motor protection
- Protection against accidental restart enhances user safety
- Additional handle can be mounted in 3 positions



¹⁾ Battery capacity

²⁾ Cutting through pieces of round steel with 12 mm – max. quantity per battery charge

³⁾ Cutting/grinding discs not included

CORDLESS BISCUIT JOINER 18 V

TE-BJ 18 Li


- Idle speed: 6500 min⁻¹
- Max. cutting depth: 20 mm
- Tilt angle adjustment: 90°
- Channel cutter: ø 100 x 22 x 4 mm

Article only available without battery / charger Art. No. 43.506.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	212 pcs	283 pcs	353 pcs	424 pcs	566 pcs	735 pcs	840 pcs	1132 pcs

¹⁾ Battery capacity

²⁾ Max. number of cuts in pinewood for Type 10 flat dowels per battery charge



- Infinitely adjustable angle setting up to 90°
- 6-step quick adjustment of cutting depth
- Suitable for standard biscuit dowel sizes up to type 20
- Complete with dust bag for dust-free working

CORDLESS PLANER 18 V

TE-PL 18/82 Li

- Idle speed: 15000 min⁻¹
- Planing width: 82 mm
- Chip depth max.: 2 mm
- Max. rebate depth: 8 mm

Article only available without battery / charger Art. No. 43.454.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	16 m	25 m	28 m	37 m	48 m	58 m	78 m	96 m

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Planing of spruce wood (depth: 1 mm / width: 50 mm), maximum length in meters per battery charge



- Powerful – with a planing depth up to 2 mm
- Automatic park rest for added safety
- Incl. parallel guide for precise planing results

CORDLESS CIRCULAR SAWS 18 V

TE-CS 18/165-1 Li

- Idle speed: 4200 min⁻¹
- Saw blade: ø 165 x ø 20 mm
- Cutting depth at 45° / 90°: 35 mm / 54 mm

Article only available without battery / charger / case

Art. No. 43.312.07

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	25 m	33 m	40 m	49 m	64 m	82 m	98 m	128 m

- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



TE-CS 18/150 Li

- Idle speed: 4200 min⁻¹
- Saw blade: ø 150 x ø 10/16 mm
- Cutting depth at 45° / 90°: 32 mm / 48 mm

Article only available without battery / charger / case

Art. No. 43.312.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 m	30 m	38 m	45 m	60 m	78 m	90 m	120 m

- Adjustment without tools (depth/angle)
- LED light
- Aluminium sawing table



¹⁾ Battery capacity

²⁾ Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge



CORDLESS MINI CIRCULAR SAW 18 V


- Toolless cutting depth adjustment
- Aluminium sawing table
- Dust extraction device



TE-CS 18/89 Li

- Idle speed: 2500 min⁻¹
- Saw blade: ø 89 x ø 10 mm
- Cutting depth 90°: 28 mm

Incl. 1 TCT sawblade, 1 HSS sawblade, 1 parallel stop but no battery / charger / case
Art. No. 43.311.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	26 m	36 m	50 m	57 m	72 m	104 m	120 m	144 m

¹⁾ Battery capacity

²⁾ Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge

CORDLESS JIGSAWS 18 V

TE-JS 18/80 Li

- Stroke speed: 0 - 2400 min⁻¹
- Cutting depth (wood / plastic / steel): 80 / 12 / 10 mm
- Product weight: 1.8 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 43.212.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m

- Universal blade holder
- Pendulum action (4 settings)
- Blade change without tools
- LED light



TC-JS 18 Li

- Stroke speed: 0 - 2700 min⁻¹
- Cutting depth (wood / plastic / steel): 70 / 10 / 8 mm
- Product weight: 1.8 kg (excl. battery)

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion), 1 charger, 3 saw blades

(wood), 2 saw blades (metal), case E-Box Art. No. 43.212.28

Article includes high quality saw blade but no battery / charger / case

Art. No. 43.212.09

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7 m	9.5 m	11 m	14 m	20 m	30 m	32 m	40 m



- Pendulum action (4 settings)
- Blade change without tools
- Dust-blower function

¹⁾ Battery capacity

²⁾ Cutting capacity for 19 mm chipboard – max. cutting capacity per battery charge

CORDLESS ALL PURPOSE SAWS 18 V

TE-AP 18/26 Li

- Stroke speed / height: 0 - 2600 min⁻¹ / 26 mm
- Cutting depth (wood / steel): 180 / 12 mm
- Saw blade thickness: 0.7 - 1.8 mm

Article includes high quality saw blade for wood but no battery / charger / case
Art. No. 43.262.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	155 pcs	207 pcs	260 pcs	311 pcs	414 pcs	572 pcs	640 pcs	854 pcs

TE-AP 18/22 Li

- Stroke speed / height: 0 - 2600 min⁻¹ / 22 mm
- Cutting depth (wood / steel): 100 / 6 mm
- Saw blade thickness: 0.6 - 1.6 mm



Article includes high quality saw blade for wood but no battery / charger / case
Art. No. 43.263.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	140 pcs	185 pcs	240 pcs	290 pcs	370 pcs	570 pcs	580 pcs	740 pcs

TE-AP 18/13 Li

- Stroke speed / height: 0 - 3000 min⁻¹ / 13 mm
- Cutting depth (wood / steel): 50 / 4 mm
- Saw blade thickness: 0.6 - 1.6 mm

Article includes high quality saw blades for wood and metal (1 of each) but no battery / charger / case
Art. No. 43.263.15

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	185 pcs	242 pcs	313 pcs	369 pcs	484 pcs	629 pcs	726 pcs	976 pcs

¹⁾ Battery capacity

²⁾ Round timber 35 mm – max. number of cuts per battery charge



- Anti-vibration function
- Blade change without tools
- Soleplate adjustment without tools



- Blade change without tools
- Soleplate adjustment without tools
- Ergonomic, compact design



NEW

- Designed for one-handed work
- Blade change without tools
- Particularly lightweight and compact

CORDLESS BANDSAWS 18 V

TE-MB 18/127 Li

- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm
- Number of teeth: 10/14 TPI combi tooth pitch
- Incl.: 2 saw bands

Article only available without battery / charger Art. No. 45.042.16

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs



- High cutting capacity of 115 mm x 127 mm
- Cutting metal, wood, plastic etc. possible
- LED light



TE-MB 18/127 U Li

- Blade speed: 120 m/min
- Saw band dimension: 1141 x 13 x 0.65 mm
- Number of teeth: 10/14 TPI combi tooth pitch
- Mitre cut: 0° to 47° to the left
- Incl.: 2 saw bands and workbench

Article only available without battery / charger Art. No. 45.042.15

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 pcs	30 pcs	35 pcs	45 pcs	60 pcs	78 pcs	90 pcs	120 pcs

- High cutting capacity of 115 mm x 127 mm
- Cutting metal, wood, plastic etc. possible
- For flexible use with or without the base frame





CORDLESS SLIDING MITRE SAWS 36 V



TWIN-PACK
18 V + 18 V → 36 V
TECHNOLOGY

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting

TE-SM 36/10 L Li

- Speed: 3800 min⁻¹
- Saw blade / number of teeth: HM ø 254 x ø 30 x 2.5 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 340 x 85 mm

Article only available without batteries / chargers Art. No. 43.008.85

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	131 pcs	175 pcs	219 pcs	263 pcs	350 pcs	456 pcs	526 pcs	701 pcs
³⁾	268 pcs	358 pcs	447 pcs	537 pcs	716 pcs	931 pcs	1074 pcs	1432 pcs

¹⁾ Battery capacity (2x batteries required)

²⁾ Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge




³⁾ Laminate 195 x 8 mm – max. number of cuts per battery charge

CORDLESS SLIDING MITRE SAWS 36 V

TE-SM 36/210 Li

- Speed: 3800 min⁻¹
- Saw blade / number of teeth: HM Ø 210 x Ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 310 x 65 mm




Article only available without batteries / chargers Art. No. 43.008.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	140 pcs	185 pcs	230 pcs	275 pcs	370 pcs	480 pcs	555 pcs	740 pcs
 ³⁾	263 pcs	350 pcs	435 pcs	525 pcs	700 pcs	910 pcs	1050 pcs	1400 pcs

TE-SM 36/8 L Li

- Speed: 3000 min⁻¹
- Saw blade / number of teeth: HM Ø 216 x Ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 305 x 65 mm

Article only available without batteries / chargers Art. No. 43.008.82

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	145 pcs	188 pcs	250 pcs	289 pcs	385 pcs	500 pcs	578 pcs	771 pcs
 ³⁾	278 pcs	370 pcs	466 pcs	556 pcs	741 pcs	964 pcs	1112 pcs	1483 pcs

¹⁾ Battery capacity (2x batteries required)

²⁾ Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge

³⁾ Laminat 195 x 8 mm – max. number of cuts per battery charge



TWIN-PACK
18 V < 18 V > 36 V
TECHNOLOGY

- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- Powerful 36 V motor (2x 18 V)
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting

- Specially developed high-quality precision saw blade
- Cutting line laser helps make the job easier
- Powerful 36 V motor (2x 18 V)

TWIN-PACK
18 V < 18 V > 36 V
TECHNOLOGY



CORDLESS MITRE SAWS 18 V

TE-MS 18/210 Li

- Speed: 3000 min⁻¹
- Saw blade / number of teeth: HM Ø 210 x Ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 120 x 60 mm

Article only available without battery / charger Art. No. 43.008.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	72 pcs	103 pcs	120 pcs	154 pcs	190 pcs	250 pcs	304 pcs	400 pcs

For best performance select a battery with at least 2.5 Ah


- Specially developed high-quality precision saw blade
- Laser and LED for easy and safe use
- X-Tend work supports with single hand operation facility and integrated limit stop for repeat cutting



TE-MS 18/8 Li

- Speed: 3000 min⁻¹
- Saw blade / number of teeth: HM Ø 216 x Ø 30 x 1.8 mm / Z40
- Swivelling range: -47° to +47°
- Mitre cut: 0° to 45° to the left
- Max. cutting capacity at 90° x 90°: 120 x 60 mm

Article only available without battery / charger Art. No. 43.008.93

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	98 pcs	131 pcs	170 pcs	197 pcs	262 pcs	341 pcs	393 pcs	524 pcs

For best performance select a battery with at least 2.5 Ah

- Specially developed high-quality precision saw blade
- Chip collector for optimum extraction



¹⁾ Battery capacity



²⁾ Square timber 60 x 60 mm (soft wood) – max. number of cuts per battery charge

CORDLESS TABLE SAW 36 V

TE-TS 36/210 Li

- Speed: 3800 min⁻¹
- Saw blade / number of teeth: HM Ø 210 x Ø 30 x 1.8 mm / Z40
- Cutting height 90° / 45°: 70 mm / 45 mm
- Max. cutting capacity on the right: 625 mm

Article only available without batteries / chargers Art. No. 43.404.50

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	45 m	60 m	71 m	92 m	122 m	160 m	184 m	244 m

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ OSB panel 19 mm – max. cutting range per battery charge



TWIN-PACK
  36 V
 TECHNOLOGY



- Specially developed high-quality precision saw blade
- Sturdy aluminium table
- Holders for stowing away all the attachments

CORDLESS TILE CUTTING MACHINE 18 V

TE-TC 18/115 Li

- Speed: 3800 min⁻¹
- Cutting wheel: Ø 115 x Ø 22.2 x 1.4 mm
- Cutting height 90° / 45°: 24 mm / 16 mm
- Angle stop: 0° to +90°

Article only available without battery / charger Art. No. 43.011.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	37 pcs	50 pcs	63 pcs	75 pcs	100 pcs	130 pcs	150 pcs	200 pcs

¹⁾ Battery capacity

²⁾ Ceramic tile 7 mm / length 150 mm – max. cutting range per battery charge

- Excellent diamond cutting disc for perfect cuts
- Very powerful engine
- Integrated water tank





CORDLESS MULTIFUNCTIONAL TOOLS 18 V







- Quick-release lock
- Magnetic tool mounting
- Speed control electronics

VARRITO

- Oscillating speed: 22000 - 40000 min⁻¹
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 mm
- Incl.: 15-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
 ³⁾	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
 ⁴⁾	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

³⁾ Round plastics 10 mm – max. number of cuts per battery charge

⁴⁾ Round steel 6 mm – max. number of cuts per battery charge





CORDLESS MULTIFUNCTIONAL TOOLS 18 V

TE-MG 18/1 Li

- Oscillating speed: 10000 - 33000 min⁻¹
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl.: 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.95





 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	26 min	35 min	44 min	52 min	71 min	90 min	105 min	140 min
 ³⁾	540 pcs	721 pcs	901 pcs	1082 pcs	1442 pcs	1875 pcs	2163 pcs	2884 pcs
 ⁴⁾	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

TC-MG 18 Li

- Oscillating speed: 22000 - 40000 min⁻¹
- Oscillation angle: 3.2°
- Abrasive paper size: 93 x 93 x 93 mm
- Incl.: 13-piece accessory set

Article only available without battery / charger / case

Art. No. 44.651.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 min	30 min	38 min	45 min	60 min	78 min	90 min	120 min
 ³⁾	540 pcs	720 pcs	900 pcs	1080 pcs	1440 pcs	1880 pcs	2160 pcs	2880 pcs
 ⁴⁾	100 pcs	134 pcs	166 pcs	200 pcs	268 pcs	340 pcs	400 pcs	536 pcs

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

³⁾ Round plastics 10 mm – max. number of cuts per battery charge

⁴⁾ Round steel 6 mm – max. number of cuts per battery charge

NEW



- Quick-release lock
- Magnetic tool mounting
- Speed control electronics



- Magnetic tool mounting
- Speed control electronics
- Ergonomic, handy design

CORDLESS ROTATING SANDER 18 V

TE-RS 18 Li

- Oscillating speed: 14000 - 22000 min⁻¹
- Oscillating circuit ø: 2.0 mm
- Abrasive paper ø: 125 mm
- Incl.: Abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.620.10

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min

- Speed control electronics
- Hook and loop fastening
- Dust extraction



CORDLESS ORBITAL SANDERS 18 V

TE-OS 18/230 Li

- Oscillating speed: 14000 - 22000 min⁻¹
- Oscillating circuit ø: 2.5 mm
- Abrasive paper: 230 x 115 mm
- Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.607.20

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	20 min	27 min	33 min	40 min	54 min	70 min	80 min	108 min

- Speed control electronics
- Hook and loop fastening
- Aluminium sole plate
- Dust extraction



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS ORBITAL SANDERS 18 V

TC-OS 18/187 Li

- Oscillating speed: 24000 min⁻¹
- Oscillating circuit ø: 2.0 mm
- Abrasive paper: 187 x 94 mm
- Incl.: Abrasive paper (1 pc)

Article only available without battery / charger / case

Art. No. 44.607.25

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	25 min	34 min	42 min	50 min	67 min	87 min	100 min	134 min



- Hook and loop fastening
- Dust extraction

TE-OS 18/150 Li

- Oscillating speed: 24000 min⁻¹
- Oscillating circuit ø: 1.6 mm
- Abrasive paper: 150 x 150 x 100 mm
- Incl.: Abrasive papers (6 pcs)

Article only available without battery / charger / case

Art. No. 44.607.08

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	23 min	27 min	34 min	40 min	55 min	70 min	80 min	110 min

- Small, compact and handy
- Hook and loop fastening
- Dust extraction



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS ORBITAL SANDERS 18 V

TE-OS 18/113 3X Li

- Oscillating speed: 22000 min⁻¹
- Oscillating circuit ø: 1.8 mm
- Abrasive paper N°1: 101 x 113 mm
- Abrasive paper N°2: 150 x 150 x 100 mm
- Abrasive paper N°3: 130 x 80 mm
- Incl.: Abrasive papers (3 pcs)

Article only available without battery / charger / case

Art. No. 44.607.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	34 min	45 min	56 min	67 min	89 min	116 min	133 min	178 min

- Interchangeable sanding plates
- Compact design
- Hook and loop fastening system
- Dust extraction

NEW



TE-OS 18/113 Li

- Oscillating speed: 22000 min⁻¹
- Oscillating circuit ø: 1.8 mm
- Abrasive paper: 101 x 113 mm
- Incl.: Abrasive papers (2 pcs)

Article only available without battery / charger / case

Art. No. 44.607.31

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	34 min	45 min	56 min	67 min	89 min	116 min	133 min	178 min



NEW

- Compact design
- Hook and loop fastening system
- Dust extraction

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS BELT FILE 18 V

TE-BF 18 Li

- Grinding/sanding belt speed: 250 - 1700 m/min
- Grinding arm width: 9 / 13 mm
- Grinding/sanding belt length: 457 mm
- Incl.: Grinding/sanding belts (12 pcs)

Article only available without battery / charger / case

Art. No. 44.610.00



- Interchangeable grinding arm 9 mm / 13 mm
- Angle adjustment grinding arm
- Speed control electronics
- Belt run adjustment
- Belt change without tools
- Dust extraction

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 min	15 min	18 min	22 min	30 min	39 min	45 min	60 min

CORDLESS GRINDING AND ENGRAVING TOOL 18 V

TE-MT 18/34 Li

- Speed: 5000 - 34000 min⁻¹
- Clamping sleeves ø: 1.6 / 2.4 / 3.2 mm
- Length of flexible shaft: 92 cm
- Incl.: 57-piece accessory set and carrying strap

Article only available without battery / charger / case

Art. No. 44.193.60

- Speed control electronics
- Spindle lock
- Accessory holder in the housing
- Wall bracket



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 min	40 min	49 min	59 min	79 min	102 min	118 min	157 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS CAR POLISHING MACHINE 18 V

CE-CB 18/254 Li

- Idle speed: 2500 min⁻¹
- Diameter: 254 mm

Article only available without battery / charger / case

Art. No. 20.933.01

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	56 min	81 min	93 min	112 min	127 min	200 min	222 min	254 min

For best performance select a battery with at least 2.5 Ah

- Handy and robust
- Soft grip for comfortable operation
- Incl. 1 textile polishing bonnet and 1 synthetic polishing bonnet



CORDLESS POLISHING/SANDING MACHINE 18 V

CE-CP 18/180 Li E Brushless

- Idle speed: 500 - 3000 min⁻¹
- Diameter: 180 mm

Article only available without battery / charger / case

Art. No. 20.933.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	17 min	20 min	25 min	35 min	43 min	54 min	65 min	86 min

For best performance select a battery with at least 2.5 Ah



- Brushless motor – more power, prolonged operation
- Speed control electronics
- Hook and loop fastening for changing the attachments quickly

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode


CORDLESS BLOWER 18 V

TE-CB 18/180 Li

- Blow velocity (step 1 / 2): 130 km/h / 180 km/h
- Idle speed (step 1 / 2): 11500 min⁻¹ / 15500 min⁻¹
- Incl.: 3 inflation nozzles

Article only available without battery / charger / case

Art. No. 34.080.01

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	31 min	39 min	48 min	62 min	68 min	100 min	124 min	136 min
 ³⁾	18 min	24 min	26 min	36 min	48 min	56 min	65 min	96 min

¹⁾ Battery capacity

²⁾ Performance at setting 1 per battery charge in idle mode

³⁾ Performance at setting 2 per battery charge in idle mode



- 2-step speed adjustment
- Lightweight
- Small and handy

CORDLESS SEALING GUN 18 V

TE-SG 18/10 Li

- Feed speed: 0 - 10 mm/s
- Dispensing force: 2000 N

Article only available without battery / charger / case

Art. No. 45.222.50

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	128 pcs	170 pcs	213 pcs	255 pcs	340 pcs	442 pcs	510 pcs	680 pcs

¹⁾ Battery capacity

²⁾ Number of cartridges per battery charge



- Adjustable dispensing speed
- No dripping due to reversing mechanism
- With bright LED for an optimum view of the work area

CORDLESS PAINT SPRAY SYSTEMS 18 V

TE-SY 18/90 Li

- Delivery rate: 1000 ml/min
- Tank volume: 1200 ml
- Max. viscosity: 90 DIN-sec
- Incl.: 3 nozzles for different viscosities
- Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	24 m ²	31 m ²	39 m ²	50 m ²	62 m ²	81 m ²	93 m ²	124 m ²



- Semi-stationary system for medium to large work areas
- Spraying of lacquers and glazes
- Removable spray cap
- Adjustable air flow rate
- Paint flow regulation
- Adjustable air cap

TC-SY 18/60 Li

- Delivery rate: 650 ml/min
- Tank volume: 800 ml
- Max. viscosity: 60 DIN-sec
- Incl.: 2 nozzles for different viscosities
- Incl.: purification needle and purification brush

Article only available without battery / charger Art. No. 42.600.25

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	22 m ²	30 m ²	38 m ²	45 m ²	60 m ²	78 m ²	90 m ²	120 m ²

- Hand-held system for small and medium-sized working areas
- Spraying of lacquers and glazes
- Removable spray cap
- Paint flow regulation
- Adjustable air cap



¹⁾ Battery capacity

²⁾ Max. area coverage per battery charge with viscosity 60 DIN-sec with single paint application

USB BATTERY ADAPTERS 18 V

TC-CP 18 Li USB

- USB connections: 2
- Output current USB 1: 1.0 A
- Output current USB 2: 2.1 A

Article only available without battery / charger / case

Art. No. 45.141.20



- 2 USB ports
- Charging mobile devices (mobile phone, tablet, etc.)
- LED operating status indicator

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 h	12 h	13.5 h	16 h	24 h	32 h	36 h	48 h

¹⁾ Battery capacity

²⁾ Charging time per battery charge

TC-CP 18 Li USB A/C

- USB connections: 2
- Output current USB 1: 2.0 A
- Output current USB 2: 2.0 A

Article only available without battery / charger / case

Art. No. 45.141.48

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	2 h	2.5 h	3 h	3.5 h	4.5 h	6 h	7 h	9 h

¹⁾ Battery capacity

²⁾ Charging an iPhone13 – charging time per battery charge

NEW



- 2 USB ports: 1x USB-A, 1x USB-C
- Charging mobile devices (mobile phone, tablet, etc.)
- LED operating status indicator



CORDLESS RADIO 18 V

TC-RA 18 Li BT

- AM Frequency: 522 - 1620 kHz
- FM Frequency: 87.5 - 108 MHz
- AM / FM station memory: 10 / 10

Article only available without battery / charger / case

Art. No. 34.080.17

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 h	16 h	20.5 h	24.5 h	32.5 h	42.5 h	49 h	65 h



- LCD display
- External antenna
- Bluetooth connection for wireless music listening





CORDLESS SPEAKER 18 V

TC-SR 18 Li BT

- Power rating: 2x 3 W
- Max. volume: 85 dB
- Product weight: 0.3 kg (excl. battery)

Article only available without battery / charger / case

Art. No. 45.141.50

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	43 h	57 h	72 h	86 h	114 h	148 h	171 h	228 h



- Bluetooth connection for wireless music listening
- USB connection for charging mobile phones etc.
- AUX connection

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge

CORDLESS LIGHTS 18 V



- 2-step luminosity adjustment
- Hybrid function – for use from a 12 V cigarette lighter socket or with a rechargeable battery
- 7 bright LEDs
- 1/4" tripod thread



TE-CL 18/2500 LiAC

- Luminosity: 1000 lm / 2500 lm
- Light range: 640 m
- Colour temperature: 6500 K
- Incl.: 12 V car cable

Article only available without battery / charger / case

Art. No. 45.141.45

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	69 min	85 min	107 min	137 min	183 min	238 min	274 min	366 min
» ³⁾	229 min	291 min	341 min	458 min	611 min	794 min	916 min	1222 min

¹⁾ Battery capacity

²⁾ Luminous period per battery charge – 2500 lm

³⁾ Luminous period per battery charge – 1000 lm



CORDLESS LIGHTS 18 V

TE-CL 18/2000 LiAC

- Mains connection: 100-240 V ~ 50-60 Hz
- Cable length: 2 m
- Luminosity: 500 lm / 1200 lm / 2000 lm
- Light source: 20 LEDs
- Incl.: 230 V power cable

Article only available without battery / charger / case

Art. No. 45.141.14

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	87 min	115 min	145 min	174 min	230 min	300 min	345 min	460 min

¹⁾ Battery capacity

²⁾ Luminous period per battery charge

TC-CL 18/1800 Li

- Luminosity: 1800 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.15

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	95 min	118 min	140 min	191 min	243 min	300 min	350 min	468 min

¹⁾ Battery capacity

²⁾ Luminous period per battery charge



- Hybrid function – can also be used with 230 V power cable
- 3-step luminosity adjustment
- 360° swivelling lamp head

- 360° swivelling lamp head
- Infinitely variable luminosity
- Folding foot



CORDLESS LIGHTS 18 V

TC-CL 18/350 Li

- Luminosity: 350 lm
- Light range: 30 m
- Product weight: 0.48 kg
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.75

- High-intensity power LED
- Pivoting light head -5° bis 110°
- Fastening eyelet
- Slim, lightweight design



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	6 h	7.5 h	9.5 h	11 h	15 h	19.5 h	23 h	30 h

TC-CL 18 Li H

- Luminosity: 280 lm
- Light source: 1 LED

Article only available without battery / charger / case

Art. No. 45.141.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 h	10 h	12 h	16 h	22 h	32 h	33 h	44 h



- High-quality LED of the company Cree Ltd.
- Swivelling lamp head
- Metal hook

¹⁾ Battery capacity

²⁾ Luminous period per battery charge

CORDLESS HOT GLUE GUN 18 V

TE-CG 18 Li

- Warm-up period: 120 s
- Max. glueing temperature: 170°C
- Glue stick length / diameter: 200 mm / 11 mm
- Incl.: 5 glue sticks and flat glueing nozzle

Article only available without battery / charger / case

Art. No. 45.222.00



- LED heat level indicator
- LED light
- Changeable glueing nozzle

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	14 pcs	18 pcs	22 pcs	28 pcs	36 pcs	44 pcs	50 pcs	72 pcs

¹⁾ Battery capacity

²⁾ Glue sticks 11 mm, length 200 mm – max. number per battery charge

CORDLESS HOT AIR GUN 18 V

TE-HA 18 Li

- Temperature setting 1 / setting 2: 350 °C / 550 °C
- Air rate: 200 l/min

Incl. reducer nozzle, wide nozzle, reflector nozzle but no battery / charger / case

Art. No. 45.205.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7 min	9 min	11 min	13 min	17 min	22 min	26 min	34 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge – setting 2



- 2 temperature settings with LED display
- Mechanical nozzle ejector
- Overheating protection for safe operation

CORDLESS STAPLER/NAILER 18 V




- 2-in-1 stapler and nailer combination tool
- Cutting depth adjustment
- Magazine with level indicator
- Allows stapling close to the edge



TE-CN 18 Li

- Max. working speed: 20 min⁻¹
- Staple length: 16 - 22 mm
- Nail length: 15 - 32 mm

Incl. 300 nails + 300 staples; article only available without battery / charger / case
Art. No. 42.577.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	1472 pcs	2030 pcs	2670 pcs	3204 pcs	4272 pcs	5554 pcs	6408 pcs	8544 pcs
 ³⁾	1459 pcs	1995 pcs	2642 pcs	3171 pcs	4228 pcs	5496 pcs	6342 pcs	8456 pcs

¹⁾ Battery capacity

²⁾ 32 mm nails in softwood at maximum depth setting – max. number per battery charge

³⁾ 22 mm staples in softwood at maximum depth setting – max. number per battery charge



E-CASE-SYSTEM SYSTEM CASES E-CASE



- Accessories available to create individual arrangements
- 2x fold-in ergonomic handles for comfortable carrying



E-Case S-F

- Items supplied: 1x E-Case S + 2x foam inlays
- Internal dimensions: 421 x 281 x 96 mm
- External dimensions: 444 x 330 x 131 mm

Art. No. 45.400.11

- Large 15 cm all-terrain rubberized wheels
- Telescopic handle for easy transport
- For storing and transporting large tools



E-Case L

- Items supplied: 1x E-Case L + 1x tray for hand tools + 2x spacer clips
- Internal dimensions: 421 x 273 x 320 mm
- External dimensions: 444 x 406 x 355 mm

Art. No. 45.400.14

Optionally available as an accessory for the E-Case S-F:

Set of Plastic Compartments

- Set comprising: 2x long, 3x mid-length, 4x short dividers



Art. No. 45.400.12

Grid Foam

- Items supplied: 1x adjustable grid foam inlay
- Height: 65 mm



Art. No. 45.400.13

E-CASE-SYSTEM

SYSTEM CASES E-CASE

- Inner height of 25 cm is optimised for bulky Einhell products
- Foldable, ergonomic handle for comfortable carrying



E-Case M

- Items supplied: 1x E-Case M + 1x hand tool insert
- Internal dimensions: 415 x 280 x 250 mm
- External dimensions: 444 x 330 x 295 mm

Art. No. 45.400.21

- Complete modular storage solution for the ambitious handyman



E-Case Tower

- Items supplied:
1x E-Case S + 2x foam inlays, 1x E-Case S + 1x set of plastic compartments (2x long, 3x mid-length, 4x short dividers), 1x E-Case L + 1x tray for hand tools + 2x spacer clips

Art. No. 45.400.15

UNMATCHED FOR RUGGEDNESS!



25 KG

Maximum loading of a single case when carried by the handle on the side



1000 KG

Maximum permissible loading of the case at the bottom of the stack



90 KG

Maximum loading of several cases when carried by the handle on the top



120 KG

Max. total load
E-Case L + stacked cases

STACKABLE AND CONNECTABLE





E-CASE-SYSTEM

SYSTEM CASES E-CASE

- Large outside pockets for storing batteries and chargers
- Integrated spirit level clips

E-Case Bag

- Items supplied: 1x E-Case Bag
- Max. load: 30 kg
- Internal dimensions: 430 x 210 x 290 mm
- External dimensions: 440 x 220 x 330 mm

Art. No. 45.400.36



NEW

- Additional E-Case components can be stacked on top of the toolbox
- Sufficient space for large Einhell devices

E-Case Toolbox

- Items supplied: 1x E-Case Toolbox
- Max. load: 90 kg
- Internal dimensions: 403 x 290 x 195 mm
- External dimensions: 444 x 320 x 210 mm

Art. No. 45.400.37



NEW

ACCESSORIES – CASES

E-Box L70

- Items supplied: 1 universal case
- Internal dimensions: 670 x 110 x 300 mm
- External dimensions: 700 x 250 x 350 mm
- Load capacity: 50 kg

Art. No. 45.300.54



E-Box M55

- Items supplied: 1 universal case
- Internal dimensions: 510 x 327 x 124 mm
- External dimensions: 550 x 400 x 150 mm
- Load capacity: 30 kg

Art. No. 45.300.49



E-Box S35

- Items supplied: 1 universal case
- Internal dimensions: 310 x 250 x 89.5 mm
- External dimensions: 350 x 330 x 110 mm
- Load capacity: 12 kg

Art. No. 45.300.45



ACCESSORIES – BAGS

Einhell Bag 56/29

- Items supplied: 1 universal bag
- Internal dimensions: 520 x 290 x 250 mm
- External dimensions: 560 x 290 x 300
- Load capacity: 25 kg

Art. No. 45.300.78



Einhell Bag 45/29

- Items supplied: 1 universal bag
- Internal dimensions: 420 x 270 x 200 mm
- External dimensions: 450 x 290 x 220 mm
- Load capacity: 20 kg

Art. No. 45.300.74



Einhell Bag 45/22

- Items supplied: 1 universal bag
- Internal dimensions: 390 x 200 x 190 mm
- External dimensions: 450 x 220 x 350 mm
- Load capacity: 15 kg

Art. No. 45.300.37



CORDLESS WET AND DRY VACUUM CLEANERS 36 V

TE-VC 36/30 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 30 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
 ³⁾	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

TE-VC 36/25 Li S

- Suction power: 150 mbar / 100 mbar (BOOST / ECO)
- Tank: Stainless steel, 25 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without batteries / chargers Art. No. 23.471.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 min	11 min	13 min	16 min	22 min	28 min	33 min	44 min
 ³⁾	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min

For best performance select batteries with at least 3.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (ECO mode)

³⁾ Max. operating time per battery charge in idle mode (BOOST mode)



TWIN-PACK
18V Li+ 18V Li+ 36 V
TECHNOLOGY

- 2 speeds
- Heavy-duty suction hose
- Twin-Pack Technology



TWIN-PACK
18V Li+ 18V Li+ 36 V
TECHNOLOGY

- 2 speeds
- Stainless steel tank, rust-proof and sturdy
- Twin-Pack Technology



CORDLESS WET AND DRY VACUUM CLEANERS 18 V

- Stainless steel tank, rust-proof and sturdy
- Blow connector
- Incl. extensive accessories



TC-VC 18/20 Li S

- Suction power: 80 mbar
- Tank: Stainless steel, 20 l
- Nozzles: Crevice, upholstery and combination nozzle (1x each)
- Accessories: Foam filter, pleated filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



CORDLESS WET AND DRY VACUUM CLEANERS 18 V

TC-VC 18/15 Li

- Suction power: 80 mbar
- Tank: Plastic, 15 l
- Nozzles: Crevice, combination nozzle (1x each)
- Accessories: Foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.45

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 min	10 min	11 min	16 min	20 min	25 min	32 min	40 min

For best performance select a battery with at least 2.5 Ah

- Plastic tank – light-weight but impact-proof
- Blow connector
- Incl. extensive accessories



TE-VC 18/10 Li

- Suction power: 90 mbar
- Tank: Plastic, 10 l
- Nozzles: 2-in-1 crevice/brush nozzle and 2-in-1 upholstery/universal nozzle (1x each)
- Accessories: Foam filter, permanent filter and dirt bag (1x each)

Article only available without battery / charger Art. No. 23.471.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 min	10 min	12 min	17 min	21 min	26 min	30 min	42 min

For best performance select a battery with at least 2.5 Ah

- Extendable hose
- Lightweight and mobile
- Compact design



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS HANDHELD VACUUM CLEANERS 18 V

TE-HV 18/06 Li

- Suction power: 72 mbar / 50 mbar (BOOST / ECO)
- Tank: Plastic, 0.60 l
- Nozzles: Crevice, upholstery, floor nozzle (1x each)
- Accessories: Wall bracket, extension tubes, synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	16 min	22 min	26 min	33 min	44 min	54 min	65 min	88 min
 ³⁾	9 min	12 min	15 min	19 min	25 min	32 min	39 min	50 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode (ECO mode)

³⁾ Max. operating time per battery charge in idle mode (BOOST mode)

- 2 speeds
- Incl. extensive accessories
- Wall bracket



TE-VC 18 Li

- Suction power: 42 mbar
- Tank: Plastic, 0.54 l
- Nozzles: Crevice, upholstery, floor nozzle (1x each)
- Accessories: Wall bracket, extension tube, washable synthesis filter (1x each)

Article only available without battery / charger Art. No. 23.471.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	16 min	18 min	23 min	31 min	40 min	46 min	62 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- Easy cleaning
- Incl. extensive accessories
- Wall bracket



CORDLESS STICK VAC CLEANER 18 V

TE-SV 18 Li

- Tank volume: 0.6 l
- Speed settings: 2 (ECO/BOOST)
- Cyclone separator: changeable and washable

Article only available without battery / charger Art. No. 23.471.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8 min	11 min	13 min	18 min	22 min	28 min	35 min	44 min
 ³⁾	19 min	25 min	31 min	38 min	50 min	65 min	80 min	100 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode (BOOST mode)

³⁾ Max. operating time per battery charge in idle mode (ECO mode)


EXTENSIVE ACCESSORIES

- 1 Wall Bracket**
for storing the device and the accessories
- 2 Flexible Crevice Nozzle**
for vacuuming hard-to-reach-areas in the car
- 3 2-in-1 nozzle**
for slits on the sofa

- 2-in-1 device: hand-held vacuum cleaner + upright vacuum cleaner
- No dirt bag: empty the dust collection container at the push of a button
- Well illuminated work area thanks to 4 spotlight LEDs

ALSO AVAILABLE: ACCESSORY SET (23.512.67)

- 4 Hose and Universal Nozzle**
for user-friendly cleaning in the livingroom / car / etc.
- 5 Upholstery Nozzle**
for cushions





Motorised floor nozzle

CORDLESS ASH VACUUM CLEANER 18 V

TE-AV 18/15 Li C

- Suction power: 100 mbar
- Tank: Stainless steel, 15 l
- Accessories: Crevice nozzle, pleated filter (1 of each)

Article only available without battery / charger Art. No. 23.517.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 min	15 min	18 min	22 min	30 min	37 min	44 min	60 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode






- Filter cleaning system
- Lightweight and mobile
- Metal-reinforced suction hose with a length of 1.20 m

CORDLESS PUSH SWEEPER 18 V

TE-SW 18/610 Li

- Max. cleaning area: 1800 m²/h
- Working width: 610 mm
- Dirt tank: 20 l

Article only available without battery / charger Art. No. 23.520.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	650 m ²	850 m ²	1050 m ²	1300 m ²	1700 m ²	2200 m ²	2550 m ²	3400 m ²
 ³⁾	21 min	27 min	34 min	41 min	55 min	72 min	83 min	110 min

¹⁾ Battery capacity

²⁾ Area coverage at walking speed (3.0 km/h)

³⁾ Max. operating time per battery charge in idle mode

- Two battery-powered brushes – for excellent cleaning performance even in corners and very smooth running
- Height-adjustable and folding handlebar



CORDLESS DRAIN CLEANER 18 V

TE-DA 18/760 Li

- Spiral length / diameter: 7.6 m / 7 mm
- Pipe diameter: 16-55 mm
- Speed: 560 min⁻¹

Article only available without battery / charger Art. No. 45.141.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	42 min	56 min	68 min	84 min	112 min	143 min	188 min	224 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- Easy retraction/extension of spiral with battery-powered motor
- Right/left rotation for release when the spiral is blocked
- Galvanised spiral

CORDLESS PRESSURE CLEANER 18 V

HYPRESSO 18/24 Li

- Working pressure max. / ECO mode: 24 bar / 14 bar
- Suction hose length: 5 m
- Suction height: 3 m
- Incl.: Suction hose with water filter, 2 extension lances, foam spray bottle, 4-in-1 nozzle, splash water protection, storage bag

Article only available without battery / charger Art. No. 41.401.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 min	13 min	15 min	20 min	27 min	35 min	45 min	55 min
 ³⁾	6 min	7 min	8 min	11 min	15 min	18 min	23 min	30 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode (ECO mode)

³⁾ Max. operating time per battery charge in idle mode (BOOST mode)

- Different types of jet, including a rotating nozzle for power cleaning
- The suction function means you can use it everywhere
- 3 different lengths, convenient working made easy thanks to the extension lances



CORDLESS WINDOW CLEANER 18 V

BRILLIANTO

- Nozzle width: 280 mm
- Dirt water tank: 100 ml

Article only available without battery / charger Art. No. 34.371.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	120 min	160 min	200 min	240 min	320 min	415 min	480 min	640 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- Removable dirt water tank
- One-piece silicone rubber lip
- Softgrip aread für optimum grip
- Including wall mount and spray bottle



ALSO AVAILABLE: ACCESSORY

1 Telescopic Pole Set (34.371.01)

2 telescopic poles (1 complete with microfiber cloth for precleaning the glass surface, and 1 complete with tilt adjustment for BRILLIANTO) – both poles infinitely adjustable in length up to approx. 120 cm

2 Nozzle Set (34.371.02)

1x slim suction nozzle (165 mm) and
1x wide suction nozzle (350 mm)



CORDLESS HARD FLOOR CLEANER 18 V

CLEANEXXO

- Foldable battery holder
- Boost mode: Multi-stage roller speed and water supply for the desired cleaning application
- Self-standing function
- Incl. cleaning tool, cleaning/parking station and brush roller
- Easily replaceable brush roller – use for parquet, laminate, PVC, stone floors, tiles



CLEANEXXO

- Clean water tank: 400 ml
- Dirt water tank: 300 ml
- Working width: 290 mm
- Speed settings: 2

Article only available without battery / charger

Art. No. 34.371.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	65 min	85 min	107 min	130 min	170 min	225 min	260 min	345 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode


1 Self cleaning with cleaning/parking station
Press the boost switch for three seconds. Brush rotates for 25 seconds in boost mode with increased water supply

2 Adjustable water supply
Optimum control of water flow via trigger on handle

CORDLESS COFFEE MACHINE 18 V

- 2-in-1: filter coffee machine and coffee pad machine in one
- Ergonomic handle
- Incl. coffee cup with lid, dosing spoon, coffee powder container with coffee filter, container for coffee pads



TE-CF 18 Li

- Water tank: 240 ml
- Coffee temperature: 80°

Article only available without battery / charger Art. No. 46.099.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	1 cup	1 cup	1 cup	2 cups	2 cups	3 cups	4 cups	5 cups

¹⁾ Battery capacity

²⁾ Max. number of coffee cups (240 ml) per battery charge

6-IN-1 CORDLESS HYBRID COMPRESSORS 18 V

PRESSITO 18/25 Hybrid

- Mains connection: 220-240 V ~ 50/60 Hz
- Max. output rate at 0 | 4 | 7 bar: 19 | 12 | 10 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (160 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- Hybrid function – for use with a power cable or a rechargeable battery
- Manual inflating function (high-pressure)
- High pressure pumping, low pressure pumping/suction
- Integrated emergency light for illuminating the place of use



PRESSITO

- Mains connection: 220-240 V ~ 50 Hz
- Max. output rate at 0 | 4 | 7 bar: 16 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (31 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min



- Hybrid function – for use with a power cable or a rechargeable battery
- High pressure pumping, low pressure pumping/suction
- Incl. extensive accessories

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

3-IN-1 CORDLESS COMPRESSORS 18 V

PRESSITO 18/25

- Suction power: 25 l/min
- Max. output rate at 0 | 4 | 7 bar: 17 | 11 | 9 l/min
- Max. operating pressure: 11 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (160 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	17 min	22 min	28 min	34 min	44 min	58 min	68 min	88 min

- High pressure pumping, low pressure pumping/suction
- Manual inflating function (high-pressure)
- Two-line pressure display for set and actual pressure
- Incl. extensive accessories



PRESSITO 18/21

- Suction power: 21 l/min
- Max. output rate at 0 | 4 | 7 bar: 14 | 9 | 6 l/min
- Max. operating pressure: 10.5 bar
- Incl.: High-pressure hose (71 cm), low-pressure hose (31 cm) and several adapters

Article only available without battery / charger Art. No. 40.204.67

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	37 min	45 min	60 min	85 min	90 min	120 min



- High pressure pumping, low pressure pumping/suction
- Manual inflating function (high-pressure)
- Incl. extensive accessories



¹⁾ Battery capacity




²⁾ Max. operating time per battery charge in idle mode

CORDLESS COMPRESSOR 36 V

TE-AC 36/150 Li OF

- Suction power: 150 l/min
- Max. output rate at 0 | 4 | 7 bar: 95 | 70 | 50 l/min
- Tank capacity: 6 l
- Max. operating pressure: 8 bar

Article only available without batteries / chargers Art. No. 40.204.15

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	–	–	26 pcs	36 pcs	45 pcs	54 pcs	72 pcs	90 pcs
 ³⁾	–	–	410 pcs	600 pcs	720 pcs	850 pcs	1200 pcs	1440 pcs

¹⁾ Battery capacity (2x batteries required)

²⁾ Tank pressure build-up cycles per battery charge

³⁾ Soft wood – max. number of staples (13 mm staples) per battery charge

- Mobile compressor with compressed air tank
- Twin-Pack Technology
- Storage compartment for storage of optional accessories

TWIN-PACK
18V + 18V 36 V
TECHNOLOGY






CORDLESS COMPRESSOR 18 V

TE-AC 18/75 Li OF

- Suction power: 75 l/min
- Max. output rate at 0 | 4 | 7 bar: 50 | 32 | 23 l/min
- Tank capacity: 5 l
- Max. operating pressure: 8 bar

Article only available without battery / charger Art. No. 40.204.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7 pcs	9 pcs	16 pcs	20 pcs	26 pcs	33 pcs	40 pcs	52 pcs
 ³⁾	100 pcs	130 pcs	175 pcs	210 pcs	280 pcs	360 pcs	420 pcs	560 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Tank pressure build-up cycles per battery charge

³⁾ Soft wood – max. number of staples (13 mm staples) per battery charge

NEW



- Mobile compressor with compressed air tank
- Carrying handle and ergonomic design
- One pressure gauge each for working pressure and tank pressure



CORDLESS PORTABLE COMPRESSOR 18 V

TWIN-PACK
18V Li-Ion 36 V
TECHNOLOGY



- Ergonomic, compact design
- Twin-Pack Technology
- Incl. extensive accessories



TE-AC 36/8 Li OF Set

- Suction power: 130 l/min
- Max. output rate at 0 | 4 | 7 bar: 90 | 55 | 38 l/min
- Max. operating pressure: 8 bar
- Incl.: Compressed air hose, blow-out adapter, tyre pressure gauge and several adapters

Article only available without batteries / chargers Art. No. 40.204.40

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	6 min	8 min	10 min	12 min	16 min	21 min	24 min	32 min
» ³⁾	4.5 min	6 min	7.5 min	9 min	12 min	15 min	18 min	24 min

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. running time when using a blow-out pistol

³⁾ Max. running time when inflating a car tire to 2.5 bar

CORDLESS CAR COMPRESSOR

CE-CC 18 Li

- Max. output rate at 0 | 4 | 7 bar: 12 | 10 | 8 l/min
- Max. operating pressure: 11 bar
- Incl.: 60 cm compressed air hose and several adapters

Article only available without battery / charger Art. No. 20.710.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	32 min	42 min	53 min	63 min	84 min	109 min	126 min	168 min



- Ideal for inflating car tyres, cycle tyres and balls
- Digital pressure display for simple setting of the required pressure up to max. 11 bar
- Manual and automatic pumping with switch-off function

CORDLESS AIR PUMP

CE-AP 18 Li

- Max. delivery rate: 670 l/min
- Max. operating pressure: 0.5 bar
- Incl.: 2 inflation adapters

Article only available without battery / charger Art. No. 20.701.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	49 min	65 min	81 min	98 min	130 min	169 min	195 min	260 min

- Ideal for inflating rubber dinghies, air mattresses, leisure articles
- Suitable for deflation by simply replacing the adapter
- Can be used as a workshop blower for cleaning the worktop



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

ROBOT LAWN MOWERS

FREELEXX CAM



FREELEXX CAM

- For lawn areas of up to approx.*: 500 m²
- Cutting width: 18 cm
- Cutting height adjustment: stepless / 20 - 60 mm / central
- Suitable for slopes: up to 25 %
- Included in delivery: Charging station, magnetic band (5 m)

Incl. 1 battery (18 V | 3.0 Ah | Li-ion)

Art. No. 34.139.91

* The stated area coverage is based on the assumption of ideal conditions

- Brushless motor – more power, prolonged operation
- True cordless freedom – no perimeter wire required
- Recognises the mowing area by means of physical and visual lawn boundaries
- Including magnetic band accessory for short-term demarcation of lawn areas
- Intuitive keypad
- Programmable operating times



TRUE CORDLESS FREEDOM

No perimeter wire required.



RAIN SENSOR

for lawn-friendly operation.



SEPARATE AREAS OF THE GARDEN

Mowing mode for areas of lawn separate from the main garden.




LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic tape for optimum demarcation of the mowing area in the garden.



CHECKLIST: IS MY GARDEN SUITABLE?



Lawn area of uniformly green colour



Irregularities in colour (e.g. leaves, scorched areas)




Clearly defined and recognisable lawn edges*



No clearly recognisable lawn edges



Simple design, uniform shape



Many separate areas, bottlenecks and recesses

* The lawn area needs to be checked for suitable lawn boundaries


MADE POSSIBLE BY A VIRTUAL FENCE – THANKS TO MAGNETIC TAPE ACCESSORY

Lay the supplied magnetic tape in the garden and it will act like a virtual fence. The magnet sensors installed in the FREELEXO CAM detect the magnetic tape and turn away at its limits. In this way you can create off-limit areas at short notice.




A TEMPORARY OFF-LIMITS AREA

When you want to hold a garden party and need to keep the robot lawn mower at a distance for the duration of the celebrations.




A NEWLY PLANTED TREE

A tree has been newly planted in the lawn area and is still sensitive. To protect it from collisions with the robot lawn mower you can use the virtual fence.



A FLOWER MEADOW IN THE GARDEN

A flower meadow in the garden is just beginning to grow and is attracting the first insects. Now is the wrong time for the robot lawn mower to pass through.



LAWN EDGES MADE BETTER

Lawn edges that are poorly defined or hard to recognise by the robot lawn mower can be upgraded by the magnetic tape for optimum demarcation of the mowing area in the garden.

ROBOT LAWN MOWERS

FREELEXO BT

- Cutting width: 18 cm
- Cutting height adjustment: stepless / 20 - 60 mm / central
- Suitable for slopes: up to 35 %
- Included in delivery: Charging station

Incl. installation accessories (600 m²) and 1 battery (18 V | 2.5 Ah | Li-ion)
Art. No. 34.139.46



- Brushless motor – more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad
- Multi area mowing – for complex gardens

FREELEXO LCD BT

- Cutting width: 18 cm
- Cutting height adjustment: stepless / 20 - 60 mm / central
- Suitable for slopes: up to 35 %
- Included in delivery: Charging station

Incl. installation accessories (900 m²) and 1 battery (18 V | 3.0 Ah | Li-ion)
Art. No. 34.139.55

Incl. installation accessories (1200 m²) and 1 battery (18 V | 5.2 Ah | Li-ion)
Art. No. 43.263.68

- Brushless motor – more power, prolonged operation
- Individual programming/control via smartphone/APP (Bluetooth)
- Intuitive keypad with LCD display
- Multi area mowing – for complex gardens



ROBOT LAWN MOWERS



- Brushless motor – more power, prolonged operation
- Individual programming/control via APP (Bluetooth*)
- Intuitive keypad with LCD display
- Multi area mowing – for complex gardens
- Special mowing program: Spot Mowing and Secondary Area Mode
- Energy-efficient thanks to the Eco Mode

* Thanks to Bluetooth 5.0 with increased range

FREELEXO LCD BT+

- Cutting width: 18 cm
- Cutting height adjustment: stepless / 20 - 60 mm / central
- Suitable for slopes: up to 35 %
- Included in delivery: Charging station

Incl. installation accessories (500 m²) and 1 battery (18 V | 2.5 Ah | Li-ion)
Art. No. 34.139.82





PROFESSIONAL CORDLESS LAWN MOWERS 36 V

RASARRO

- Brushless motor – more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Telescopic handlebar

TWIN-PACK
18 V → 18 V → 36 V
TECHNOLOGY



RASARRO 36/42

- Cutting width: 42 cm
- For lawn areas of up to approx.*: 725 m²
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 5.2 Ah | Li-Ion) and 1 Twincharger

Art. No. 34.132.72

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	250 m ²	300 m ²	350 m ²	450 m ²	550 m ²	725 m ²	875 m ²	1100 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions

PROFESSIONAL CORDLESS LAWN MOWERS 36 V

RASARRO

- Brushless motor – more power, prolonged operation
- Individually adjustable handlebar
- Grass box with level indicator

TWIN-PACK

18 V | 18 V | 36 V

TECHNOLOGY



RASARRO 36/40

- Cutting width: 40 cm
- For lawn areas of up to approx.*: 500 m²
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger

Art. No. 34.132.78

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	220 m ²	280 m ²	330 m ²	425 m ²	500 m ²	700 m ²	850 m ²	1000 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions



RASARRO

The RASARROs are characterised by the following main features:

1. Aluminium guide rail

The handlebar made of aluminium is both extremely sturdy and light in weight. It ensures accurate guidance, a long working life and absolutely easy handling.

2. Ergonomically shaped handle area

The ergonomically shaped handlebar with softgrip is highly effective in preventing fatigue during lengthy work sessions.

PROFESSIONAL CORDLESS LAWN MOWERS 36 V

RASARRO

- Brushless motor – more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Telescopic handlebar

TWIN-PACK
18 V + 18 V → 36 V
TECHNOLOGY



RASARRO 36/38

- Cutting width: 38 cm
- For lawn areas of up to approx.*: 450 m²
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 1 Twincharger
Art. No. 34.131.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	250 m ²	300 m ²	330 m ²	400 m ²	450 m ²	700 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions

TWIN-PACK

18 V + 18 V → 36 V

TECHNOLOGY

TWIN-PACK TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate $18\text{ V} + 18\text{ V} = 36\text{ V}$. We call that Twin-Pack Technology.



CORDLESS LAWN MOWERS 36 V

RASARRO

RASARRO 36/36

- Cutting width: 36 cm
- For lawn areas of up to approx.*: 400 m²
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 3.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.82

Without batteries / chargers

Art. No. 34.131.72

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	200 m ²	250 m ²	290 m ²	400 m ²	450 m ²	650 m ²	800 m ²	900 m ²

For best performance select batteries with at least 2.5 Ah

RASARRO 36/34

- Cutting width: 34 cm
- For lawn areas of up to approx.*: 300 m²
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 2 batteries (18 V | 3.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.22

Without batteries / chargers

Art. No. 34.132.26

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	150 m ²	200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions



TWIN-PACK
18V • 18V • 36V
TECHNOLOGY

- Ergonomic handle
- Individually adjustable handlebar
- Grass box with level indicator

TWIN-PACK
18V • 18V • 36V
TECHNOLOGY

- Ergonomic handle
- Individually adjustable handlebar
- Grass box with level indicator





DOUBLE TWINPACK TECHNOLOGY

Double Twinpack devices have slots for two additional rechargeable batteries. If, for example, two additional batteries are inserted in the GE-CM 36/48 Li M Brushless lawn mower, such that all four rechargeable battery slots are filled, you can mow double the area without recharging.

Example
(GE-CM 36/48 Li M Brushless):
Twinpack 2x 18 V = 500 m²
Double Twinpack
2x 18 V + 2x 18 V =
500 m² + 500 m² = 1000 m²



CORDLESS LAWN MOWERS 36 V


- Brushless motor – more power, prolonged operation
- 2-in-1 function: mowing and side discharge
- No catch bag included – natural fertilisation



GE-CM 36/48 Li M Brushless

- Cutting width: 48 cm
- For lawn areas of up to approx.*: 1000 m²
- Cutting height adjustment: 6 levels / 30 - 75 mm / axial

Article only available without batteries / chargers Art. No. 34.130.54

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
>>> ²⁾	150 min	250 m ²	260 m ²	300 m ²	500 m ²	600 m ²	700 m ²	1000 m ²
>>> ³⁾	300 m ²	500 m ²	520 m ²	600 m ²	1000 m ²	1200 m ²	1400 m ²	2000 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge with 2 batteries

³⁾ Max. lawn area that can be mown per battery charge with 4 batteries (The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions

CORDLESS LAWN MOWERS 36 V

TWIN-PACK
18 V + 18 V = 36 V
TECHNOLOGY

- Brushless motor – more power, prolonged operation
- 3-in-1 function: mowing, mulching, catching
- Individually adjustable handlebar



GE-CM 36/43 Li M Brushless

- Cutting width: 43 cm
- For lawn areas of up to approx.*: 600 m²
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.40

Without batteries / chargers

Art. No. 34.132.46

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	225 m ²	300 m ²	350 m ²	450 m ²	600 m ²	750 m ²	900 m ²	1200 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge (The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions

TWIN-PACK
18 V + 18 V = 36 V
TECHNOLOGY

TWIN-PACK TECHNOLOGY

If a device needs more power than provided by a single 18 V rechargeable battery, we simply add a second battery so we generate 18 V + 18 V = 36 V. We call that Twin-Pack Technology.



CORDLESS LAWN MOWERS 36 V

GE-CM 36/36 Li Brushless

- Cutting width: 36 cm
- For lawn areas of up to approx.*: 400 m²
- Cutting height adjustment: 6 levels / 25 - 75 mm / central

Incl. 2 batteries (18 V | 4.0 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	175 m ²	250 m ²	270 m ²	350 m ²	400 m ²	600 m ²	700 m ²	960 m ²

For best performance select batteries with at least 2.5 Ah

GE-CM 36/33 Li

- Cutting width: 33 cm
- For lawn areas of up to approx.*: 250 m²
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 2 batteries (18 V | 2.5 Ah | Li-Ion) and 2 chargers

Art. No. 34.132.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	150 m ²	200 m ²	250 m ²	300 m ²	400 m ²	500 m ²	600 m ²	800 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required))

²⁾ Max. lawn area that can be mown per battery charge
(The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions



TWIN-PACK
18 V | 18 V | 36 V
TECHNOLOGY

- Brushless motor – more power, prolonged operation
- Individually adjustable handlebar
- Grass box with level indicator

TWIN-PACK
18 V | 18 V | 36 V
TECHNOLOGY

- Individually adjustable handlebar
- Integrated carry handle
- Grass box with level indicator



CORDLESS LAWN MOWERS 18 V

GE-CM 18/33 Li Brushless

- Cutting width: 33 cm
- For lawn areas of up to approx.*: 200 m²
- Cutting height adjustment: 5 levels / 25 - 65 mm / central

Incl. 1 battery (18 V | 4.0 Ah | Li-Ion) and 1 charger Art. No. 34.132.60

Without battery / charger Art. No. 34.132.66

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	50 m ²	100 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select a battery with at least 2.5 Ah

GE-CM 18/32 Li Brushless

- Cutting width: 32 cm
- For lawn areas of up to approx.*: 180 m²
- Cutting height adjustment: 3 levels / 30 - 70 mm / axial

Article only available without battery / charger Art. No. 34.132.56

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	50 m ²	100 m ²	140 m ²	180 m ²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be mown per battery charge
(The stated area coverage is based on the assumption of ideal conditions)

* The stated area coverage is based on the assumption of ideal conditions



- Brushless motor – more power, prolonged operation
- Individually adjustable handlebar
- Grass box with level indicator



- Brushless motor – more power, prolonged operation
- Individually adjustable handlebar
- Grass box with level indicator

CORDLESS LAWN MOWERS 18 V

GE-CM 18/30 Li Brushless

- Cutting width: 30 cm
- For lawn areas of up to approx.*: 150 m²
- Cutting height adjustment: 3 levels / 30 - 70 mm / axial

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.131.55

Without battery / charger Art. No. 34.131.57

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 m ²	70 m ²	100 m ²	150 m ²	210 m ²	270 m ²	300 m ²	420 m ²

For best performance select a battery with at least 2.5 Ah

* The stated area coverage is based on the assumption of ideal conditions



- Brushless motor – more power, prolonged operation
- Folding handlebar
- Integrated carry handle

CORDLESS CYLINDER LAWN MOWER 18 V

GE-HM 18/38 Li

- Cutting width: 38 cm
- Cutting height adjustment: 4 levels / 14 - 38 mm
- Grass box capacity: 45 l

Article only available without battery / charger Art. No. 34.142.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	100 m ²	150 m ²	190 m ²	250 m ²	300 m ²	400 m ²	450 m ²	600 m ²

For best performance select a battery with at least 2.5 Ah

- Contactless cutting technology
- Adjustable rear deflector
- 2-in-1 function: battery + manual



¹⁾ Battery capacity

²⁾ Max. lawn area that can be mown per battery charge

(The stated area coverage is based on the assumption of ideal conditions)

PETROL LAWN MOWER (POWER X-CHANGE ELECTRIC START)



- 4-in-1 function
- Wheeldrive
- Mulching function



GC-PM 51/3 S HW-E Li

- Engine / displacement / power: 4-stroke / 170 cm³ / 2.7 kW
- Cutting width: 51 cm
- For lawn areas of up to approx.*: 1800 m²
- Cutting height adjustment: 6 levels / 30 - 80 mm / central

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger (3 A)

Art. No. 34.048.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	130 starts	174 starts	218 starts	261 starts	347 starts	452 starts	522 starts	695 starts

¹⁾ Battery capacity

²⁾ Number of starts per battery charge - the possible number of starts depends on various influences, e.g. temperature of the engine, ambient temperature, etc.



POWER X-CHANGE ELECTRIC START

Easy-to-start petrol engine thanks to the electric start function with the assistance of the Power X-Change battery system – at just the push of a button.

- None of the hassle of starting up with a pull starter
- The rechargeable battery can also be used for other Power X-Change products





CORDLESS SCARIFIERS/AERATORS 36 V

GE-SC 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of up to approx.*: 550 m²
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs



Article only available without batteries / chargers Art. No. 34.206.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	100 m ²	150 m ²	190 m ²	225 m ²	300 m ²	400 m ²	450 m ²	550 m ²

GE-SA 36/35 Li Brushless

- Working width: 35 cm
- For lawn areas of up to approx.*: 550 m²
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 16 pcs
- Number of aerator roller claws: 24 pcs
- Grass box capacity: 28 litres

Article only available without batteries / chargers Art. No. 34.206.85

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	100 m ²	150 m ²	190 m ²	225 m ²	300 m ²	400 m ²	450 m ²	550 m ²

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)



- Brushless motor – more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Toolless roller change
- Easy maintenance housing



- Brushless motor – more power, prolonged operation
- 3-in-1 combination tool: Scarifying, aeration and grass collection
- Toolless roller change
- Easy maintenance housing



CORDLESS SCARIFIERS/AERATORS 36 V

GC-SC 36/31 Li

- Working width: 31 cm
- For lawn areas of up to approx.*: 350 m²
- Working depth adjustment: 3 levels (-3 / -6 / -9 mm) + transport position (+3 mm)
- Number of scarifying blades: 8 double-knives

Article only available without batteries / chargers Art. No. 34.206.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	80 m ²	100 m ²	130 m ²	200 m ²	250 m ²	300 m ²	350 m ²	500 m ²

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)

CORDLESS SCARIFIER/AERATOR 18 V

GC-SC 18/28 Li Brushless

- Working width: 28 cm
- For lawn areas of up to approx.*: 200 m²
- Working depth adjustment: 3 levels (-2 / -4 / -6 mm) + transport position (+2 mm)
- Number of scarifying blades: 12 rotating blades

Article only available without battery / charger Art. No. 34.206.04

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	60 m ²	80 m ²	100 m ²	120 m ²	160 m ²	210 m ²	240 m ²	350 m ²

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. lawn area that can be scarified per battery charge (The stated area coverage is based on the assumption of ideal conditions)



TWIN-PACK
18 V + 36 V
TECHNOLOGY

- Optional extensible with aerator roller and catch bag
- Height-adjustable handlebar
- Integrated carry handle



- Brushless motor – more power, prolonged operation
- Optional extensible with aerator roller and catch bag
- Individually adjustable handlebar

CORDLESS TILLER 36 V

GE-CR 30 Li

- Working width: 30 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without batteries / chargers Art. No. 34.312.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	20 min	21 min	25 min	35 min	50 min	60 min	70 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)



TWIN-PACK
18V > 36V
TECHNOLOGY

- Height-adjustable wheels for easy transportation
- Ergonomic handlebar
- Folding handlebar

CORDLESS TILLER 18 V

GE-CR 18/20 Li E

- Working width: 20 cm
- Working depth: 20 cm
- Number of blades: 4 pcs

Article only available without battery / charger Art. No. 34.312.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20-25 min	20-35 min	30-40 min	40-50 min	50-70 min	70-90 min	80-100 min	100-140 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)

- Electronic speed control
- Height adjustable additional handle
- Split shaft



CORDLESS SNOW THROWER 18 V

TWIN-PACK

18 V + 18 V > 36 V

TECHNOLOGY

- Brushless motor – more power, prolonged operation
- Snow ejection direction adjustable
- Electronic speed control (6 settings)
- Integrated carry handle



GE-ST 36/40 Li E Brushless

- Working width: 40 cm
- Max. snow height: 20 cm
- Throwing distance max.: 6 m

Article only available without batteries / chargers Art. No. 34.170.11

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

For best performance select batteries with at least 4.0 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge (specified performance is based on the assumption of ideal conditions)



CORDLESS MULTIPURPOSE SPREADER 18 V

GE-SR 18/22 Li

- Capacity: 22 l
- Spread width: max. 6 m
- Suitable for: Fertiliser, lawn seeds, salt

Article only available without battery / charger Art. No. 34.154.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	3 h	4 h	5 h	7 h	8 h	10 h	11 h	15 h

- Electronic speed control (6 settings)
- Flow rate adjustment (6-stage)
- Adjustable spread width



CORDLESS UNIVERSAL SPREADER 18 V

GE-US 18 Li

- Capacity: 3.3 l
- Spread width: max. 5 m
- Suitable for: Fertiliser, lawn seeds, salt

Article only available without battery / charger Art. No. 34.154.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	2 h	3 h	4 h	6 h	7 h	9 h	10 h	14 h



- Electronic speed control (6 settings)
- Flow rate adjustment (8-stage)
- Adjustable spread width

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge

CORDLESS SCYTHER 36 V

AGILLO 36/255

- Cutting width blade / thread: 25.5 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: Line spool and 3-teeth blade

Article only available without batteries / chargers Art. No. 34.113.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	35 min	45 min	65 min	80 min	90 min	130 min
 ³⁾	15 min	25 min	28 min	35 min	45 min	60 min	70 min	90 min

For best performance select batteries with at least 2.5 Ah

CORDLESS SCYTHER 18 V

AGILLO 18/200

- Cutting width blade / thread: 20 cm / 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m
- Incl.: Line spool and 3-teeth blade

Article only available without battery / charger Art. No. 34.113.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	20 min	25 min	35 min	50 min	65 min	75 min	100 min
 ³⁾	10 min	12 min	15 min	20 min	30 min	45 min	55 min	60 min

For best performance select a battery with at least 2.5 Ah



TWIN-PACK
18 V • 18 V • 36 V
TECHNOLOGY

- Brushless motor – more power, prolonged operation
- Spindle lock
- Ergonomic and low-vibration bike handle



- Ergonomic and low-vibration bike handle
- Spindle lock
- High-quality comfort carrying belt

¹⁾ Battery capacity (AGILLO 36/255: 2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (blade)

³⁾ Max. operating time per battery charge in idle mode (thread spool)



CORDLESS LAWN TRIMMER 36 V

TWIN-PACK
36 V **36 V** **36 V**
TECHNOLOGY

- Ergonomic handlebar
- Infinitely adjustable long handle
- Bump feed system
- Split shaft



GE-CT 36/30 Li E

- Cutting width: 30 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without batteries / chargers Art. No. 34.113.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode

CORDLESS LAWN TRIMMERS 18 V

GE-CT 18/33 Li

- Cutting width: 33 cm
- Thread diameter: 2.0 mm
- Thread length: 8 m

Article only available without battery / charger Art. No. 34.112.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	15 min	20 min	25 min	30 min	40 min	50 min	60 min	80 min

GE-CT 18/30 Li

- Cutting width: 30 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.50

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	38 min	45 min	60 min	75 min	90 min	120 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- Double-curved, ergonomic guide bar
- Bump feed system
- Split shaft



Tested and recommended by Forum: Gesunder Rücken - besser leben e.V. and Bundesverband deutscher Rückenschulen (BdR) e.V.

More information available from: AGR e.V., Stader Str. 6, 27432 Bremervörde, Tel. +49 4761/92 63 580, www.agr-ev.de



- Telescopic long handle
- Motor head rotatable and tiltable
- Bump feed system



CORDLESS LAWN TRIMMERS 18 V

GE-CT 18/28 Li TC

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.12

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min



- Incl. trimmer cart („City“ Lawn Mower)
- Motor head rotatable and tiltable
- Automatic feeding line spool

GE-CT 18/28 Li

- Cutting width: 28 cm
- Thread diameter: 1.6 mm
- Thread length: 5 m

Article only available without battery / charger Art. No. 34.112.42

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 min	40 min	45 min	50 min	60 min	70 min	90 min	120 min



- Telescopic long handle
- Motor head rotatable and tiltable
- Automatic feeding line spool

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS LAWN TRIMMERS 18 V

GE-CT 18 Li

- Cutting width: 24 cm
- Incl.: Box with 20 plastic blades

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion) and 1 charger Art. No. 34.112.19

Without battery / charger Art. No. 34.111.72

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

GC-CT 18/24 Li

- Cutting width: 24 cm
- Incl.: 20 plastic blades

Article only available without battery / charger Art. No. 34.111.23

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

GC-CT 18/24 Li P

- Cutting width: 24 cm
- Incl.: 20 plastic blades

Incl. 1 battery (18 V | 1.5 Ah | Li-Ion) and 1 charger Art. No. 34.111.02

Without battery / charger Art. No. 34.111.04

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	40 min	55 min	65 min	80 min	125 min	160 min	180 min	250 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- Infinitely adjustable long handle
- Motor head rotatable and tiltable
- Flower guard



- Infinitely adjustable long handle
- Telescopic long handle, infinitely adjustable
- Flower guard



- Compact design
- Lightweight
- Additional handle



CORDLESS LAWN EDGE TRIMMER 18 V

- 3-steps cutting depth adjustment
- Split shaft
- Guide wheels – accurate working progress



GE-LE 18/190 Li

- Min. cutting depth: 36.5 mm
- Max. cutting depth: 45 mm
- Blade length: 190 mm
- Cutting depth settings: 36.5 / 40 / 45 mm

Article only available without battery / charger Art. No. 34.243.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	25 min	33 min	45 min	55 min	65 min	75 min	110 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS GROUT CLEANER 18 V

- Changeable brushes
- Guide wheel
- Infinitely adjustable additional handle



GC-CC 18 Li

- Charging time / running time: 40 / 45 min
- Diameter of brush: 10 cm
- Incl.: 1 steel brush (15 mm) and 1 nylon brush (10 mm)

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.240.51

Without battery / charger Art. No. 34.240.50

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 min	45 min	50 min	60 min	90 min	120 min	135 min	180 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



CORDLESS SURFACE BRUSHES 18 V



- Multifunctional application for indoors (e.g. kitchen, bathroom) and outdoors (e.g. furniture, car)
- Speed control for optimum power setting
- Tool-free brush change

PICOBELLA 18/90

- Working width: 90 - 170 mm
- Bristle length: 20 - 50 mm
- Idle speed: 190 - 350 min⁻¹
- 2-in-1 function: Wet and dry cleaning
- Incl.: Brush MEDIUM 90/20, brush SOFT 120/50, 3-piece pad set (white/blue/green) and wall holder

Article only available without battery / charger

Art. No. 34.242.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	110-160 min	150-210 min	190-260 min	225-315 min	300-420 min	390-550 min	450-630 min	600-840 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed



ACCESSORIES / SPARE PARTS

PAD SET

(Art. No. 34.241.34)
consisting of

- MELAMINE FOAM PAD**
for cleaning plastic, walls, doors, etc.
- MICROFIBRE PAD**
for cleaning glass, metal, aluminium, etc.
- KITCHEN FIBRE PAD**
for cleaning tempered glass, cast iron pans/pots, etc.

- BRUSH MEDIUM 90/20**
(Art. No. 34.241.32)
for cleaning stone, tiles, concrete
- BRUSH SOFT 120/50**
(Art. No. 34.241.31)
for cleaning window sills, garden furniture, shower, etc.
- BRUSH SOFT 170/40**
(Art. No. 34.241.30)
for cleaning car rims, roller shutters, garage doors, etc.
- BRUSH ULTRA 95/25 (BRASS)**
(Art. No. 34.241.33)
for cleaning cast iron and enamelled grill grates, fine sanding works or paint removal on wood, stone and metal, etc.


CORDLESS SURFACE BRUSHES 18 V

PICOBELLA 18/215

- Max. working width: 215 mm
- Diameter of brush: 115 mm
- Idle speed: 800 - 1400 min⁻¹
- 2-in-1 function: Wet and dry cleaning
- Incl.: Brush MEDIUM and water control valve

Article only available without battery / charger

Art. No. 34.242.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	8-25 min	10-30 min	12-34 min	17-46 min	20-55 min	25-70 min	29-90 min	40-110 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed

- Just one work step for thorough, complete wet cleaning thanks to the integrated garden hose connection
- Incl. special side brush for cleaning right to the wall and into edges
- Smooth brush guidance and perfect splash protection thanks to forward/reverse brush operation
- Tool-free brush change



PERFECT BRUSHES FOR EVERY SURFACE.




Brush SOFT (34.241.21)

- Wood / WPC / BPC
- Artificial turf



Brush MEDIUM (34.241.20)

- (incl. side brush)
- Smooth stone
e.g. tiles/concrete
- Incl. side brush for edge processing



Brush ULTRA (34.241.22)

- Rough stone
- Robust stone
e.g. granite/porphyry



Brush ULTRA (34.241.26)

- (incl. side brush)
- Rough stone
- Robust stone
e.g. granite/porphyry
- Incl. side brush for edge processing

CORDLESS HEDGE TRIMMERS 36 V

GE-CH 36/65 Li

- Bar length / cutting length: 720 mm / 650 mm
- Spacing between teeth: 30 mm

Article only available without batteries / chargers Art. No. 34.109.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	60 min	75 min	93 min	120 min	150 min	180 min	225 min	300 min



TWIN-PACK
18V Li • 18V Li • 36 V
TECHNOLOGY

- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

GE-CH 36/61 Li

- Bar length / cutting length: 670 mm / 610 mm
- Spacing between teeth: 26 mm

Article only available without batteries / chargers Art. No. 34.109.65

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	54 min	72 min	80 min	105 min	144 min	168 min	210 min	288 min



TWIN-PACK
18V Li • 18V Li • 36 V
TECHNOLOGY

- Laser-cut and diamond-ground blades
- Metal gear box
- Cutting collector

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode

CORDLESS HEDGE TRIMMERS 18 V

GE-CH 18/60 Li

- Bar length / cutting length: 670 mm / 600 mm
- Spacing between teeth: 22 mm

Article only available without battery / charger Art. No. 34.109.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

ARCURRA 18/55

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.109.20

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	35 min	45 min	53 min	70 min	90 min	110 min	135 min	180 min



- Laser-cut and diamond-ground blades
- Cutting collector
- Metal gear box



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS HEDGE TRIMMERS 18 V

GC-CH 1855/1 Li

- Bar length / cutting length: 620 mm / 550 mm
- Spacing between teeth: 18 mm

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion) and 1 charger Art. No. 34.105.06

Without battery / charger Art. No. 34.105.02

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	60 min	80 min	100 min	120 min	160 min	210 min	240 min	360 min



- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

GC-CH 18/50 Li

- Bar length / cutting length: 550 mm / 500 mm
- Spacing between teeth: 17 mm

Article only available without battery / charger Art. No. 34.109.45

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min



- Turnable rear handle
- Laser-cut and diamond-ground blades
- Metal gear box

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS HEDGE TRIMMERS 18 V

GC-CH 1846 Li

- Bar length / cutting length: 520 mm / 460 mm
- Spacing between teeth: 15 mm

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.106.83

Without battery / charger Art. No. 34.106.42

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	60 min	80 min	100 min	120 min	160 min	210 min	240 min	320 min



- Low weight for user-friendly operation
- Laser-cut and diamond-ground blades
- Metal gear box

GC-CH 18/40 Li

- Bar length / cutting length: 475 mm / 400 mm
- Spacing between teeth: 13 mm

Article only available without battery / charger Art. No. 34.109.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	40 min	53 min	67 min	80 min	106 min	139 min	160 min	212 min



- Low weight for user-friendly operation
- Laser-cut and diamond-ground blades
- Metal gear box

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



CORDLESS MULTIFUNCTIONAL TOOL 36 V

TWIN-PACK
18V 3x 18V 36 V
TECHNOLOGY






- Brushless motor – more power, prolonged operation
- Attachment change without tools
- Adjustable second handle
- Laser-cut and diamond-ground blades



GE-LM 36/4in1 Li Brushless

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 10 m/s
- Blade length of hedge trimmer: 450 mm
- Spacing between teeth (hedge trimmer): 24 mm
- Cutting width line spool / 3-teeth blade: 33 cm / 25.5 cm

Article only available without batteries / chargers Art. No. 34.109.01

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	26 min	34 min	41 min	54 min	68 min	86 min	108 min	136 min
 ³⁾	20 min	27 min	33 min	44 min	54 min	66 min	88 min	108 min
 ⁴⁾	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min
 ⁵⁾	60 pcs	80 pcs	100 pcs	120 pcs	160 pcs	200 pcs	240 pcs	320 pcs

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (sawthe)

³⁾ Max. operating time per battery charge in idle mode (lawn trimmer)

⁴⁾ Max. operating time per battery charge in idle mode (telescopic hedge trimmer)

⁵⁾ Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)




CORDLESS MULTIFUNCTIONAL TOOL 18 V

GE-HC 18 Li T

- Bar length (chainsaw): 200 mm
- Chain cutting speed: 3.76 m/s
- Max. bar length (hedge trimmer): 450 mm
- Spacing between teeth (hedge trimmer): 16 mm

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 34.108.05

Without battery / charger Art. No. 34.108.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs
 ³⁾	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge (pole-mounted pruner)

³⁾ Max. operating time per battery charge in idle mode (telescopic hedge trimmer)



FITTED WITH
OREGON
CHAIN AND BAR

- Toolless chain tensioning and changing
- Main handle + motor head tiltable by several settings
- Metal gear box

CORDLESS POLE-MOUNTED PRUNERS ACCESSORY

Hedge Trimmer

- Can be used for: GE-LC 18 Li T

Art. No. 34.108.18



CORDLESS TELESCOPIC HEDGE TRIMMERS ACCESSORY

Pole Pruner

- Can be used for: GE-HH 18/45 Li T

Art. No. 34.108.35



CORDLESS POLE-MOUNTED PRUNERS 18 V


GE-LC 18 Li T

- Bar length / cutting length: 200 mm / 170 mm
- Cutting speed: 3.76 m/s

Article only available without battery / charger Art. No. 34.108.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	30 pcs	40 pcs	48 pcs	60 pcs	75 pcs	100 pcs	120 pcs	150 pcs

For best performance select a battery with at least 2.5 Ah



FITTED WITH
OREGON
CHAIN AND BAR

- 90° swivel attachment for horizontal cuts
- Main handle + motor head tiltable by several settings
- Toolless chain tensioning and changing

GC-LC 18/20 Li T

- Bar length / cutting length: 200 mm / 195 mm
- Cutting speed: 5.5 m/s

Article only available without battery / charger Art. No. 34.105.81

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	37 pcs	50 pcs	65 pcs	75 pcs	100 pcs	130 pcs	155 pcs	200 pcs

For best performance select a battery with at least 2.5 Ah

- Telescopic aluminium handle with extension
- Automatic chain lubrication
- Metal gear box



FITTED WITH
OREGON
CHAIN AND BAR

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge

CORDLESS TELESCOPIC HEDGE TRIMMERS 18 V

GE-HH 18/45 Li T

- Bar length / cutting length: 450 mm / 400 mm
- Spacing between teeth: 16 mm

Article only available without battery / charger Art. No. 34.108.66

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	35 min	40 min	60 min	75 min	80 min	120 min

GC-HH 18/45 Li T

- Bar length / cutting length: 450 mm / 410 mm
- Spacing between teeth: 18 mm

Article only available without battery / charger Art. No. 34.105.85

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	28 min	33 min	40 min	56 min	66 min	80 min	112 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- Laser-cut and diamond-ground blades
- Main handle + motor head tiltable by several settings
- Metal gear box

- Laser-cut and diamond-ground blades
- Motor head tiltable by multiple settings
- Swivelling main handle





CORDLESS OLIVE AND FRUIT HARVESTER 18 V



- Continuously telescopic aluminium handle
- Speed control for optimal adjustment of the speed
- Continuous running for comfortable work

GE-FS 18/53 Li

- Working width: 28 - 53 cm
- Length of shaft: 92 - 182 cm
- Length of carbon tines: 31 cm
- Diameter of carbon tines: 5 mm

Article only available without battery / charger Art. No. 34.114.00

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ²⁾	20 min	27 min	34 min	40 min	54 min	69 min	80 min	108 min
» ³⁾	34 min	45 min	56 min	68 min	90 min	117 min	136 min	181 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode at max. speed

³⁾ Max. operating time per battery charge in idle mode at min. speed

CORDLESS PRUNING CHAINSAW 18 V





- Brushless motor – more power, prolonged operation
- Slim and lightweight design for ergonomic operation
- Suitable for pruning and shaping trees and bushes, shredding green cuttings and cutting squared timber

GE-PS 18/15 Li Brushless

- Bar length / cutting length: 158 mm / 125 mm
- Cutting speed: 4.8 m/s
- Product weight: 1.1 kg (excl. battery)

Article only available without battery / charger Art. No. 46.000.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	95 pcs	127 pcs	158 pcs	190 pcs	254 pcs	329 pcs	380 pcs	506 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through soft roundwood (ø 50 mm)





CORDLESS CHAINSAWS 18 V

FITTED WITH
OREGON
CHAIN AND BAR



- Brushless motor – more power, prolonged operation
- Adjustable chain speed, depending on the application
- Toolless chain tensioning and changing

FORTEXXA 18/30

- Bar length / cutting length: 300 mm / 270 mm
- Cutting speed Eco/High: 6.0 / 8.9 m/s
- Oil tank capacity: 160 ml

Article only available without battery / charger Art. No. 46.000.10

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
» ¹⁾								
» ²⁾	53 pcs	70 pcs	88 pcs	105 pcs	140 pcs	182 pcs	210 pcs	280 pcs
» ³⁾	59 pcs	78 pcs	98 pcs	117 pcs	156 pcs	203 pcs	234 pcs	312 pcs

For best performance select a battery with at least 4.0 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge in HIGH POWER mode

³⁾ Max. cuts through 70 x 70 mm square timber per battery charge in ECO mode

CORDLESS CHAINSAWS 18 V

GE-LC 18/25-1 Li

- Bar length / cutting length: 250 mm / 230 mm
- Cutting speed: 4.5 m/s
- Oil tank capacity: 200 ml

Incl. 1 battery (18 V | 3.0 Ah | Li-Ion) and 1 charger Art. No. 45.017.60

Without battery / charger Art. No. 45.017.61

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	50 pcs	70 pcs	85 pcs	100 pcs	130 pcs	180 pcs	200 pcs	260 pcs

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. cuts through 70 x 70 mm square timber per battery charge



- Toolless chain tensioning and changing
- Automatic chain lubrication
- Sturdy stop claws made of metal

CORDLESS CHAIN SHARPENER 18 V

GE-CS 18 Li

- Grinding disc diameter inner / outer: 23 mm / 108 mm
- Grinding wheel thickness: 3.2 mm

Article only available without battery / charger Art. No. 44.999.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	180 min	240 min	300 min	390 min	480 min	660 min	780 min	960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

- Depth stop
- Scale for precise setting of the grinding angle
- Clamping device






CORDLESS LEAF VACUUMS 36 V

GE-CL 36 Li E Brushless

- Max. blow velocity: 210 km/h
- Max. suction power / max. blowing air flow: 720 / 195 m³/h
- Shredding function: 10:1

Article only available without batteries / chargers Art. No. 34.336.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	9-20 min	10-30 min	13-35 min	17-45 min	22-65 min	27-90 min	30-100 min	44-130 min
 ⁴⁾	10-30 min	13-35 min	16-40 min	21-60 min	27-75 min	32-105 min	39-120 min	54-150 min

For best performance select batteries with at least 2.5 Ah

GE-CL 36/230 Li E

- Max. blow velocity: 230 km/h
- Max. suction power / max. blowing air flow: 700 / 225 m³/h
- Shredding function: 10:1
- Product weight: 3.1 kg (blow) and 4.4 kg (vacuum)

Article only available without batteries / chargers Art. No. 34.336.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10-22 min	12-28 min	14-34 min	20-45 min	24-55 min	30-75 min	35-85 min	48-110 min
 ³⁾	4 min	5 min	7 min	11 min	13 min	17 min	20 min	26 min
 ⁴⁾	11-24 min	13-29 min	16-35 min	24-50 min	27-58 min	37-79 min	43-91 min	54-116 min
 ⁵⁾	6 min	7 min	8 min	13 min	15 min	20 min	23 min	30 min

For best performance select batteries with at least 2.5 Ah

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode (TURBO vacuuming mode)

⁴⁾ Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

⁵⁾ Max. operating time per battery charge in idle mode (TURBO blowing mode)



- Brushless motor – more power, prolonged operation
- Toolless change between suction and blowing function
- Electronic speed control



- Incl. one wide suction tube and one narrow blowing tube
- Toolless change between suction and blowing function
- Electronic speed control with turbo function






CORDLESS LEAF VACUUM 18 V

VENTURRO 18/210

- Max. blow velocity: 210 km/h
- Max. suction power: 500 m³/h
- Shredding function: 10:1
- Product weight: 3.0 kg

Article only available without battery / charger Art. No. 34.336.25

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	0-12 min	0-14 min	5-18 min	7-20 min	9-30 min	11-42 min	15-45 min	18-60 min
 ³⁾	3-10 min	4-15 min	5-19 min	7-22 min	9-32 min	13-40 min	14-48 min	18-64 min

For best performance select a battery with at least 3.0 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode (vacuuming mode) – dependent on the selected speed

³⁾ Max. operating time per battery charge in idle mode (blowing mode) – dependent on the selected speed

- Brushless motor – more power, prolonged operation
- Toolless change between suction and blowing function
- Electronic speed control




CORDLESS UNIVERSAL BLOWER 18 V

GE-UB 18/250 Li E

- Max. blow velocity: 250 km/h
- Max. blowing air flow: 120 m³/h
- Idle speed: 4500 - 15000 min⁻¹
- Product weight: 1.1 kg (excl. battery)

Incl. 1 battery (18 V|4.0 Ah|Li-Ion) and 1 charger Art. No. 34.335.60

Without battery / charger Art. No. 34.335.42

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	7-48 min	10-65 min	12-80 min	14-96 min	20-130 min	24-166 min	28-192 min	40-260 min

For best performance select a battery with at least 2.5 Ah

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode – dependent on the selected speed



- 3-in-1: leaf blower, workshop blower or barbecue lighting aid
- Multi-part tube with bayonet lock
- Electronic speed control with LED indication


CORDLESS LEAF BLOWER 18 V

GC-CL 18 Li E

- Max. blow velocity: 210 km/h
- Max. blowing air flow: 105 m³/h
- Idle speed: 1400 - 12000 min⁻¹

Incl. 1 battery (18 V | 2.0 Ah | Li-Ion) and 1 charger Art. No. 34.335.33

Without battery / charger Art. No. 34.335.32

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	10-180 min	14-240 min	16-300 min	20-390 min	26-480 min	40-660 min	42-720 min	52-960 min

1) Battery capacity

2) Max. operating time per battery charge in idle mode – dependent on the selected speed

- Electronic speed control
- Soft grip
- Lightweight and handy design



CORDLESS KNIFE SHREDDER 36 V

REDAXXO 36/25

- Idle speed: 3000 min⁻¹
- Max. branch diameter: 25 mm
- Sound power level LWA: 100 dB (A)

Article only available without battery / charger Art. No. 34.307.10

 1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 2)	15 min	20 min	25 min	30 min	40 min	52 min	60 min	80 min

For best performance select batteries with at least 5.2 Ah

1) Battery capacity (2x batteries required)

2) Max. operating time per battery charge in idle mode

TWIN-PACK
18 V + 18 V > 36 V
TECHNOLOGY

- 3 reversible blades made of special steel for efficient shredding
- Foldable cover to protect the batteries
- Fold-down hopper with safety lock and large hopper opening
- Incl. high-quality shredding bag and tamper



CORDLESS GRASS AND SHRUB SHEARS 18 V

GE-CG 18/100 Li T

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Incl. 1 battery (18 V | 2.5 Ah | Li-Ion) and 1 charger Art. No. 34.103.16

Without battery / charger Art. No. 34.103.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

GE-CG 18/100 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.13

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

GC-CG 18 Li

- Cutting width with grass shear blade: 100 mm
- Cutting length with shrub cutting blade: 200 mm
- Spacing between teeth of shrub cutting blade: 8 mm

Article only available without battery / charger Art. No. 34.103.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

- Blade change without tools
- Laser-cut and diamond-ground blades
- Telescopic long handle



- Blade change without tools
- Laser-cut and diamond-ground blades
- Covered gearbox protecting customer to get in touch with gear oil

- Blade change without tools
- Laser-cut and diamond-ground blades
- Metal gear box



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS GRASS SHEARS 18 V

GC-CG 18/1 Li

- Cutting width with grass shear blade: 100 mm

Article only available without battery / charger Art. No. 34.103.82

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	180 min	240 min	300 min	360 min	480 min	650 min	720 min	960 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



- Laser-cut and diamond-ground blades
- Metal gear box
- Soft grip – perfect handling and grip

CORDLESS PRUNING SAW 18 V

GE-GS 18/150 Li

- Saw blade length: 150 mm
- Cutting capacity with / without branch handle: 80 mm / 100 mm

Article only available without battery / charger Art. No. 34.082.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	70 pcs	90 pcs	115 pcs	140 pcs	180 pcs	240 pcs	280 pcs	360 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through roundwood (ø 60 mm)

- 2x high-quality saw blades by Einhell
- Blade change without tools
- Long-life metal gearing





CORDLESS PRUNING SHEARS 18 V

GE-LS 18 Li

- Cutting capacity: 28 mm

Article only available without battery / charger Art. No. 34.083.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	1070 pcs	1426 pcs	1783 pcs	2139 pcs	2852 pcs	3708 pcs	4278 pcs	5704 pcs

¹⁾ Battery capacity

²⁾ Max. cuts per battery charge through round dry beech wood (ø 15 mm)






- High-quality bypass blades for efficient cutting work
- Belt clip for optimum carrying comfort
- Slim and ergonomic design for effortless working

CORDLESS FANS 18 V

GC-CF 18/110 Li

- Fan speed: 1700 / 2500 / 3400 rpm
- Wind speed: 15000 m/h
- Fan diameter: 110 mm
- Swiveling range: 0° - 290°

Article only available without battery / charger Art. No. 34.080.61

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	19.5 h	26 h	32 h	38.5 h	51 h	67 h	77 h	102 h
 ³⁾	4 h	5.3 h	6.6 h	8 h	11 h	14 h	16 h	21.2 h

- Compact, portable cordless fan for indoor and outdoor use
- Infinitely variable adjustment of the fan head
- 3 settings for adjusting the air flow
- Various mounting options thanks to rubberised, non-slip mounting hook






NEW

GE-CF 18/2200 Li

- Fan speed: 1200 / 1700 / 2200 rpm
- Wind speed: 15000 m/h
- Fan diameter: 180 mm
- Swiveling range: 0° - 360°

Article only available without battery / charger Art. No. 34.080.35

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	5.3 h	7 h	8.8 h	10.6 h	14 h	18.3 h	21.2 h	28 h
 ³⁾	2 h	2.6 h	3.3 h	4 h	5.3 h	7 h	8 h	10.6 h



- Compact, portable cordless fan for indoor and outdoor use
- Infinitely variable adjustment of the fan head
- 3 settings for adjusting the air flow
- Universal use thanks to numerous fastening options

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge at min. revolutions

³⁾ Max. operating time per battery charge at max. revolutions

CORDLESS PRESSURE SPRAYERS 18 V

GE-WS 18/150 Li

- Filling capacity of the tank: 15 l
- Max. spraying pressure: 4.5 bar
- Flow rate: 102 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.30

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	2 h	2.5 h	3.5 h	4 h	5 h	7 h	8.5 h	10 h



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

GE-WS 18/75 Li

- Filling capacity of the tank: 7.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.20

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS PRESSURE SPRAYERS 18 V

GE-WS 18/35 Li

- Filling capacity of the tank: 3.5 l
- Max. spraying pressure: 2.5 bar
- Flow rate: 60 l/h
- Pressure hose length: 140 cm

Article only available without battery / charger Art. No. 34.252.10

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	5 h	6 h	7.5 h	10 h	12 h	16 h	20 h	24 h



- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle

GE-WS 18/10 Li

- Filling capacity of the tank: 1 l
- Max. spraying pressure: 1.3 bar
- Flow rate: 9.6 l/h

Article only available without battery / charger Art. No. 34.252.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 h	16 h	20 h	24 h	32 h	42 h	48 h	64 h

- Automatic pump, no manual pressure build-up required
- Transparent tank with scale for checking the level
- Individually adjustable brass nozzle



¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

ACCESSORY – BATTERY BELT

GE-PB 36/18 Li

- Number of battery pockets: 2 pcs
- Cable length: 150 cm
- Length of hip belt: 150 cm

Article only available without batteries / chargers Art. No. 34.083.10

- Multifunctional – for 36 V and 18 V devices
- Padded carrying strap
- Large buckle for easy opening and closing



GAS HOT AIR GENERATOR WITH RECHARGEABLE BATTERY

GE-HG 18/370 Niro Li

- Heating output: 37 kW
- Hot air flow: 1000 m³/h
- Max. gas consumption: 2693 g/h
- Max. operating pressure: 1.5 bar

Article only available without battery / charger Art. No. 23.308.05



- No power supply necessary
- Housing made of stainless steel
- Piezo ignition



 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	90 min	140 min	160 min	180 min	280 min	330 min	380 min	560 min

¹⁾ Battery capacity




²⁾ Max. operating time per battery charge

CORDLESS HOSE REELS (WATER) 18 V

GE-HR 18/30 Li

- PXC battery voltage / capacity: 18 V / –
- Garden hose length / diameter: 30 m / 12.5 mm (1/2")
- Connecting hose length / diameter: 1.5 m / 12.5 mm (1/2")
- Swivelling range: 180°
- Product weight: 12.1 kg

Article only available without battery / charger Art. No. 41.737.70

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	25x	33x	42x	50x	66x	86x	100x	132x
 ³⁾	17x	22x	28x	34x	44x	57x	68x	88x






- Wall mount incl. dowels and screws
- Maintenance flap
- Patented hose guide system
- Cleaning brushes on the feeder

GE-HR 18/30 WH Li

- PXC battery voltage / capacity: 18 V / –
- Garden hose length / diameter: [30 m]* / [12.5 mm (1/2")]*
- Connecting hose length / diameter: 1.5 m / 12.5 mm (1/2")
- Swivelling range: 180°
- Product weight: 8.5 kg

Article only available without battery / charger Art. No. 41.737.71

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	25x	33x	42x	50x	66x	86x	100x	132x
 ³⁾	17x	22x	28x	34x	44x	57x	68x	88x

* Hose not included in scope of delivery

- Wall mount incl. dowels and screws
- Maintenance flap
- Patented hose guide system
- Cleaning brushes on the feeder



¹⁾ Battery capacity

²⁾ Max. number of roll-on and roll-off cycles per battery charge with water-filled hose (30 m, 1/2")

³⁾ Max. number of roll-on and roll-off cycles per battery charge with empty hose (30 m, 1/2")

CORDLESS AUTOMATIC GARDEN PUMP 36 V

AQUINNA 36/38 F LED AUTOMATIC

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.20

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min



- Automatic function and dry running protection
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)
- Suction, water filling and dirt indicator

CORDLESS GARDEN PUMPS 36 V

AQUINNA 36/38 F LED

- Max. delivery capacity / height: 3800 l/h / 37 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.10

1)	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
2)	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
3)	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min



- Water filling and dirt indicator
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)



1) Battery capacity (2x batteries required)

2) Max. running time in BOOST mode per battery charge

3) Max. running time in ECO mode per battery charge

CORDLESS GARDEN PUMPS 36 V

AQUINNA 36/34

- Max. delivery capacity / height: 3400 l/h / 35 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without batteries / chargers Art. No. 41.804.50

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	16 min	20 min	24 min	32 min	42 min	48 min	64 min
 ³⁾	24 min	32 min	40 min	48 min	64 min	84 min	96 min	128 min



- Water filler screw
- Water filling and dirt indicator
- 2-step switch (ECO/BOOST mode)



AQUINNA 36/30

- Max. delivery capacity / height: 3000 l/h / 26 m
- Max. suction height: 8 m
- Suction / pressure connection: 42 mm (1 1/4") ET / 33.3 mm (1") IT
- Incl.: Suction side adapter to reduce to 33.3 mm (1") ET

Article only available without batteries / chargers Art. No. 41.804.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	12 min	15 min	23 min	30 min	35 min	45 min	50 min	70 min
 ³⁾	30 min	35 min	47 min	55 min	70 min	85 min	100 min	140 min



- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)

¹⁾ Battery capacity (2x batteries required)

²⁾ Max. running time in BOOST mode per battery charge

³⁾ Max. running time in ECO mode per battery charge

CORDLESS GARDEN PUMPS 18 V

AQUINNA 18/30 F LED

- Max. delivery capacity / height: 3000 l/h / 28 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without battery / charger Art. No. 41.804.30

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 min	15 min	17 min	20 min	30 min	36 min	40 min	60 min
 ³⁾	14 min	19 min	23 min	28 min	38 min	48 min	56 min	76 min
 ⁴⁾	20 min	30 min	34 min	40 min	60 min	72 min	80 min	120 min
 ⁵⁾	28 min	38 min	46 min	56 min	76 min	96 min	112 min	152 min

¹⁾ Battery capacity

²⁾ Max. running time in BOOST mode with 1x 18 V battery per battery charge

³⁾ Max. running time in ECO mode with 1x 18 V battery per battery charge

⁴⁾ Max. running time in BOOST mode with 2x 18 V batteries per battery charge

⁵⁾ Max. running time in ECO mode with 2x 18 V batteries per battery charge



- Double Runtime Technology – 2 battery slots – double runtime – works also with one battery
- Water filling and dirt indicator
- Integrated: pre-filter and non-return valve
- 2-step switch (ECO/BOOST mode)

AQUINNA 18/28

- Max. delivery capacity / height: 2800 l/h / 25 m
- Max. suction height: 6 m
- Suction / pressure connection: 33.3 mm (1") ET / 33.3 mm (1") IT

Article only available without battery / charger Art. No. 41.804.40

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	10 min	14 min	17 min	20 min	28 min	36 min	40 min	56 min
 ³⁾	14 min	18 min	22 min	27 min	36 min	47 min	54 min	72 min

¹⁾ Battery capacity

²⁾ Max. running time in BOOST mode per battery charge

³⁾ Max. running time in ECO mode per battery charge



- Water filler screw
- Frost protection due to a water drain screw
- 2-step switch (ECO/BOOST mode)



CORDLESS SUBMERSIBLE PRESSURE/ RAIN BARREL PUMP 18 V

- Mobile battery box with integrated cable storage holder
- Infinitely adjustable telescopic connection pipe
- Powerful motor – high delivery pressure

2-IN-1
SUBMERSIBLE
PRESSURE PUMP
+
RAIN BARREL
PUMP

Produkt
des Jahres
2021/2022

BaumarktManager

Sieger
Kategorie Technik



GE-PP 18 RB Li

- Max. delivery height / pressure: 20 m / 2 bar
- Max. delivery capacity: 3000 l/h
- Max. immersion depth: 4 m

Article only available without battery / charger Art. No. 41.704.29

¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
²⁾	12 min	15 min	20 min	25 min	30 min	35 min	45 min	60 min

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode



CORDLESS CLEAR WATER PUMPS 18 V

GE-SP 18 Li

- Max. delivery capacity / height: 5000 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.00

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor – high flow rate

GE-SP 18 LL Li

- Max. delivery capacity / height: 4500 l/h / 8 m
- Max. immersion depth: 4 m
- Hose connection: 33.3 mm (G1 ET)

Article only available without battery / charger Art. No. 41.815.60

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	20 min	30 min	35 min	40 min	60 min	70 min	80 min	120 min



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor – low level suction

¹⁾ Battery capacity

²⁾ Max. operating time per battery charge in idle mode

CORDLESS DIRTY WATER PUMPS 18 V

GE-DP 18/25 Li

- Max. delivery capacity / height: 7500 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1 ¼ ET)
- Incl.: Universal connection for 25 mm / 33.3 mm / hoses of up to 1 ½"

Article only available without battery / charger Art. No. 41.815.80

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
 ³⁾	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min

- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor – high flow rate
- 2-step switch (ECO/BOOST mode)



GE-DP 18/25 LL Li

- Max. delivery capacity / height: 7000 l/h / 5 m
- Max. immersion depth: 4 m
- Hose connection: 42 mm (G 1 ¼ ET)
- Incl.: Universal connection for 25 mm / 33.3 mm / hoses of up to 1 ½"

Article only available without battery / charger Art. No. 41.815.90

 ¹⁾	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah
 ²⁾	11 min	15 min	19 min	23 min	30 min	40 min	46 min	60 min
 ³⁾	16 min	21 min	26 min	32 min	42 min	55 min	64 min	84 min



- Mobile battery box with integrated cable storage holder
- Practical mounting options
- Powerful motor – high flow rate
- 2-step switch (ECO/BOOST mode)
- 2-in-1 function: pumping clear water and dirty water



¹⁾ Battery capacity

²⁾ Max. running time in BOOST mode per battery charge

³⁾ Max. running time in ECO mode per battery charge



**DUST
PROOF**

**WATER
PROOF**



ACCESSORIES – BATTERIES



4.0 Ah SEALED Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 4.0 Ah
- Battery power: max. 900 W

Art. No. 45.116.27



3.0 Ah SEALED Power X-Change Plus Battery

- Items supplied: 1 battery
- Battery voltage / capacity: 18 V / 3.0 Ah
- Battery power: max. 900 W

Art. No. 45.116.18

SEALED
TECHNOLOGY

SEALED TECHNOLOGY. NO CHANCE FOR DUST AND WATER.

Officially tested according to IP57 protection class.*

WHAT DOES IP57 MEAN?


DUST 5

Protected from all types of foreign bodies and dust – be it wood, brick or metal.



7 WATER

Protected from high pressure water spray and temporary submersion – to a maximum depth of 1 m for up to 30 minutes.



In addition to the sealed housing there is a sensor controlled safety cut out to prevent short circuiting under water.

After the contacts have been dried, the battery is ready for use again.

* Protection according to IP57 applies to the battery itself. It does not apply to tools operated with the battery




PLUS TECHNOLOGY

By switching to the new “21700” cell format (21 mm diameter, 70.0 mm length) our latest Power X-Change batteries have acquired the best combination of power/running time and weight.

Why? Using this cell technology it is possible to achieve the same power and running time with five cells instead of the previous ten.

Benefits? The new batteries are 12 % lighter and 13 % more compact than their predecessors – at 100 % power and running time.

Results: Light-weight all-rounders for energy-intensive applications such as in cordless chainsaws.





MULTI-AH TECHNOLOGY

Thanks to MULTI-Ah technology, switching over from a 5 Ah battery to a 8 Ah battery is really easy and can be done with just the push of a button. The 5 Ah battery has a 3x longer total service life and is suitable for lighter applications (e.g. cordless lamp or cordless screwdriver). The 8 Ah battery offers them maximum running time for more capacity-intensive applications (e.g. cordless lawn mower or cordless wet and dry vacuum cleaners).

5 Ah ➤ **300%** more service life¹⁾

8 Ah ➤ **60%** more runtime²⁾

¹⁾ In comparison to every standard lithium-ion battery

²⁾ In comparison to the 5 Ah battery

TWIN-PACK

18 V I + 18 V I ➤ 36 V

TECHNOLOGY



ONE BATTERY FOR ALL DEVICES – TWIN-PACK TECHNOLOGY

Every Power X-Change battery from Einhell has a voltage of 18 V. If more power is required for more powerful tools, **two 18 V batteries are simply combined in one 36 V device** thanks to Twin-Pack technology. Doubling the voltage automatically doubles the power.











Double Twin-Pack technology allows you to work even longer without recharging. This uses four batteries. If the first two batteries are empty, the system automatically switches to the two additional batteries.

ACCESSORIES – BATTERIES

One battery for all devices

Our rechargeable batteries are not only available individually (solo item), but also in a Twin Pack. To get started in the Einhell world, we recommend choosing a Starter Kit (battery + charger)

◀◀◀ Less weight and size PXC Batteries More power and runtime ▶▶▶






										
	2.0 Ah	2.5 Ah	3.0 Ah PLUS	3.0 Ah SEALED	4.0 Ah	4.0 Ah PLUS	4.0 Ah SEALED	5.2 Ah	4-6 Multi-Ah	5-8 Multi-Ah
Article number Solo (1 battery)	45.113.95	Only available in Starter Kits	Only available in Twin Packs	45.116.18	45.113.96	Only available in Twin Packs and Starter Kits	45.116.27	45.114.37	45.115.02	45.116.00
Power	max. 450 W	max. 720 W	max. 900 W	max. 900 W	max. 900 W	max. 900 W	max. 900 W	max. 1260 W	max. 1350 W	max. 1350 W
Weight	400 g	460 g	585 g	595 g	670 g	595 g	605 g	890 g	1020 g	1050 g
Features										
PLUS - Extra Power			✓	✓		✓	✓	✓	✓	✓
SEALED				✓			✓			
Multi-Ah									✓	✓

				
	3.0 Ah PLUS	4.0 Ah	4.0 Ah PLUS	5.2 Ah
Article number Twin Pack (2 batteries)	45.116.31	45.114.89	45.116.29	45.115.26

ACCESSORIES – STARTER KITS









Getting started is easy – with the Einhell Power X-Change Starter Kit

Technical data and features at a glance:

					
	2.5 Ah	4.0 Ah	4.0 Ah PLUS	5.2 Ah	4-6 Multi-Ah
Article number (1 battery) + 1 charger)	45.120.97	45.120.42	45.121.59	45.121.14	45.121.43
Article number (2 batteries + 1 charger)	–	45.121.12	–	–	–
Charger (More information in the charger table)	3 A Charger	3 A Twincharger	3 A Charger	3 A Charger	6 A Boostcharger
Ready to go	50 min	75 min	75 min	80 min	60 min

ACCESSORIES – CHARGERS

One charger for all batteries – 100 % compatibility

								
	3 A Charger	3 A Carcharger	4 A Fastcharger	6 A Boostcharger	8 A Boostcharger	3 A Twincharger	4 A Twincharger	4 A Quattrocharger
Article number	Only available in Starter Kits	45.121.13	45.121.03	Only available in Starter Kits	45.121.55	45.120.69	45.121.61	45.121.02
Charging current	3 A	3 A	4 A	6 A	8 A	3 A (je Port)	4 A (je Port)	4 A (je Port) (parallel charging of 2x2 batteries)
Number of ports for PXC batteries	1	1	1	1	1	2	2	4

POWER X-CHANGE BATTERY ACCESSORY



- Endless extendable to store an unlimited amount of batteries
- Simple assembling due to tongue and groove connection
- Snap-in function for battery ensures fixation in any position

Battery Mounting Gadget

- Items supplied: 2 battery mounting gadgets, 4 screws, 4 dowels
- Can be used for: all Power X-Change batteries

Art. No. 45.141.55



- Protects the battery against dust and moisture

Battery Protector

- Items supplied: 1 battery cover
- Suitable for (batteries): all Power X-Change batteries
- Can be used for (devices): HYPRESSO 18/24, TE-DA 18/760 Li, GE-WS 18/10 Li

Art. No. 41.401.51

BATTERY CHARGING TIME TABLE

	1.5 Ah	2.0 Ah	2.5 Ah	3.0 Ah	4.0 Ah	5.2 Ah	6.0 Ah	8.0 Ah	<div>Shorter charging time</div>
Power X-Charger 3 A	30 min	40 min	50 min	60 min	75 min	100 min	120 min	160 min	
Power X-Twincharger 3 A (parallel charging of 2 batteries)									
Power X-Car Charger 3 A									
Power X-Fastcharger 4 A	24 min	30 min	37 min	45 min	60 min	80 min	90 min	120 min	
2x2 Power X-Quattrocharger 4 A (parallel charging of 2 batteries)									
Power X-Boostcharger 6 A *	24 min	30 min	27 min	32 min	40 min	50 min	60 min	80 min	
Power X-Boostcharger 8 A **	24 min	30 min	27 min	32 min	40 min	40 min	45 min	60 min	

* Only 2.5 Ah - 8.0 Ah batteries can be charged with 6 A. Batteries of lower capacity are charged with a lower current.

** Only 5.2 Ah - 8.0 Ah batteries can be charged with 8 A. Batteries of lower capacity are charged with a lower current.

THE POWER X-CHANGE PARTNERS. STRONG COLLABORATIONS WITH STRONG PRODUCTS.

"Cordless freedom for everyone." This is the vision of the Einhell brand. It is widely known already that the cordless screwdrivers, circular saws, lawn mowers and all other members of the Power X-Change team can be operated using one and the same battery. To give our customers access to many more Power X-Change applications beyond the workshop and garden we have opened our cordless platform to cooperation partners from other areas. Diverse platform partners are already using our Power X-Change batteries in their own products – and the number is constantly rising!

MISSION GAMING FUN WITH CORDLESS POWER

Ride-On Audi R8 Spyder from Jamara

- Dimensions (l x w x h): 106 x 62 x 34 cm
- Top speed: approx. 5 km/h
- Max. weight: 25 kg

Article only available without batteries / chargers
Art. No. 60.000.13

Other colors are available at www.jamara-shop.com

- 2 wheel drives with 2 powerful drive motors
- Bluetooth and USB connection for music
- Chassis suspension at the rear
- Sport type steering wheel and LED headlights



CAMPING WITH E.POWER TECHNOLOGY

Knaus/Weinsberg – Caravan Charger

Users of select caravan models from Knaus and Weinsberg can operate their refrigerator, water pump and light with our Power X-Change batteries for up to 10 hours. In other words, the customer can supply his caravan independently with energy for a whole night. And of course he can remove the battery at any time for use in any one of the other 300+ cordless devices such as a cordless vacuum cleaner or a cordless compressor. What could be more perfect than our Power X-Change battery for your next camping trip!?



To learn more, go to www.knaus.com

POND CARE WITH POWER X-CHANGE

Pond sludge vacuum cleaner type F636-PXC from Heissner

Heissner, our platform partner and specialist for ponds, pools and garden lighting, has created the perfect cordless garden helper in the form of its F636-PXC pond sludge vacuum cleaner. The wet and dry vac with self-emptying function is perfect for cleaning small ponds and for emptying pools, paddling pools and much more besides. All of this thanks to the cordless freedom of Power X-Change.

To learn more, go to www.heissner.de



E-MOBILITY WITH POWER X-CHANGE

The FOLDY-E folding bike from Vecocraft

Vecocraft, another platform partner, relies on our Power X-Change batteries for its folding E-bike. A range of up to 35 km is possible with two 18 V Power X-Change batteries. The compact 20 inch aluminium folding E-bike is notable for its low weight and folded dimensions of just 860 x 500 x 640 mm. This means it can easily be taken with you in a car or on public transport.

To learn more, go to www.vecocraft-shop.de



UNLIMITED SUCTION THANKS TO CORDLESS BATTERY CHANGE-OVER SYSTEM

SEPURO stick vacuum cleaner from Severin

Severin trusts in the Power X-Change cordless platform for its SEPURO range of innovative handheld and stick vacuum cleaners. With the 3.0 Ah battery included on delivery, the SEPURO PRO achieves either a running time of up to 60 minutes or uninterrupted suction thanks to its battery changeover system! Plus – the vac guarantees uncompromising cleanliness. Whether you prefer the model with a dust bag or without, this cordless vac sets new standards in terms of hygiene and is also allergy-friendly.

To learn more, go to www.severin.com





**EINHELL IS
OFFICIAL HOME & GARDEN EXPERT
OF FC BAYERN MÜNCHEN!**



Official Home & Garden Expert





Einhell

CORDLESS EXCELLENCE.



Einhell Germany AG

Wiesenweg 22
94405 Landau / Isar
Germany

info@einhell.de
www.einhell.de

Einhell-Service

Eschenstr. 6
94405 Landau / Isar
Germany

Tel. +49 (0) 9951 959 2000
Service-DE@einhell.com
www.einhell-service.de

einhell.de

>>>